

**Catalogue of Afghanistan Longhorn beetles
(Coleoptera, Cerambycidae) with two descriptions of new
Phytoecia (Parobereina Danilevsky, 2018) from Central Asia**

M.A. Lazarev

State Budget Professional Educational Institution of the Moscow Region “Chekhov technical college”

Novaya str., 4, Novyi Byt village, Chekhov District, Moscow Region 142322 Russia
e-mail: cerambycidae@bk.ru; humanityspace@gmail.com

Key words: Coleoptera, Cerambycidae, taxonomy, distribution, new species, Afghanistan, Pakistan.

Abstract: The Catalogue includes all 78 Cerambycidae species of Afghanistan fauna known up to 2019 with the references to the original descriptions; 22 species were not mentioned for Afghanistan in Palaearctic Cerambycidae Catalogue by Löbl & Smetana (2010). Bibliography of each species usually includes the geographical information from corresponding publications. Many new taxonomy positions published after 2010 are used here without special remarks. *Agapanthia (Eopistes) dahli ustinovi* Danilevsky, 2013 **stat. nov.** is downgraded from the species level. Two species are described as new *Phytoecia (Parobereina) pashtunica* sp. n. from Afghanistan and *Phytoecia (Parobereina) heinzi* sp.n. from Pakistan.

The present work is an attempt to summarize all data published up to now on Cerambycidae of Afghanistan fauna.

Family **CERAMBYCIDAE** Latreille, 1802

subfamily **Prioninae** Latreille, 1802

tribe Macrotomini J. Thomson, 1861

genus *Anomophysis* Quentin & Villiers, 1981: 374 type species

Prionus spinosus Fabricius, 1787

inscripta C.O. Waterhouse, 1884: 380 (*Macrotoma*)

Heyrovský, 1936: 211 - Wama; Tippmann, 1958: 41 - Kabul, Ost-Afghanistan, 1740; Sarobi, am Kabulflus, 900 m; Mangul, Bashgultal, Nuristan, Ost-Afghanistan, 1250 m; Fuchs, 1961: 259 - Sarobi 1100 m, O.-Afghanistan; Fuchs, 1967: 432 - Afghanistan, 25 km N von Barikot, 1800 m, Nuristan; Nimla, 40 km SW von Dschelalabad; Heyrovský, 1967: 156 - Zentral-Afghanistan, Prov. Kabul: Kabul; Kabul-Zahir; Ost-Afghanistan, Prov. Nengrahar:

M.A. Lazarev

“Nuristan”, ohne näheren Fundort; Kamu; Löbl & Smetana, 2010: 90 - Afghanistan.

plagiata C.O. Waterhouse, 1884: 381 (*Macrotoma*)

vidua Lameere, 1903: 167 (*Macrotoma*)

Quentin & Villiers, 1981: 361, 376, 383 - Afghanistan: Kaboul; Sairobi; Darah-i-Nour, Nangahar; Löbl & Smetana, 2010: 90 - Afghanistan; Kariyanna et al., 2017: 267 - Afghanistan: Kaboul; Rapuzzi et al., 2019: 64 - Afghanistan.

tribe Prionini Latreille, 1802

genus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793

subgenus *Lophosternus* Guérin-Méneville, 1844: 209 type species

Lophosternus buquetii Guérin-Méneville, 1844

Cyrtosternus Guérin-Méneville, 1844: 210 type species *Lophosternus hopei* Guérin-Méneville, 1844

huegelii L. Redtenbacher, 1844: 550 (*Cyrtognathus*)

falco J. Thomson, 1877: 262 (*Cyrthognathus*)

palpalis Gahan, 1906: 12 (*Lophosternus*)

Note: *D. huegelii* was recorded for Afghanistan (Lobl & Smetana, 2010: 91; Rapuzzi et al., 2019: 65), and the occurrence of the species in the country is rather probable, but no exact locality information was published up to now, and the corresponding specimens are not known.

genus *Mesoprionus* Jakovlev, 1887: 323 type species *Prionus asiaticus* Faldermann, 1837

angustatus Jakovlev, 1887: 327 (*Prionus*)

angheri Brancsik, 1899: 102 (*Prionus*)

bucharicus Semenov, 1900: 328 (*Prionus*)

Löbl & Smetana, 2010: 92 - Afghanistan; Danilevsky, 2014b: 45 - North Afghanistan.

genus *Miniprionus* Danilevsky, 2000: 189 type species *Prionus pavlovskii* Semenov, 1935

pavlovskii Semenov, 1935: 239 (*Prionus*)

Danilevsky, 2000: 190 - North Afghanistan.

genus *Pogonarthron* Semenov, 1900: 257 type species *Polyarthron bedeli* Semenov, 1900

M.A. Lazarev

subgenus *Multicladum* Danilevsky in Danilevsky & Komiya, 2014:
268 type species *Prionus semenovianus* Plavilstshikov, 1936
semenovianum Plavilstshikov, 1936: 92 (*Prionus*)
Löbl & Smetana, 2010: 93 - Afghanistan; Danilevsky, 2014b: 62 -
North Afghanistan.

genus *Prionus* Geoffroy, 1762: 198 type species *Cerambyx*
coriarius Linnaeus, 1758

corpulentus Bates, 1878: 720

Fuchs, 1955: 272, 273 - Pashki, Nuristan; Löbl & Smetana, 2010: 93
- Afghanistan.

elliotti Gahan, 1906: 16

Gahan, 1906: 16 - Baluchistan, near Quetta; Koh-i-Baba: Marrak;
Fuchs, 1955: 271 - Marrak, Koh-i-Baba, Afghanistan; Shirparak,
Koh-i-Baba, Afghanistan; Tippmann, 1958: 41 - Senna, Kokschatal,
Badakschan, NO-Afghanistan; Löbl & Smetana, 2010: 94 -
Afghanistan; Kariyanna et al., 2017: 273 - Afghanistan, Koh-i-Baba,
Marrak.

vartianorum Fuchs, 1967: 431

Fuchs, 1967: 431 - Afghanistan: Paghman, 30 km NW von Kabul,
2500 m; Khurd-Kabul [34°23'N, 69°23'E], SO von Kabul, 1900 m;
Löbl & Smetana, 2010: 94 - Afghanistan; Rapuzzi et al., 2019: 66 -
Afghanistan.

genus *Pseudoprionus* Pic, 1898: 33 type species *Polyarthron*
bienerti Heyden, 1885

altimontanus Kabakow & Dolin, 1996: 45 (*Prionus*)

Kabakow & Dolin, 1996: 45 - Afghanistan: Prov. Uruzdan, N von
Schachrestan; SW Panjav / Qonay Pass; Zabolj Prov., W von
Argandab; Danilevsky, 2009: 293 - Central Afghanistan; Löbl &
Smetana, 2010: 94 - Afghanistan.

subfamily **Lepturinae** Latreille, 1802

tribe Lepturini Latreille, 1802

genus *Anastrangalia* Casey, 1924: 280 type species *Leptura*
sanguinea LeConte, 1859

rubriola Bates, 1878: 720 (*Leptura*)

kashmirica Plavilstshikov, 1927: 105

Heyrovský, 1936: 211 - Parun-Tal; Schigi; Löbl & Smetana, 2010:
97 - Afghanistan; Rapuzzi et al., 2019: 66 - Afghanistan.

M.A. Lazarev

genus *Pedostrangalia* Sokolov, 1897: 461 type species
Pedostrangalia kassjanowi Sokolov, 1897 (= *Leptura imberbis* Ménétriés, 1832)

subgenus *Pedostrangalia* Sokolov, 1897: 461 type species
Pedostrangalia kassjanowi Sokolov, 1897 (= *Leptura imberbis* Ménétriés, 1832)

afghanistana Satô & N. Ohbayashi, 1976: 485
Satô & N. Ohbayashi, 1976: 485 - Kabul, Aliabad; Löbl & Smetana, 2010: 110 - Afghanistan.

imberbis Ménétriés, 1832: 231 (*Leptura*)

angulicollis Heyden, 1879: 323 [=1879: 67] (*Strangalia*)
kassjanowi Sokolov, 1897: 461

Özdikmen, 2004: 24, 28 - Afghanistan.

subgenus *Neosphenalia* Löbl, 2010: 60 type species *Leptura verticalis* Germar, 1822

Sphenalia K. Daniel, 1904: 355 [HN] type species *Leptura verticalis* Germar, 1822

? *kurda* Sama, 1996: 104

Nota. The record of *P.emmipoda* (Mulsant, 1863) for Afghanistan by Özdikmen (2004: 25, 28) had to be connected with *P. kurda* Sama, 1996, but later Özdikmen (2014: 403) did not included Afghanistan in the general area of *P.emmipoda*.

genus *Rutpela* Nakane & K. Ohbayashi, 1957: 242 type species

Leptura maculata Poda von Neuhaus, 1761

inermis K. Daniel & J. Daniel, 1898: 74 (*Strangalia*)

elboursensis Pic, 1905: 390 (*Strangalia*)

Heyrovský, 1971: 82 - Hérat, province d'Hérat, Afghanistan septentrional.

tribe Rhagiini Kirby, 1837

genus *Cortodera* Mulsant, 1863: 572 type species *Grammoptera spinosula* Mulsant, 1839: 290 (= *Leptura humeralis* Schaller, 1783)
bamiyana Danilevsky, 2014a: 256

Danilevsky, 2014a: 256 - Afghanistan, Bamiyan, Panjab Distr., Varas; Özdikmen, 2016: 14 - Afghanistan.

Note. The records of *Cortodera transcaspica persica* Plavilstshikov, 1936 and *C. pseudomophilus* Reitter, 1889 for

M.A. Lazarev

Afghanistan by Özdkmen (2003) were most probably based on wrong determination of local species.

subfamily **Apatophyseinae** Lacordaire, 1869

tribe Apatophyseini Lacordaire, 1869

genus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

subgenus *Angustephysis* Pic, 1956: 2 type species *Apatophysis richteri* Pic, 1956

margiana Semenov & Shchegoleva-Barovskaya, 1936: 77
plavilstshikovi Miroshnikov, 1992: 392

Danilevsky, 2008: 37, 41 - North Afghanistan

modica Gahan, 1906: 71

Danilevsky, 2006: 9 - south Afghanistan; Löbl & Smetana, 2010: 142 - Afghanistan.

subgenus *Apatophysis* Chevrolat, 1860a: 95 type species
Apatophysis toxotoides Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

afghanica Miroshnikov, 2014: 14

Miroshnikov, 2014: 14 - Afghanistan, Paktya, Spera.

caspica Semenov, 1901: 31

Danilevsky, 2006: 2 - Afghanistan; 2008: 22, 41 - Afghanistan; Löbl & Smetana, 2010: 142 - Afghanistan.

genus *Protapatophysis* Semenov & Stschegoleva-Barovskaja, 1936: 26 type species *Apatophysis kashmiriana* Semenov, 1901

kabakovi Danilevsky, 2011: 102

Heyrovský, 1936: 211 (as *A. kashmirina* Semenov, 1901) - Wama; Tippmann, 1958: 47 (as *A. kashmirina* Semenov, 1901) - Kamdesch, 2000 m, Bashgultal, Nuristan, O-Afghanistan; Fuchs, 1967: 433 - Afghanistan, Khurd-Kabul, SO von Kabul, 1900 m (as *A. kashmirina* Semenov, 1901) and Afghanistan, Paghman, 30 km NW von Kabul, 2500 m (as *A. montana* Gahan, 1906); Löbl & Smetana, 2010: 142 - Afghanistan (as *A. vartianae* Heyrovský, 1971); Danilevsky, 2011: 101, 104 - Afghanistan, prov. Kunar, SW Pech-Dara; North-east Afghanistan, West of Konar province (Chapa Dara district).

M.A. Lazarev

subfamily **Cerambycinae** Latreille, 1802

tribe Achrysonini Lacordaire, 1868

genus *Nortia* J. Thomson, 1864: 252 type species *Nortia cavicollis*

J. Thomson, 1864

afghanica Heyrovský, 1967: 158

Heyrovský, 1967: 157, 158 - Ost-Afghanistan, Prov. Nengrahar: Kamu, 1450 m; Löbl & Smetana, 2010: 143 - Afghanistan.

tribe Callichromatini Swainson & Shuckard, 1840

genus *Osphranteria* L. Redtenbacher, 1850: 50 type species

Osphranteria suaveolens L. Redtenbacher, 1850

Quettania Schwarzer, 1931: 62 type species *Quettania coeruleipennis* Schwarzer, 1931.

coerulescens L. Redtenbacher, 1850: 50

inaurata Holzschuh, 1981: 98

coeruleipennis Schwarzer, 1931a: 63 (*Quettania*)

mirabilis Podany, 1980: 231 (*Polyzonus*)

Note. The species must occur in Afghanistan as it is distributed in Pakistan and in Iran.

lata Pic, 1956: 3

richteri Heyrovský, 1959: 4

Löbl & Smetana, 2010: 149 - Afghanistan; Bentanachs, 2012a: 88, 89, 96 - Afghaništán; 2012b: 71 - Afghanistan; Rapuzzi et al., 2019: 72 - Afghanistan.

suaveolens L. Redtenbacher, 1850: 50

Heyrovský, 1967: 157 - Ost-Afghanistan, Prov. Nengrahar: Kamu; Löbl & Smetana, 2010: 149 - Afghanistan; Bentanachs, 2012a: 88, 90, 96 - Afghaništán; 2012b: 71 - Afghanistan.

tribe Callidiini Kirby, 1837

genus *Turanium* Baeckmann, 1922: 32 type species

Callidiumscabrum Kraatz, 1882

subgenus *Turanium* Baeckmann, 1922: 32 type species

Callidiumscabrum Kraatz, 1882

scabrum Kraatz, 1882a: 115 (*Callidium*)

implarium Heyden, 1885: 296 (*Callidium*)

Danilevsky, 2001: 580 - North Afghanistan (no specimens from the country known).

M.A. Lazarev

tribe Cerambycini Latreille, 1802

genus *Trirachys* Hope, 1843: 63 type species *Trirachys orientalis*

Hope, 1843

Trirachis Agassiz, 1846: 378 [unjustified emendation]

Trirrhachys Gemminger, 1872: 2801 [unjustified emendation]

indicola Bates, 1891: 21 (*Neocerambyx*)

Heyrovský, 1936: 211 - Wama [35°11'N 70°48'E]; Löbl & Smetana, 2010: 158 - Afghanistan.

sarta Solsky, 1871: 150 (*Pachydissus*)

Fuchs, 1955: 273 - Kabul; 1967: 433 - Afghanistan, Paghman, 30 km NW von Kabul, 2500 m; Tippmann, 1958: 45- Kabul, 1740 m, O-Afghanistan; Bashgultal, 1300 m, Nuristan, O-Afghanistan; Pagmangebirge, 2300 m, Ost-Afghanistan; Kandahar, 950 m, Süd-Afghanistan; Darufulun, bei Kabul, O-Afghanistan, 1800 m; Fuchs, 1961: 259 - Kabul; Polichomri N.-Afghanistan, 700 m; Heyrovský, 1967: 156 - Zentral-Afghanistan, Prov. Kabul: Kabul; Hua, 2002: 191 - Afghanistan; Löbl & Smetana, 2010: 158- Afghanistan; Kumawat et al., 2015: 7895 - Afghanistan; Vitali, Gouverneur & Chemin, 2017: 46, 48 - Afghanistan, Kaboul, Darulaman; Kariyanna et al., 2017: 36 - Afganistan: Kabul; Rapuzzi et al., 2019: 68 - Afghanistan.

genus *Derolus* Gahan, 1891: 26 type species *Hammaticherus*

mauritanicus Buquet, 1840

Capnocerambyx Reitter, 1894: 356 type species *Hammaticherus mauritanicus* Buquet, 1840

iranensis Pic, 1956: 3

iranensis iranensis Pic, 1956: 3

iranensis Lepesme & Breuning, 1958: 179 [HN]

Löbl & Smetana, 2010: 159 - Afghanistan; Rapuzzi et al., 2019: 70 - Afghanistan.

genus *Diorthus* Gahan, 1891: 27 type species *Hammaticherus*

simplex A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)

subgenus *Diorthus* Gahan, 1891: 27 type species *Hammaticherus*

simplex A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)

cinereus Fabricius, 1793: 265 (*Cerambyx*) [NP]

holosericeus Olivier, 1795: 14 (*Cerambyx*)

inclemens J. Thomson, 1865: 576 (*Pachydissus*)

simplexA. White, 1853: 130 (*Hammaticherus*)

sordidus Pascoe, 1888: 491 (*Neocerambyx*)

M.A. Lazarev

vernicosus Pascoe, 1859: 19 (*Cerambyx*)

Fuchs, 1961: 259 - Kabul; Löbl & Smetana, 2010: 160 - Afghanistan;
Rapuzzi et al., 2019: 69 - Afghanistan.

genus *Hoplocerambyx* J. Thomson, 1864: 229 type species

Hammaticherus spinicornis Newman, 1842

spinicornis Newman, 1842a: 245 (*Hammaticherus*)

minor Pic, 1923: 8 (*Hoplocerambyx*)

morosus Pascoe, 1857: 92 (*Cerambyx*)

relictus Pascoe, 1866: 528

Gahan, 1906: 131 - South Afghanistan; Hayashi & Makihara, 1981: 188 - Afghanistan; Hüdepohl, 1990: 65 - Afghanistan; Niisato, 1990: 112 - Afghanistan; Mukhopadhyay & Biswas, 2000: 51 - South Afghanistan; Hua, 2002: 211 - Afghanistan; Löbl & Smetana, 2010: 160 - Afghanistan; Nga, Long & Thinh, 2014: 434 - Afghanistan; Kumawat et al., 2015: 7895 - Afghanistan; Majumder et al., 2015: 8244 - Afghanistan; Kariyanna et al., 2017: 31 - South Afghanistan)

genus *Neoplocaederus* Sama, 1991: 123 [RN] type species

Plocaederus cyanipennis J. Thomson, 1861

scapularis Fischer von Waldheim, 1821: 15 (*Cerambyx*)

tataricus Gebler, 1841: 375 (*Hammaticherus*)

Waterhouse, 1889: 130 - Afghanistan, Hari-rud valley; Fuchs, 1961: 259 - Polichomri N.-Afghanistan, 700 m; Fuchs, 1967: 433 - Afghanistan, Khurd-Kabul, SO von Kabul, 1900 m; Villiers, 1967: 354 - Nord de l'阿富汗; Löbl & Smetana, 2010: 162 - Afghanistan; Kotán & Sama, 2011: 59 - Afghanistan.

genus *Xenopachys* Sama, 1999: 46 type species *Dissopachys*

matthiesseni Reitter, 1907

matthiesseni Reitter, 1907: 218 (*Dissopachys*)

Fuchs, 1967: 433 - Afghanistan, 25 km N von Barikot, 1300 m, Nuristan; Heyrovský, 1967: 157 - Ost-Afghanistan, Prov. Nengrahar: Kamu.

schurmanni Sama, 1999: 46

Sama, 1999: 46 - Afghanistan: Ghov., Jam; Löbl & Smetana, 2010: 162- Afghanistan.

M.A. Lazarev

tribe Clytini Mulsant, 1839

genus *Chlorophorus* Chevrolat, 1863: 290 type species *Callidium annulare* Fabricius, 1787

subgenus *Humeromaculatus* Özdkmen, 2011: 536 type species *Cerambyx figuratus* Scopoli, 1763

quatuordecimmaculatus Chevrolat, 1863: 295 (*Anthoboscus*)
guerryi Pic, 1902: 30 (*Clytanthus*)

Tippmann, 1958: 54 - Firgamu, Kokschatal, Badakschan, 2300 m, NO-Afghanistan; Löbl & Smetana, 2010: 168 - Afghanistan; Kariyanna et al., 2017: 46 - Afganistan.

subgenus *Immaculatus* Özdkmen, 2011: 536 type species *Chlorophorus kanoi* Hayashi, 1963

faldermanni Faldermann, 1837: 269 (*Clytus*)

caucasicus Pic, 1897: 262 (*Clytanthus*)

mesmini Pic, 1908: 3 (*Clytanthus*)

punctomaculatus Pic, 1893: 26 (*Clytus*)

quinquemaculatus Gebler, 1845: 104 (*Clytus*)

Tippmann, 1958: 51 - Kamdesch, Bashgultal, 2000 m, Nuristan, O-Afghanistan; Kutiau, 1500 m, Ost-Nuristan, Afghanistan; Villiers, 1967: 361 - Nord Afghanistan; Löbl & Smetana, 2010: 166-Afghanistan)

varius O. F. Müller, 1766: 188

varius varius O. F. Müller, 1766: 188

Tippmann, 1958: 51 - Schiva, Hochsteppe 2800 m, Badakschan, NO-Afghanistan.

genus *Perissus* Chevrolat, 1863: 262 type species *Perissus x-littera* Chevrolat, 1863

delerei Tippmann, 1958: 49

Tippmann, 1958: 49 - Bashgultal, 1100 m, Nuristan, O. Afghanistan; Löbl & Smetana, 2010: 175 - Afghanistan.

genus *Xylotrechus* Chevrolat, 1860b: 456 type species *Clytus sartorii* Chevrolat, 1860

subgenus *Turanoclytus* Sama, 1994: 325 type species *Clytus namanganensis* Heyden, 1885

namanganensis Heyden, 1885: 297 (*Clytus*)

bucharensis Semenov, 1893: 501 (*Clytus*)

subcrucifer Pic, 1903: 4

Gressitt, 1951: 249 - Afghanistan; Hua, 2002: 236 - Afghanistan.

M.A. Lazarev

subgenus *Xylotrechus* Chevrolat, 1860b: 456 type species *Clytus sartorii* Chevrolat, 1860

badachschanicus Tippmann, 1958: 48

Tippmann, 1958: 48 - Firgamu, Kokschatal, 2300 m, Badakschan, NO-Afghanistan; Löbl & Smetana, 2010: 181- Afghanistan.

smei Laporte & Gory, 1841: 37 (*Clytus*)

Ahmad, 1946: 35, 44 - Kabul; Heyrovský, 1971: 82 - Afghanistan oriental, 30 km au Nord de Kaboul; Majumder et al., 2015: 8245 - Afghanistan; Kariyanna et al., 2017: 79 - Afghanistan (Kabul); Rapuzzi et al., 2019: 72 - Afghanistan.

stebbingi Gahan, 1906: 244

Tippmann, 1958: 48 - Kabul, 1740 m, Ost-Afghanistan; Fuchs, 1961: 259 - Kabul; Löbl & Smetana, 2010: 183 - Afghanistan; Kariyanna et al., 2017: 63 - Afganistan.

tribe Hesperophanini Mulsant, 1839

subtribe Daramina Sama, 2008

genus *Zoodes* Pascoe, 1867: 319 type species *Stromatium maculatum* A. White, 1855

Cornutaemospila Pic, 1927: 30 type species *Cornutaemospila piceosignata* Pic, 1927

compressus Fabricius, 1787: 153 (*Callidium*)

Fuchs, 1967: 433 - Afghanistan, 25 km N von Barikot, 1300 m, Nuristan; Löbl & Smetana, 2010: 187 - Afghanistan.

tribe Oemini Lacordaire, 1868

genus *Noserius* Pascoe, 1857: 95 type species *Noserius tibialis* Pascoe, 1857

indicus Gahan, 1906: 104 (*Hypoescrhus*)

Löbl & Smetana, 2010: 194- Afghanistan; Kariyanna et al., 2017: 79 - Afghanistan; Rapuzzi et al., 2019: 67 - Afghanistan.

tribe Purpuricenini J. Thomson, 1861

genus *Afghanicenus* Heyrovský, 1941: 36 type species *Purpuricenus nuristanicus* Heyrovský, 1936

dreesi Tippmann, 1958: 57

Tippmann, 1958: 57- Kamu, Bashgultal, 1500 m, Nuristan, O-Afghanistan; Bashgultal, 1200 m, Nuristan, O-Afghanistan; Kutiau, 1450 m, Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 196 - Afghanistan.

M.A. Lazarev

nuristanicus Heyrovský, 1936: 212 (*Purpuricenus*)

Heyrovský, 1936: 211, 212 - Gulan-Tal; Brubrutz im Kti-Tal; Kti-Tal; Heyrovský, 1941: 37, 39 - Afghanistan or., Nuristan; Tippmann, 1958: 56 - Pagman-Gebirge, 2300 m, O-Afghanistan; Bashgultal, 1200 m, Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 196 - Afghanistan.

genus *Purpuricenus* Dejean, 1821: 105 type species *Cerambyx kaeherli* Linnaeus, 1758

Acanthoptera Latreille, 1829: 114 type species *Cerambyx budensis* Götz, 1783
Cyclodera A. White, 1846: 510 type species *Cyclodera quadrimaculata* A. White, 1846

Hamadrias Gistel, 1848: 130 [unnecessary substitute name]

Philagathes J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864

Porphyrocenus Reitter, 1913: 34 type species *Purpuricenus spectabilis* Motschulsky, 1858

Sternoplistes Guérin-Méneville, 1844: 224 type species *Purpuricenus temminckii* Guérin-Méneville, 1844

indus Semenov, 1908: 261 [RN]

haussknechti Gahan, 1906: 186

Ahmad, 1946: 35, 44 - Afghanistan, Darra-i-Khail; Tippmann, 1958: 55 - Bashgultal, Nuristan, 1200 m, O-Afghanistan; Heyrovský, 1967: 157-Ost-Afghanistan, Prov. Nengrahar: Kamu, 1450 m; Miroshnikov & Lobanov, 1990: 17 - Afghanistan; Löbl & Smetana, 2010: 198 - Afghanistan; Ambrus & Tichý, 2017: 95 - Afghanistan; Kariyanna et al., 2017: 78 - Afghanistan; Rapuzzi et al., 2019: 72 - Afghanistan.

kabakovi Miroshnikov & Lobanov, 1990: 15

Miroshnikov & Lobanov, 1990: 15 - Afghanistan: Nuristan, Pech River, SW Chapadar, 2000-2400 m; Löbl & Smetana, 2010: 198 - Afghanistan; Danilevsky, 2012b: 149 - Afghanistan; Kariyanna et al., 2017: 78 - Afghanistan: Nuristan, SW Chanadar; Rapuzzi et al., 2019: 71 - Afghanistan.

montanus A. White, 1853: 138

Ambrus & Tichý, 2017: 96 - Afghanistan; Löbl & Smetana, 2010: 199 - Afghanistan; Rapuzzi et al., 2019: 71 - Afghanistan.

tribe *Tillomorphini* Lacordaire, 1868

genus *Cleroclytus* Kraatz, 1884: 226 type species *Cleroclytus semirufus* Kraatz, 1884

M.A. Lazarev

subgenus *Cleroclytus* Kraatz, 1884: 226 type species *Cleroclytus semirufus* Kraatz, 1884
semirufus Kraatz, 1884: 225
semirufus collaris Jakovlev, 1885: 290
 manifestus Jakovlev, 1900: 664
 strigicollis Jakovlev, 1900: 663
 Löbl & Smetana, 2010: 206 - Afghanistan.
semirufus semirufus Kraatz, 1884: 225
 Heyden, 1894: 83 - Afghanistan, Kischlak-Tusch.

subfamily Lamiinae Latreille, 1825

tribe Agapanthiini Mulsant, 1839

genus *Agapanthia* Audinet-Serville, 1835: 35 type species
 Cerambyx cardui Linnaeus, 1767

subgenus *Epoetes* Gistel, 1857a:93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804

Agapanthiella Pesarini & Sabbadini, 2004: 126 type species *Cerambyx villosa viridescens* DeGeer, 1775

dahli C. F. W. Richter, 1821: pl. 12

dahli ustinovi Danilevsky, 2013: 35, **stat. nov.**

Note. Afghanistan, Badakhshān province. The taxon was described from Tadzhikistan, but just from the borderline with Afghanistan.

detrita Kraatz, 1882b: 336

 Heyden, 1894: 83 - Afghanistan, Kischlak-Tusch; Tippmann, 1958: 60.

nigriventris C. O. Waterhouse, 1889: 130

 Waterhouse, 1889: 130 -Afghanistan, Hari-rud valley; Winkler, 1929: 1212 - Afghanistan; Löbl & Smetana, 2010: 216 - Afghanistan.

paki Rapuzzi, 2012: 958

 Rapuzzi, 2012: 958 - Afghanistan: Ghor prov., 16 km E Chagcharan, Bandi-Ali vill. env.

subgenus *Stichodera* Pesarini & Sabbadini, 2004: 126 type species

Saperda irrorata Fabricius, 1787

soror Kraatz, 1882b: 336

 Tippmann, 1958: 61 - Schiva, Hochsteppe, 2800 m, Badakschan, NO-Afghanistan.

M.A. Lazarev

tribe Apodasyini Lacordaire, 1872

genus *Cylindilla* Bates, 1884: 250 type species *Cylindilla grisescens*

Bates, 1884

Anaesthetomorphus Pic, 1929a: 6 [RN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)

Ascoldatimura Breuning, 1960: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)

Microestola Gressitt, 1940: 180 type species *Microestola bidentata* Gressitt, 1940

Minatimura Breuning, 1958b: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)

Pseudanesthetis Pic, 1929b: 119 [HN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)

parallela Gressitt, 1951: 515 (*Microestola*)

Tippmann, 1958: 59 - Asmar, 900 m, Kunartal, Nuristan, O.-Afghanistan; Bashgultal, 1100 m, Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 222 - Afghanistan.

Note. The occurrence of the species in Afghanistan is very doubtful as it was described from China (Hubei).

genus *Sophronica* Blanchard, 1845: 160 type species *Sophronica calceata* Chevrolat, 1855

Dasyo Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858

Dasystola Kolbe, 1894: 63 type species *Dasystola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)

Dimbrokoia Pic, 1944: 16 type species *Dimbrokoia apicalis* Pic, 1944

Elithiotes Pascoe, 1864: 279 type species *Elithiotes hirsuta* Pascoe, 1864

Eupogonioides Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)

Lasiapheles Bates, 1873: 382 type species *Lasiapheles obrioides* Bates, 1873

Mimanaesthetis Pic, 1926: 16 type species *Mimanaesthetis atripennis* Pic, 1926

Phunginus Pic, 1922: 15 type species *Phunginus apicalis* Pic, 1922

egena Holzschuh, 2006: 488

Holzschuh, 2006: 488 - Est-Afghanistan, Nuristan, Baschgultal; Löbl & Smetana, 2010: 227 - Afghanistan.

tribe Apomecynini J. Thomson, 1860

genus *Apomecyna* Dejean, 1821: 108 type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

subgenus *Apomecyna* Dejean, 1821: 108 type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

Anapomecyna Pic, 1925: 29 type species *Anapomecyna luteomaculata* Pic, 1925

M.A. Lazarev

Crassapomecyna Breuning, 1958b: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896
Mecynapus J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856
Pseudoalbana Pic, 1895: 77 type species *Pseudoalbana lameerei* Pic, 1895
Vocula Lacordaire, 1872: 587 type species *Vocula irrorata* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)
leucostictae Hope, 1831: 28 (*Callidium*)
lineata Pic, 1937: 14
Löbl & Smetana, 2010: 228 - Afghanistan.

tribe Batocerini J. Thomson, 1864

genus *Apriona* Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831

subgenus *Apriona* Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831

Anapriona Breuning, 1949: 8 type species: *Apriona submaculosa* Pic, 1917
Cylindrapriona Breuning, 1949: 8 type species *Monochamus cylindricus* J. Thomson, 1857
Humeroapriona Breuning, 1949: 8 type species *Lamia swainsoni* Hope, 1840
Mesapriona Breuning, 1949: 8 type species *Apriona punctatissima* Kaup, 1866
Parapriona Breuning, 1948: 17 type species: *Parapriona brunneomarginata* Breuning, 1948

cinerea Chevrolat, 1852: 416

newcombei Gilmour, 1958: 112

Breuning, 1967a: 435 -Afghanistan, 25 km N von Barikot, 1300 m, Nuristan; Heyrovský, 1967: 157-Ost-Afghanistan, Prov. Nengrahar: Kamu, 1450 m; Löbl & Smetana, 2010: 237 - Afghanistan; Rapuzzi et al., 2019: 76 - Afghanistan.

tribe Exocentrini Pascoe, 1864

genus *Exocentrus* Dejean, 1835: 339 type species *Cerambyx balteatus* Fabricius sensu Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767)

Bicolorihirtus Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978

Formosexocentrus Breuning, 1958a: 322 type species *Exocentrus variepennis* Schwarzer, 1925

parrotiae Fisher, 1932: 304-306

klapperichi Breuning, 1957: 12

Breuning, 1957: 12 - Afghanistan: Nuristan, Kutiau, 1500 m; Tippmann, 1958: 59 - Kutiau, 1500 m, Nuristan, O-Afghanistan;

M.A. Lazarev

Löbl & Smetana, 2010: 310 - Afghanistan; Lingafelter et al., 2014: 84 - Afghanistan: Nuristan, Kutiau; Holzschuh, 2015: 48 - Afghanistan.

tribe Phytoeciini Mulsant, 1839

genus *Paramallosia* Fuchs, 1955: 273 type species *Paramallosia afghanica* Fuchs, 1955
afghanica Fuchs, 1955: 274

Fuchs, 1955: 274 - Tarapas, Koh-i-Baba, Afghanistan; Panjao, Koh-i-Baba, Afghanistan; Ghilzai, Koh-i-Baba, Afghanistan; Schirparak, Koh-i-Baba, Afghanistan; Löbl & Smetana, 2010: 302 - Afghanistan.

genus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758

subgenus *Parobereina* Danilevsky, 2018: 131 type species
Phytoecia vittipennis Reiche, 1877
pashtunica Lazarev, sp.n.

Afghanistan, Bamian province, Waras district, 5 km SW Waras near Dahane Denawak village, 34°15'42"N, 66°52'43"E, 2680 m.

povolnyi Heyrovský, 1971: 82

Heyrovský, 1971: 82 - Darunta, province de Nengrahar, Afghanistan oriental; Skrylnik, 2010: 260, 261 - Afghanistan: Kaboul prov., Nangarhar prov.; Löbl & Smetana, 2010: 302 - Afghanistan.

ochraceipennis Kraatz, 1882b: 337

Tippmann, 1958: 61 - Kutiau, Nuristan; 1500 m, O-Afghanistan; Kabul, 1740 m, O-Afghanistan; Bashgultal, 1200-1300 m. Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 302 - Afghanistan.

tatyanae Skrylnik, 2010: 260

Skrylnik, 2010: 260 - Afghanistan: Bamian prov., Band-e Amir env. [34°50'59.64"N, 67°12'8.10"E]; Kabul prov., Paghman.

tekensis Semenov, 1896: 258

Fuchs, 1961: 259 - Gulbahar 1700 m, O.-Afghanistan; Löbl & Smetana, 2010: 302 - Afghanistan.

subgenus *Fulgophytoecia* Pic, 1900: 16 type species *Phytoecia circumdata* Kraatz, 1882

Pseudomallosia Breuning, 1967b: 1 type species *Pseudomallosia parterufipennis* Breuning, 1967

circumdata Kraatz, 1882b: 337

parterufipennis Breuning, 1967b: 2 (*Pseudomallosia*)

sellata Ganglbauer, 1887: 296

M.A. Lazarev

Heyrovský, 1936: 212 - Gulan-Tal; Tippmann, 1958: 61 - Bazarak, Panchirtal, 2200 m, O-Afghanistan; Breuning, 1967b: 2 - Afghanistan: Hazaradjat, Koh-i-Baba, Pandjao Umgebung; Löbl & Smetana, 2010: 303 - Afghanistan.

valentinae Skrylnik, 2010: 258

Skrylnik, 2010: 258 - C. Afghanistan, Bamian prov., Band-e Amir env.

subgenus *Opsilia* Mulsant, 1863: 387 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coeruleascens* Scopoli, 1763)

brevicornis Kasatkin, 2013: 265

Kasatkin, 2013: 265 - Afghanistan, Bamiyan Prov., 8 km South of Bamiyan, Kohi-Baba Mts., Khushkak vill. env.

bucharica Breuning, 1943: 101

breunungi Dahlgren, 1988: 114

Löbl & Smetana, 2010: 301 - Afhganistan.

Note. A series of specimens with the label: "Nurestan, N Waigal riv., 2000-3000m, IV-VII, 1971-73, O.Kabakov leg." is preserved in the collection of M.L. Danilevsky (Moscow).

subgenus *Pseudocoptosia* Pic, 1900: 16 type species *Phytoecia eylandti* Semenov, 1891

cinerascens Kraatz, 1882b: 337 (*Phytoecia*)

sokolowi Semenov, 1895: 206, 209 (*Phytoecia*)

Heyden, 1894: 83 - Afghanistan; Heyrovský, 1967:158 - Nord-Afghanistan, Prov. Herat: Bala Murghab, 470 m; Löbl & Smetana, 2010: 292 - Afghanistan.

eylandti Semenov, 1891: 380 (*Phytoecia*)

glasunowi Semenov, 1895b: 207, 210 (*Phytoecia*)

Note. The species is undoubtedly distributed in Afghanistan, as it is very numerous in Turkmenia just on Afghanistan border (Kushka environs).

tribe Pteroplipiini J. Thomson, 1860

genus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839

subgenus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornia* Mulsant, 1839

indica Breuning, 1938: 239

grisea Breuning, 1938: 241

M.A. Lazarev

Heyrovský, 1967: 157 - Ost-Afghanistan, Prov. Nengrahar; Samarchel, 900 m; Löbl & Smetana, 2010: 316 - Afghanistan; Kariyanna et al., 2017: 195 - Afghanistan; Rapuzzi et al., 2019: 73 - Afghanistan.

genus *Pterolophia* Newman, 1842c: 370 [NP] type species *Mesosa bigibbera* Newman, 1842

subgenus *Pterolophia* Newman, 1842c: 370 [NP] type species *Mesosa bigibbera* Newman, 1842

Acroptycha Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888

Alyattes J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864

Cormia Pascoe, 1864: 281 type species *Cormia ingrata* Pascoe, 1864

Eurycotyle Blessig, 1873: 210 type species *Eurycotyle maacki* Blessig, 1873

Incamelomorpha Pic, 1926: 4 type species *Pterolophia depensis* Pic, 1926

Paralophia Aurivillius, 1925: 30 [HN] type species *Paralophia quadrinodosa* Aurivillius, 1925

Praonetha Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823

Praonetha Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853

Prioneta Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853

Prionetopsis J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1801)

Theticus J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858

apicefusca Breuning, 1938: 319

Tippmann, 1958: 58 - Bashgultal, 1200 m, Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 319 - Afghanistan; Kariyanna et al., 2017: 199 - Afghanistan.

tribe Saperdini Mulsant, 1839

genus *Glenea* Newman, 1842b: 301 type species *Saperda novemguttata* Guérin-Méneville, 1831

subgenus *Glenea* Newman, 1842b: 301 type species *Saperda novemguttata* Guérin-Méneville, 1831

Accola Jordan, 1894: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)

Accolona E. Strand, 1942: 392 [RN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)

M.A. Lazarev

Cryllis Pascoe, 1867: 363 type species *Cryllis clytoides* Pascoe, 1867

Hapochoron Gistel, 1848: x [RN]

Sphenura Dejean, 1835: 350 [HN] type species *Saperda novemguttata* Guérin-Méneville, 1831

afghana Breuning, 1971: 44

Breuning, 1971: 44 - Afghanistan: Shogran; Löbl & Smetana, 2010: 324 - Afghanistan; Rapuzzi et al., 2019: 78 - Afghanistan.

genus *Saperda* Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758

subgenus *Compsidia* Mulsant, 1839: 182 type species *Cerambyx populneus* Linnaeus, 1758

populnea Linnaeus, 1758: 394

populnea populnea Linnaeus, 1758: 394 (*Cerambyx*)

betulina Geoffroy, 1785: 78 (*Leptura*)

bilineata Scopoli, 1772: 102 (*Leptura*)

decempunctata DeGeer, 1775: 78 (*Cerambyx*)

populi Duméril, 1860: 607

salicis Zetterstedt, 1818: 258

Krivolutskaya & Lobanov, 1996: 132 - Afghanistan.

tribe Tetropini Portevin, 1927

genus *Lenotetrops* Danilevsky, 2012a: 5 type species *Lenotetrops ivanovaee* Danilevsky, 2012

ivanovae Danilevsky, 2012a: 6

Danilevsky, 2012a: 6 - Kabul prov., 13 km NW Kabul, Qargha environs, Band-e-Qargha; Wardak prov., W Maydan.

***Phytoecia (Parobereina) pashtunica* sp.n**
Figs 1-2

Type locality. Afganistan, Bamian province, Waras district, 5 km SW Waras near Dahane Denawak village, 34°15'42"N, 66°52'43"E, 2680 m.

Description. A single female available; head, antennae and legs totally black; lower eye lobes about two times wider than genae; antennae a little shorter than body, not reaching elytral apices; 1st antennal joint short, about as long as 5th, 4th joint much longer, but shorter than 3rd; prothorax elongated, about 1.1 times longer than basal width; pronotum shining, glabrous, without glabrous callosities, without pale recumbent pubescence, without longitudinal setae stripe, with small sparse punctation; solitary white setae are distributed along sides of prothorax and under humeral elytral angles; scutellum triangula, without pale recumbent pubescence, with sparse small erect setae; elytra yellow with wide black area along middle; curved elytral margin with narrow black stripe, as well as anterior elytral margin; elytral punctuation relatively big arranged in distinct longitudinal rows; elytral pubescence hardly visible, consisting of very short erect and recumbent setae; metepisternae with dense semierect short pale pubescence; claws brown, with very narrow sharp long denticles; ventral body side covered by shorte moderately dense pale pubescence, and looks black; last abdominal tergite rounded, sternite truncated; body length: 6.2 mm, width: 1.3 mm.

Differential diagnosis. The species is similar to 3 other *Ph. (Parobereina)* of the region: *Ph. (P.) ochraceipennis* Kraatz, 1882, *Ph. (P.) povolnyi* Heyrovský, 1971, *Ph. (P.) tatyanae* Skrylnik, 2010, but each of them has partly yellow tibiae or (in *Ph. ochraceipennis*) partly yellow femora; pronotum in all 3 species usually more or less covered by recumbent pale pubescence, with more or less distinct glabrous shining callosities; anterior elytral margin partly yellow (black tranverse stripe interrupted in the middle; black stripe of curved elytral margin never reaching humeri; pale elyral pubescence rather distinct; ventral body margin with very dense recumbent pubescence, looks white.

M.A. Lazarev

Material studied. 1 female, each with 2 labels: 1) "AFGANISTAN 5 km WS Waras / Bamian prov., Waras distr. / near Dahane Denawak vill. 2680 m / 34°15'42.46"N, 66°52'43.20"E / Yu.Ye. Skrylnik 25.VI.2016."; 2) "HOLOTYPE / *Phytoecia (Parobereina) / PASHTUNICA* sp.n. / M.Lazarev det. 2019" - collection of M.L. Danilevsky.

Distribution. Central Afganistan, Bamian province.

Etymology. The Pashtuns are the largest ethnic group in Afghanistan.

Phytoecia (Parobereina) heinzi sp.n

Figs 3-4

Type locality. Pakistan, Khyber Pakhtunkhwa province, Swat district, Utrot, about 35°29'N, 72°28'E, 2300/2600 m.

Description. A single male available; head and antennae totally black; lower eye lobes more than two times wider than genae; antennae longer than body, surpassing elytral apices by 2 apical joints; 1st antennal joint short, shorter than 5th, 4th joint much longer than 5th and about equal to 3rd; prothorax about 1.1 times shorter than basal width; pronotum with hardly distinct microsculpture and rather small sparse punctuation, with very fine recumbent pale pubescence concentrated along middle forming pale central line poorly pronounced; without glabrous callosities; scutellum semicircula, with dense white recumbent pubescence; elytra black with elongated humeral yellow spots protruding backwards along anterior elytral third; curved elytral margin black; elytral punctuation rather small, longitudinal rows are not regular, partly mixed; elytral pubescence hardly visible, consisting of very short erect and recumbent setae; metepistrnae with dense recumbent white pubescence; legs yellow with partly darkened tarsi; claws with very narrow long sharp denticles; ventral body side covered by dense white pubescence, and looks white; pygidium shallowly emarginated, postpygidium rounded; last abdominal sternite slightly exposed apically, concave along middle; body length: 8.2 mm, width: 2.0 mm.

Differential diagnosis. The species is very close to rather variable *Ph. (Parobereina) vittipennis* Reiche, 1877, because of similarly colored antennae and pronotum, as well as similar pronotal sculpture,

M.A. Lazarev

but in *Ph. (P.) vittipennis* prothorax more elongated, elytral punctuation considerably larger strongly longitudinally arranged; many populations of *Ph. (P.) vittipennis* are characterized by long and dense pronotal and elytral pale erect pubescens; middle and hind femora in all populations of *Ph. (P.) vittipennis* with black bases; pygidium in the nominative subspecies and in *Ph. (P.) v. pravei* Plavilstshikov, 1926 deeply emarginated.

Material studied. 1 male, each with 2 labels: 1) “Pakistan (Swāt): Utrot 2300/2600 m / Heinz leg. / 15/19.VII.1997”; 2) “HOLOTYPE / *Phytoecia (Parobereina)* / HEINZI sp.n. / M.Lazarev det. 2019” - collection of M.L. Danilevsky.

Distribution. North Pakistan.

Etimology. The new species is dedicated to Walter Heinz, who collected the holotype.

REFERENCES

- Agassiz J.L.R. 1846. Nomenclatoris zoologici index universalis, continens nomina systematica classium, ordinum, familiarum et generum animalium omnium, tam viventium quam fossilium, secundum ordinem alphabeticum unicum disposita, adjectis homonymiis plantarum, nec non variis adnotationibus et emendationibus. Soloduri: Jent & Gassmann, viii + 383 pp.
- Ahmad T. 1946. Insect Fauna of Afghanistan - III.Coleoptera. - The Indian Journal of Entomology. 8: 33-52.
- Ambrus R., Tichý T. 2017. New and interesting records of the tribe Purpuricenini J. Thomson, 1861 from China and neighbouring countries (Coleoptera, Cerambycidae). - Les Cahiers Magellanes (NS). 25: 85-105, 7 figs.
- Audinet-Serville J.G.A. 1835. Nouvelle classification de la famille des longicornes (suite).- Annales de la Société Entomologique de France. 4: 5-100, pl. 3.
- Aurivillius C. 1925. Neue oder wenig bekannte Coleoptera Longicornia. 19. - Arkiv för Zoologi. 15 [1922-1924] (25): 1-43 [= 437-479].
- Baeckmann J.N. 1922. Revision der Gattung *Pronocera* auctorum (Coleoptera, Cerambycidae). - Russkoe Entomologicheskoe Obozrenie. 18 (1922-1924): 28-35.
- Bates H.W. 1873. On the longicorn Coleoptera of Japan. - The Annals and Magazine of Natural History. (4) 12: 148-156, 193-201, 308-318, 380-390.
- Bates H.W. 1878. On new Species of Coleopterous Insects (Geodephaga and Longicornia) taken by Dr. Stoliczka during the Forsyth Expedition to Kashgar in 1873-74. - Proceedings of the Scientific Meetings of the Zoological Society of London [1878]: 713-721.
- Bates H.W. 1884. Longicorn beetles of Japan. Additions, chiefly from the later collections of G. Lewis, and notes on the synonymy, distribution, and habits of the previously known species.- Journal of the Linnean Society of

M.A. Lazarev

- London, Zoology. 18: 205-261. 2 pls.
- Bates H.W. 1891. Coleoptera from Kulu in N. W. India. - The Entomologist (supplement). 24: 7-23.
- Bentanachs J. 2012a. Revisión del género *Polyzonus* Dejean, 1835 y géneros afines (Coleoptera, Cerambycidae, Callichromatini). - Les Cahiers Magellanes (NS) 8: 1-100, 264 figs.
- Bentanachs J. 2012b. Catalogue des Callichromatini de la région paléarctique et orientale (Coleoptera, Cerambycidae, Cerambycinae, Callichromatini). - Les Cahiers Magellanes (NS) 10: 26-106, 58 figs.
- Blanchard C.E. 1853. Description des insectes. - In: Hombros J. & Jacquinot H.: Zoologie, Tome quatrième. In: Dumont-d'Urville J.: Voyage au pôle Sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée, executé par ordre du Roi pendant les années 1837-1838-1839-1840, sous le commandement de M.J. Dumont-d'Urville, capitaine de vaisseau, publié par ordre du gouvernement, sous la direction supérieure de M. Jacquinot capitaine de vaisseau commandant de la Zélée. Paris: Gide et J. Baudry, [5] + 422 pp., 20 pls. (note: plates issued in 1847).
- Blessig C. 1873. Zur Kenntnis der Käferfauna Süd-Ost-Sibiriens insbesondere des Amur-Landes. Longicornia. - Horae Societatis Entomologicae Rossicae. 9 [1872]: 193-260, pls. VII, VIII.
- Breuning S. 1938. Novae species Cerambycidarum VI. - Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand, Riga. 4 (1937): 180-392.
- Breuning S. 1943. Nouveaux Cérambycides paléarctiques (1re note). - Miscellanea Entomologica. 40(9): 89-104.
- Breuning S. 1948. Nouvelles formes de lamiaires (1re partie). - Bulletin du Musée Royal d'Histoire Naturelle de Belgique. 24 (38): 1-44.
- Breuning S. 1949. Notes systématiques sur les lamiaires (Coleoptera Cerambycidae). - Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. 25(38): 1-32.
- Breuning S. 1957. Neue Lamiinae aus der Sammlung F. Tippmann (Cerambycidae, Coleoptera). - Entomologisches Nachrichtenblatt für Österreichischer und Schweizer Entomologen. 8 (3): 10-16.
- Breuning S. 1958a. Révision du genre *Exocentrus* Mulsant (Col., Cerambycidae). - Bulletin of the British Museum (Natural History) Entomology. 7 (5): 209-328.
- Breuning S. 1958b. Bemerkungen zu einigen Lamiiden des Deutschen Entomologischen Instituts (Coleoptera: Cerambycidae). - Beiträge zur Entomologie. 8: 491-494.
- Breuning S. 1960. Nouvelles formes de lamiaires (douzième partie).- Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. 36 (7): 1-30.
- Breuning S. 1967a. Österreichische entomologische Expeditionen nach Persien und Afghanistan Beiträge zur Coleopterologie, Teil IV: Cerambycidae: Lamiinae. - Annalen des Naturhistorischen Museums, Wien. 70: 435.
- Breuning S. 1967b. Zwei neue Lamiiden aus den Beständen der Zoologischen Staatssammlung in München (Col., Cerambycidae). - Opuscula Zoologica, München. 94: 1-2.

M.A. Lazarev

- Breuning S. 1971. Description de nouvelles espèces de Lamiinae de la coll. Chassot (Coleoptera, Cerambycidae). - Bulletin de la Société Entomologique de Mulhouse (mai-juin 1971): 44.
- Brancsik K. 1899. Aliquot Coleoptera nova Russiae asiaticae. Jahresheft des Naturwissenschaftlichen Vereines des Trencsiner Comitatus 21-22 (1898-1899): 97-105 + 1, pl. 4.
- Buquet J. B. L. 1840. Description de plusieurs coléoptères nouveaux appartenant aux genres: Lebia, Vatellus, Acmaeodera, Hammaticerus et Leptura. - Annales de la Société Entomologique de France. 9: 393-400.
- Chevrolat L.A.A. 1852. Description de Coléoptères nouveaux. - Revue et Magasin de Zoologie, Paris. (2) 4: 414-418.
- Chevrolat L.A.A. 1856. Description de longicornes nouveaux du vieux Calabar, côte occidentale d'Afrique. - Revue et Magasin de Zoologie, Paris. (2) 8: 531-535.
- Chevrolat L.A.A. 1860a. [new taxa]. - In: Mélanges et nouvelles. Revue et Magasin de Zoologie Pure et Appliquée. (2) 12: 95-96.
- Chevrolat L.A.A. 1860b. Description d'espèces de Clytus propres au Mexique. - Annales de la Société Entomologique de France. (3) 8: 451-504.
- Chevrolat L.A.A. 1863. Clytides d'Asie et d'Océanie. - Mémoires de la Société Royale des Sciences de Liège. 18 (4): 253-350.
- Dahlgren G. 1988. Eine neue Phytoecia (Col., Cerambycidae) aus Turkestan. - Entomologische Blätter. 84: 114-115.
- Daniel K. 1904. Über Leptura revestita L., verticalis Germ. und ihre nächsten Verwandten. - Münchener Koleopterologische Zeitschrift. 2: 355-371.
- Daniel K. & Daniel J. 1898. Zwanzig neue Arten aus dem paläarktischen Faunengebiet. - Coleopteren-Studien. 2 (7): 61-82. München, Druck C. Wolf & Sohn.
- Danilevsky M.L. 2000. Description of Miniprionus gen. n. from Middle Asia with new data in related genera (Coleoptera: Cerambycidae). - Russian Entomological Journal. 8 (3) (1999): 189-190.
- Danilevsky M.L. 2001. Review of the genus Turanium Baeckmann, 1923 (Coleoptera, Cerambycidae). - Lambillionea. 101(4): 579-588, 24 figs.
- Danilevsky M.L. 2006. A revue of genus Apatophysis Chevrolat, 1860 of Iran (Coleoptera, Cerambycidae). - Les Cahiers Magellanes. 59: 1-11, 9 figs.
- Danilevsky M.L. 2008. Apatophysis Chevrolat, 1860 of Russia and adjacent regions. - Studies and Reports of District Museum Prague-East, Taxonomical Series. 4 (1-2): 7-56, 16 figs, 6 cartes, 7 photos.
- Danilevsky M.L. 2009. The taxonomic position of two Prioninae (Coleoptera, Cerambycidae) from Central Asia. - Russian Entomological Journal. 17 (3) (2008): 293-294.
- Danilevsky M.L. 2011. A review of genus Protagaphysis Semenov-Tian-Shanskij et Stschegoleva-Barovskaja, 1936 stat. nov. (Coleoptera: Cerambycidae: Apatophyseinae). - Studies and Reports of District Museum Prague-East, Taxonomical Series. 7 (1-2): 93-104, 4 figs.
- Danilevsky M.L. 2012a. Lenotetrops ivanova, gen. nov., sp. nov. from Afghanistan (Coleoptera, Cerambycidae). - Animma. X. 44: 5-8, 2 figs.

M.A. Lazarev

- Danilevsky M.L. 2012b. Additions and corrections to the new Catalogue of palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. III. - Munis Entomology & Zoology. 7 (1): 109-173.
- Danilevsky M.L. 2013. Six new Longicorn (Coleoptera, Cerambycidae) taxa from Russia and adjacent countries. - Humanity space. International almanac. Vol. 2. Supplement 2: 28-41.
- Danilevsky M.L. 2014a. Two new species of genus *Cortodera* Mulsant, 1863 from Asia (Coleoptera, Cerambycidae). - Humanity space. International almanac. 3 (2): 255-258, 4 figs.
- Danilevsky M.L. 2014b. Longicorn beetles (Coleoptera, Cerambycoidea) of Russia and adjacent countries. Part 1. Moscow: HSC: 1-522. [in Russian]
- Danilevsky M.L. 2018. A new Palaearctic subgenus of genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae). - Zootaxa. 4521 (1): 129-132.
- DeGeer C. 1775. Mémoires pour servir à l'histoire des insectes. Tome cinquième. Stockholm: L'imprimerie Pierre Hesselberg, vii + 448 pp., 16 pls.
- Dejean P.F.M.A. 1821. Catalogue des coléoptères de la collection de M. le Baron Dejean. Paris: Crevot, viii + 136 pp.
- Dejean P.F.M.A. 1835. Catalogue des coléoptères de la collection de M. le Comte Dejean. Deuxième édition. Livraison 4. Paris: Méquignon-Marvis Père et Fils. pp. 257-360.
- Duméril A.M.C. 1860. Entomologie analytique. Histoire générale, classification naturelle méthodique des insectes à l'aide de tableaux synoptiques Mémoires de l'Académie des Sciences 31: i-xxii + 1-1239, 1 pl.
- Drumont A., Pesarini C. 2008. Note synonymique concernant des *Prionus* Geoffroy du Pakistan (Coleoptera, Cerambycidae, Prioninae). - Lambillionea. 108 (1) 2: 79-81, 6 figs.
- Fabricius J.C. 1775. *Systema entomologiae sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus*. Flensburgi et Lipsiae: Libraria Kortii, xxxii + 832 pp.
- Fabricius J.C. 1787. *Mantissa insectorum, sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis, emendationibus, observationibus*. Tomus I. Hafniae: C. G. Proft, xx + 348 pp.
- Fabricius J.C. 1793. *Entomologia systematica emendata et aucta. Secundum classes ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus*. Hafniae, C. G. Proft 1 (2): xx + 1-538.
- Fabricius J.C. 1801. *Systema eleutheratorum secundum ordines, genera, species, adiectis synonymis, locis, observationibus, descriptionibus*. Tomus II. Kiliae: Bibliopoli Academici Novi. 687 pp.
- Fairmaire L. 1896. Matériaux pour la faune coléoptérique de la région malgache. - Annales de la Société Entomologique de Belgique. 40: 336-398.
- Faldermann F. 1837. Fauna entomologica Transcaucasica. Coleoptera 2. Longicornes vel Capricornes. - Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou. 5: 1-433, 15 pls. (pls VII-XI)
- Fisher W.S. 1932. New species of *Exocentrus* Mulsant from India (Coleoptera: Cerambycidae: Subfamily Lamiinae). - The Indian Forest Records (Series Entomology), Calcutta. 16 (10) (1931): 295-325.

M.A. Lazarev

- Fischer W.G.Von 1821. Lettre adressée au nom de la Société Impériale des Naturalistes de Moscou, à l'un de ses membres M. le Docteur Chrétien-Henri Pander, contenant une notice sur un nouveau genre d'Oiseau et sur plusieurs nouveaux Insectes. Catalogus Animalium in itinere inde ab Orenburg ad Bokaram usque collectorum. Augusti Semen, Moscou: 5-15.
- Fisher W.S. 1930. A new genus and two new species of longhorn beetles from India (Col., Cerambycidae: subfamily Lamiinae). - Indian Forest Records. 14: 275-278.
- Fuchs E. 1955. The 3rd Danish Expedition to Central Asia, Zoological Result 17.Cerambycidae (Insecta) aus Afghanistan. - Videnskabelige meddelelser fra Dansk Naturhistorik Forening. 117: 271-274.
- Fuchs E. 1961. Ergebnisse der Deutschen Afghanistan-Expedition 1956 der Landessammlungen für Naturkunde Karlsruhe - Cerambycidae. - Beiträge zur naturkundlichen Forschung in Südwestdeutschland. 19 (3): 259.
- Fuchs E. 1967. Österreichische entomologische Expedition nach Persien und Afghanistan. Beiträge zur Coleopterologie Teil III: Cerambycidae: Prioninae und Cerambycinae. - Annalen des Naturhistorischen Museums in Wien. 70: 431-433.
- Gahan C. J. 1890. Notes on longicorn Coleoptera of the group Cerambycinae with descriptions of new genera and species.- The Annals and Magazine of Natural History. (6) 6: 247-261.
- Gahan C.J. 1891. Notes on longicorn Coleoptera of the group Cerambycinae, with description of new genera and species.- The Annals and Magazine of Natural History. (6) 7: 19-34.
- Gahan C.J. 1906. The fauna of British India including Ceylon and Birma.Coleoptera. Volume I (Cerambycidae). London: Taylor and Francis, xviii + 329 pp.
- Ganglbauer L. 1887. Phytoecia sellata n. sp. - Deutsche entomologische Zeitschrift, Berlin. 31 (2): 296.
- Gebler F. A. von. 1841. Charakteristik mehrerer neuen sibirischen Coleopteren. - Bulletin Scientifique de l'Académie Impériale des Sciences de Saint-Pétersbourg. 8: 369-376.
- Gebler F. A. von 1845. Charakteristik der von Hn. Dr. Schrenk in den Jahren 1842 und 1843 in den Steppen der Dsungarei gefundenen neuen Coleopteren-Arten. - Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Pétersbourg. 3 (1844-1845): 97-106.
- Gemminger M. 1872: Cerambycidae. Pp. 2751-2988. In: Gemminger M. & Harold E. von.: Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus. Tom IX. Scolytidae, Brenthidae, Anthotribidae, Cerambycidae. Monachii: E. H. Gummi, [1] + 2669-2988 + [12] pp.
- Geoffroy E.L. 1785. [new taxa]. In: Fourcroy A.F. de.: Entomologia parisiensis; sive Catalogus Insectorum quae in Agro Parisiensi reperiuntur; Secundum methodum Geoffraeanam in sectiones, genera et species distributus: cui addita sunt nomina trivialia et fere trecentae novae Species. Pars prima. Parisiis: Privilegio Academiae, vii + [1] + 231 pp. (new names attributed to Geoffroy by Fourcroy).

M.A. Lazarev

- Germar E.F. 1822. Fauna Insectorum Europae. Fasc. V. Halae: C.A. Kümmel, 25 nrs.
- Gilmour E.F. 1958. Revision of the genus Apriona Chevrolat (Col., Cerambycidae, Lamiinae, Batocerini). - Idea (Bogor). 11: 35-91, 93-131, 5 pls.
- Gistel J.N.F.X. 1848. Naturgeschichte des Thierreichs. Für höhere Schulen. Stuttgart: Hoffmann'sche Verlags-Buchhandlung, xvi + 216 + 4 pp., 32 pls.
- Gistel J.N.F.X. 1857a. Achthundert und zwanzig neue oder unbeschriebene wirbellose Thiere. Straubing: Verlag der Schorner'schen Buchhandlung, 92 pp. [note: separate issue from Vacuna].
- Gistel J.N.F.X. 1857b. Achthundert und zwanzig neue oder unbeschriebene wirbellose Thiere. Pp. 513-606. - In: Vacuna oder die Geheimnisse aus der organischen und leblosen Welt. Unterdrückte Originalien-Sammlung von grösstenteils noch lebenden und verstorbenen Gelehrten aus dem Gebiete sämmtlicher Naturwissenschaften, der Medizin, Litteraturgeschichte, des Forst- und Jagdwesens, der Oekonomie, Geschichte, Biographie, und der freien schönen Künste, herausgegeben von Professor Dr. Johannes Gistel. Zweiter Band. Straubing: Schorner, 1031 pp.
- Götz G.F. 1783. Beiträge zur Naturgeschichtde der Insecten. - Naturforscher. 19: 70-77, 1 pl.
- Gressitt J.L. 1940. The longicorn beetles of Hainan Island. Coleoptera: Cerambycidae. - Philippine Journal of Science. D 72 (1-2): 1-239, 7 pls.
- Gressitt J.L. 1951. Longicorn beetles of China. - In: Lepesme P.: Longicornia, études et notes sur les longicornes, Volume 2. Paris: Paul Lechevalier. 667 pp., 22 pls.
- Guérin-Méneville F.E. 1831. Dictionnaire Classique d'Histoire Naturelle. Bory de Saint-Vincent J.P.G.M. (éditeur). Ray et Gravier & Baudouin Frères, Paris 17 (Atlas): 161 pls.
- Guérin-Méneville F.E. 1844. Iconographie du Règne Animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables, et souvent non encore figurées, de chaque genre d'animaux. Avec un texte descriptif mis au courant de la science. Ouvrage pouvant servir d'atlas à tous les traités de zoologie. III. Texte explicatif. Insectes. Paris: J.B. Baillière. 576 pp.
- Hayashi M. 1963. Revision of some Cerambycidae on the basis of the types of the late Drs. Kano and Matsushita, with descriptions of three new species (Coleoptera: Cerambycidae). - Insecta Matsumurana, Sapporo. 25 (2): 129-136, 1 fig.
- Hayashi M., Makihara H. 1981. The Cerambycidae (Coleoptera) of Nepal collected by the Kyushu University Scientific Expedition. - Esakia, Fukuoka. (17): 183-200, 34 figs.
- Heyden L.F.J.D. von. 1884. Beitrag zur Coleopterenfauna der Insel Askold und anderer Theile des Amurgebietes. - Deutsche entomologische Zeitschrift, Berlin. 28(2): 273-300.
- Heyden L.F.J.D. von. 1885. [new taxa]. - In: Heyden L.F.J.D. von & Kraatz G.: Beiträge zur turkestanischen Coleopteren-Fauna. - Deutsche Entomologische Zeitschrift. 29: 273-298.

M.A. Lazarev

- Heyrovský L. 1936. Cerambycidae. - In: Scheibe A.: Entomologische Sammelergebnisse der Deutschen Hindukusch-Expedition 1935 der Deutschen Forschungsgemeinschaft. Arbeiten über Morphologische und Taxonomische Entomologie. 3: 211-213.
- Heyrovský L. 1941. Beschreibung einer neuen Cerambyciden-Gattung aus Afghanistan. (Col., Ceramb.). - Časopis České Společnosti Entomologické, Praha. 38: 35-39, 2 figs.(Acta Societatis entomologicae bohemiae)
- Heyrovský L. 1959. Beitrag zur Kenntnis der Cerambycidenfauna Südost-Irans (Col., Ceramb.)(Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr. 23). - Stuttgarter Beiträge zur Naturkunde (A). 25: 1-6, 4 figs.
- Heyrovský L. 1967. Beiträge zur Kenntnis der Fauna Afghanistans (Sammelergebnisse von O. Jakeš 1963-64, D. Povolný 1965, D. Povolný & Fr. Tenora 1966, J. Šimek 1965-66).Cerambycidae, Col. - Acta Musei Moraviae, Scientiae naturales (Časopis Moravského muzea v Brně, Vědy přírodní). (Supplement) 52: 155-160.
- Heyrovský L. 1971. Deux nouveaux Cérambycides d'Asie centrale (Col. Cerambycidae). - Bulletin de la Société Entomologique de Mulhouse (septembre-octobre 1971): 81-82.
- Holzschuh C. 2006. Elf neue Bockkäferarten aus dem Himalaya (Insecta: Coleoptera: Cerambycidae). - In: Matthias Hartmann & J. Weipert (Editors). Biodiversität und Naturausstattung im Himalaya II. Verein der Freunde und Förderer des Naturkundemuseums Erfurt e. V.: 483-489, pls XI-XII.
- Holzschuh C. 2015. Die Gattung Exocentrus (Coleoptera: Cerambycidae: Lamiinae) auf dem asiatischen Festland: neue Synonymien und neue Taxa. - Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen. 67: 45-72.
- Hope F.W. 1831.Synopsis of new species of Nepaul insects in the collection of Major General Hardwicke. Pp. 21-32. - In: Gray J.E. (ed.): Zoological Miscellany. Vol. 1. London: Trettehouttuyan 1766 Natuurkundigel, Wurtz & Co. 40 pp., 4 pls.
- Hope F.W. 1843. Descriptions of some new coleopterous insects sent to England by Dr. Cantor from Chusan and Canton, with observations on the entomology of China. - The Annals and Magazine of Natural History. 11: 62-66.
- Hua L.-Z. 2002. List of Chinese Insects. - Zhongshan (Sun Yat-sen) University Press, Guangzhou. List of Chinese Insects. 2: 1-612.
- Hüdepohl K.-E. 1990. The Longhorn Beetles of the Philippines Part II. - Entomofauna Zeitschrift für Entomologie, Ansfelden. 11 (3/1-2): 45-102, 42 figs.
- Jakovlev A.I. 1885. Trois coléoptères nouveaux de la Faune Aralo-Caspienne. - Horae Societatis Entomologicae Rossicae, St. Petersburg. 19 (3-4): 288-291.
- Jakovlev B.E. [Jakovlew] 1887.Révision des espèces du genre *Prionus* de la faune de la Russie. - Horae Societatis Entomologicae Rossicae. 21: 321-340.
- Jakovlev B.E. 1900. Révision des Cleroclytus (Kraatz) (Coleoptera, Cerambycidae).

M.A. Lazarev

- Horae Societatis Entomologicae Rossicae, St. Petersbourg. 34 (3-4): 656-665.
- Jordan K. 1894. On some new genera and species of the Coleoptera in the Tring Museum. - Novitates Zoologicae. 1: 484-503.
- Kabakow O.N., Dolin W.G. 1996. Eine neue Prionus-Art aus Afghanistan (Coleoptera: Cerambycidae). - Zeitschrift der Arbeitsgemeinschaft österreichischer Entomologen. 48: 45-48, 12 figs.
- Kaup J.J. 1866. Einige Cerambyciden der grossherzoglichen Sammlung zu Darmstadt. Darmstadt & Leipzig: Eduard Zernin, 8 pp., 3 pls.
- Kariyanna B., Mohan M., Gupta R., Vitali F. 2017. The checklist of longhorn beetles (Coleoptera: Cerambycidae) from India. - Zootaxa, Auckland. 4345 (1): 1-317, 1 carte. Magnolia Press, New Zealand.
- Kasatkin D.G. 2013. A new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae) from Afghanistan. - Caucasian Entomological Bulletin. 9 (2): 265, pls 5-6.
- Kirby W. 1837. Part the fourth and last. The insects. - In: Richardson J.: Fauna Boreali-Americanana; or the zoology of the northern parts of British America: containing descriptions of the objects of natural history collected on the late Northern Land Expedition, under command of captain Sir John Franklin, R.N. Norwich: J. Fletcher, xxxix + 325 + [1] pp., 8 pl.
- Klapperich J. 1957. Voyages d'exploration en Afghanistan. - Bulletin de la Société Entomologique de Mulhouse: 25-30.
- Kraatz G. 1882a. [new taxa]. - In: Heyden L.F.J.D. von. & Kraatz G.: Käfer um Margelan, gesammelt von Haberhauer. Deutsche Entomologische Zeitschrift. 26 (2): 99-118.
- Kraatz G. 1882b. [new taxa]. - In: Heyden L.F.J.D. von. & Kraatz G.: Käfer um Samarkand, gesammelt von Haberhauer. Deutsche Entomologische Zeitschrift. 26 (2): 297-338.
- Kraatz G. 1884. [new taxa]. - In: Heyden L.F.J.D. von. & Kraatz G.: Neue Käfer-Arten aus Osch (in Turkestan). - Deutsche Entomologische Zeitschrift. 28: 217-228.
- Kolbe H. J. 1894. Die Coleoptern-Fauna Central-Afrikas. I. Von Herrn Dr. F. Stuhlmann im Seengebiet (Victoria-, Albert-Edward- und Albert-See) gesammelten Longicornier. - Entomologische Zeitung (Stettin). 55: 50-65.
- Kollar V., Redtenbacher L. 1850. Ueber den Charakter der Insecten-Fauna von Südpersien.- Denkschriften der Kaiserlichen Akademie der Wissenschaften (Mathematisch-Naturwissenschaftliche Klasse), Wien I: 42-53.
- Kotán A., Sama G. 2011. A new species of *Neoplocaederus* Sama, 1991 from Syria (Coleoptera, Cerambycidae: Cerambycinae). - Folia Entomologica Hungarica, Rovartani Közlemények (series nova). 72: 59-63, 13 figs.
- Krivolutskaya G.O. & Lobanov A.L. 1996. [104. Fam. Cerambycidae - Longhorn or Timber-Beetles], pp. 56-140. - In: P.A. Ler (red.). Key to the insects of Russian Far East. Vol. III. Coleoptera. Pt. 3. Vladivostok: Dal'nauka: 556 pp. [in Russian]
- Kumawat M.M., Singh K.M. & Ramamurthy V.V. 2015. A checklist of the Long-horned Beetles (Coleoptera: Cerambycidae) of Arunachal Pradesh,

M.A. Lazarev

- northeastern India with several new reports. - Journal of Threatened Taxa. 7 (12): 7879-7901.
- Kusama K. & Tahiria Y. 1978. The genus *Exocentrus* Mulsant of Japan and its adjacent regions: 2. - The revision of Taiwanese species. Elytra. 6: 9-32.
- Lacordaire J.T. 1868. Histoire naturelle des insectes. Genera des coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome huitième. Paris: Librairie encyclopédique de Roret, 552 pp. (note: Although dated 1869 this volume was published in November 1868, see Zool. Record 1868: 194).
- Lacordaire J.T. 1869. Histoire naturelle des insectes. Genera des coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome neuvième. Première partie. Paris: Librairie encyclopédique de Roret. 409 pp.
- Lacordaire J.T. 1872. Histoire naturelle des insectes. Genera des coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome neuvième. Deuxième partie. Famille des longicornes (fin). Paris: Librairie encyclopédique de Roret. pp. 411-930.
- Lameere A.A.L. 1903. Révision des Prionides. Septième mémoire. - Macrotomines. - Mémoires de la Société Entomologique de Belgique, Bruxelles. 11: 1-216.
- Laporte F.L., Gory H.L., 1841. Monographie du genre *Clytus*. - Histoire naturelle et iconographie des insectes coléoptères. Paris. 3 (1836): 1-124, 20 pls.
- Latrelle P.A. 1802. Histoire naturelle, générale et particulière, des crustacés et des insectes. Ouvrage faisant suite à l'histoire naturelle générale et particulière, composée par Leclerc de Buffon, et rédigée par C. S. Sonnini, membre de plusieurs sociétés savantes. Tome troisième. Familles naturelles des genres. Paris: F. Dufart, xii + 13-467 pp. + [1 p. errata].
- Latrelle P.A. 1804. Histoire Naturelle, Générale et particulière des Crustacés et des Insectes. - Imprimerie F. Dufart, Paris 11: iv + 1-424, pls 91-93.
- Latrelle P.A. 1829. Suite et fin des insectes. - In: Cuvier G.: Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Nouvelle édition, revue et augmentée. Tome V. Paris: Déterville, xxii + 556 pp.
- Lepesme P., Breuning S. 1958. Les Derolus africains. Pp. 171-182. - Proceedings of the Tenth International Congress of Entomology, Montreal, August 17-25, 1956. Volume 1. Ottawa: Mortimer. 941 pp.
- Lichtenstein A.A.H. 1796. Catalogus Musei Zoologici Ditissimi Hamburgi 3. Febr. 1796 Auctionis lege distrahendi. Sectio Tertia: Insecta. Edition I. Hamburg: G. F. Schnieber. 224 pp.
- Lingafelter S.W., Nearns E.H., Tavakilian G.L. Monné M.Á., Biondi M. 2014. Longhorned Woodboring Beetles (Coleoptera: Cerambycidae and Disteniidae) Primary Types of the Smithsonian Institution. Smithsonian Institution Scholarly Press, Washington D.C.: v-xviii + 1-390, 187 figs.
- Linnaeus C. 1758. *Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymiis, locis. Tomus I. Editio decima, reformata.* Holmiae: Impensis Direct. Laurentii Salvii, iv + 824 + [1] pp.

M.A. Lazarev

- Linnaeus C. 1767. *Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus differentiis, synonymis, locis. Editio duodecima, reformata. Tom. I. Pars II. Holmiae: Laurentii Salvii, [2] + 533-1327 + [37] pp.*
- Löbl I., Smetana A. 2010. Catalogue of Palaearctic Coleoptera. Volume 6 Chrysomeloidea. I. Löbl & A. Smetana editors, Apollo books, Stenstrup. 6: 1-924.
- Lucas P.H. 1858. Insectes coléoptères d'Algérie (*Polyarthron barbarum*). - Bulletin de la Société Entomologique de France 1855: clxxvii-clxxxii.
- Majumder A., Raha A., Mitra B. & Chandra K. 2015. New records of Cerambycidae (Insecta: Coleoptera) from Madhya Pradesh, India. - Journal of Threatened Taxa. 7 (15): 8242-8249, 3 figs.
- Megerle J.C. 1802. Appendix ad catalogus insectorum, quae mense Decembris MDCCCI Viennae Austriae auctionis lege vendita fuere No. 473: 1-28. [note: the work is suppressed (Opinion 1710), but *Saperda alboguttata* introduced there is available].
- Ménétriés E. 1832. Catalogue raisonné des objets de Zoologie recueillis dans un voyage au Caucase et jusqu'aux frontières actuelles de la Perse entrepris par ordre de S.M.L' Empereur. Saint-Pétersbourg 4: 1-271 + i-xxxviii, 5 pls.
- Miroshnikov A.I. 1992. Novyy vid zhukov-drovosekov roda Apophysis Chevr. (Coleoptera, Cerambycidae) iz Turkmenistana. - Entomologicheskoe Obozrenie. 71: 392-394.
- Miroshnikov A.I. 2014. New genera and species of the tribe Apatophyseini Lacordaire, 1869 from continental Asia, with notes on some little-known taxa (Coleoptera: Cerambycidae). Konstantinov A.S., Ślipiński S.A. & Solodovnikov A.Yu. (Editors): Advances in Studies on Asian Cerambycids (Coleoptera: Cerambycidae): 11-50, 127 figs. KMK Scientific Press Ltd.
- Miroshnikov A.I., Lobanov A.L. 1990. A New Species of the Genus Purpuricenus (Coleoptera, Cerambycidae) from Afghanistan. - Vestnik Zoologii. 5: 15-18, 6 figs.
- Motschulsky V. de 1858. Insectes du Japon. - Études Entomologiques. 6 (1857): 25-41.
- Mukhopadhyay P., Biswas S., 2000. Coleoptera: Cerambycidae. - Zoological Survey of India, State Fauna Series 4. Fauna of Meghalaya. 5: 41-67.
- Mulsant E. 1839. Histoire naturelle des coléoptères de France. Longicornes. Paris: Maison Libraire, Lyon: Imprimerie de Dumoulin, Ronet et Sibuet. 304 pp., 3 pls.
- Mulsant E. 1851. Description de quelques coléoptères nouveaux ou peu connus de la tribu des longicornes suivie d'observations sur diverses espèces de cette tribu. - Mémoires de l'Académie des Sciences, Belles-Lettres et Arts de Lyon. (2) 1: 122-137.
- Mulsant É. 1863. Histoire Naturelle des Coléoptères de France. Longicornes. - Annales de la Société Impériale d'Agriculture, d'Histoire Naturelle et des Arts Utiles de Lyon (1863): 481-590.
- Nakane T., Ohbayashi K. 1957. Notes on the genera and species of Lepturinae (Coleoptera, Cerambycidae) with special reference to their male genitalia.-

M.A. Lazarev

- Scientific Reports of the Saikyo University, Natural Science and Living Science. 2 (4): 47-52.
- Nga C.T.Q., Long K.D. & Thinh T.H. 2014. New Records of the Tribe Cerambycini (Coleoptera: Cerambycidae: Cerambycinae) from Vietnam. - Tap Chi Sinh Hoc. 36 (4): 428-443, 26 figs.
- Newman E. 1842a. Cerambycicum Insularum Manillarum Dom. Cuming captorum enumeratio digesta. - The Entomologist, London. 1 (15): 243-248.
- Newman E. 1842b. Cerambycicum insularum Manillarum Dom. Cuming captorum enumeratio digesta.(Continuatio). - The Entomologist. 1(18) (1840-1842): 288-293, 298-305.
- Newman E. 1842c. Supplementary note to the descriptive catalogue of the longicorn beetles collected in the Philippine Islands by Hugh Cuming, Esq. - The Entomologist. 1 (23) (1840-1842): 369-371.
- Niisato T. 1990. Contribution towards the Knowledge of the Cerambycid Fauna (Coleoptera, Cerambycidae) of Thailand I. Collection of the Subfamily Cerambycinae Made by the Lepidopterological Expeditions of the University of Osaka Prefecture to Thailand 1981, 1983 and 1985. - Elytra, Tokyo. 18 (1): 109-128, 35 figs.
- Olivier A.G. 1795. Entomologie, ou histoire naturelle des insectes. Avec leur caractères génériques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères. Tome quatrième. Paris: de Lanneau, 519 pp. +72 pls. [note: each genus is separately paginated].
- Özdikmen H. 2003. Check-list of the genus *Cortodera* Mulsant, 1863 (Coleoptera: Cerambycidae) in Turkey with two new records. - Acta Entomologica Slovenika. 11 (2): 183-188.
- Özdikmen H. 2004. A Check-List of the Genus *Pedostrangalia* Sokolov, 1896 (Coleoptera, Cerambycidae) From Turkey with a New Record. - Journal of the Entomological Research Society. 6 (1): 23-31.
- Özdikmen H. 2011. The first attempt on subgeneric composition of *Chlorophorus* Chevrolat, 1863 with four new subgenera.(Col.: Cerambycidae: Cerambycinae).- Munis Entomology & Zoology. 6 (2): 535-539.
- Özdikmen H. 2014. Turkish red list categories of longicorn beetles (Coleoptera: Cerambycidae) Part III - Subfamily Lepturinae: Lepturini.- Munis Entomology & Zoology. 9 (1): 384-417, 104 cartes.
- Özdikmen H. 2016. Two new species group taxa of *Cortodera* (Coleoptera: Cerambycidae: Lepturinae) from Turkey with updated species group list. - Munis Entomology & Zoology. 11 (1): 4-17, 4 figs.
- Pascoe F.P. 1857. On new genera and species of longicorn Coleoptera. Part II. - The Transactions of the Entomological Society of London (2) 4 (1856-1858): 89-112, 2 pls. (note: part iv, April 1857).
- Pascoe F.P. 1858. On new genera and species of longicorn Coleoptera. Part III. - The Transactions of the Entomological Society of London (2) 4 (1856-1858): 236-266. (note: pp. 236-256, part vi, January 1858; pp. 257-266 part viii April 1858).
- Pascoe F.P. 1859. On new genera and species of longicorn Coleoptera. Part IV. - The Transactions of the Entomological Society of London (2) 5 (1859-

M.A. Lazarev

- 1861): 12-32, 33-61, pl. II. (note: pp. 12-32, part i, February 1859; pp. 33-61, part ii, May 1959).
- Pascoe F.P. 1862. Notices of new or little-known genera and species of Coleoptera. Part III. - Journal of Entomology. 1: 319-370.
- Pascoe F.P. 1864. Additions to the longicornia of South Africa, including a few species from Old Calabar and Madagascar. - Journal of Entomology. 2 (1863-1866): 270-291, pl. 13.
- Pascoe F.P. 1866. Catalogue of Longicorn Coleoptera collected in the Island of Penang by James Lamb, Esq. (Part II.). - The Proceedings of the Scientific Meetings of the Zoological Society of London. 44 (1866): 504-537, pls XLI-XLIII.
- Pascoe F.P. 1867. Characters of some new genera of the coleopterous family Cerambycidae. - The Annals and Magazine of Natural History. (3) 19: 307-319.
- Pascoe F.P. 1867. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidae, Cerambycidae and Prionidae, collected by Mr. A. R. Wallace in the Malay Archipelago. The Transactions of the Entomological Society of London. (3) 3: 337-464.
- Pascoe F.P. 1888. On some new longicorn Coleoptera.- The Transactions of the Entomological Society of London. 4: 491-513.
- Pesarini C., Sabbadini A. 2004. Osservazioni sulla sistematica della tribù Agapanthiini Mulsant, 1839 (Coleoptera Cerambycidae). - Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale Milano. 145: 117-132.
- Pic M. 1891. Faune Franco-algérienne (variétés). - Matériaux pour servir à l'étude des Longicornes. 1 (1): 1-50.
- Pic M. 1893. Descriptions de coléoptères.- L'Échange, Revue Linnéenne. 9: 26-27.
- Pic M. 1895. Longicornes de la collection H. Tournier.- L'Échange, Revue Linnéenne. 11: 75-78.
- Pic M. 1897. Description de longicornes de la région caucasique.- Le Naturaliste. 19: 262-263.
- Pic M. 1900. Contribution à l'étude des coléoptères d'Europe et des régions voisines. - Bulletin de la Société Zoologique de France. 25: 14-16.
- Pic M. 1901. Séance du 10 juillet 1901. Note sur Strangalia emmipoda Muls. et espèces voisines [Col.]. - Bulletin de la Société entomologique de France, Paris [1901]: 235-237.
- Pic M. 1902. Espèces ou variétés présumées nouvelles provenant de Chine. - Matériaux pour servir à l'étude des Longicornes. 4 (1): 28-32.
- Pic M. 1903. Notes diverses, diagnoses, synonymies. - Matériaux pour servir à l'étude des Longicornes. 4 (2): 4-9.
- Pic M. 1905. Diagnoses de longicornes recueillis en Asie par M. de Morgan. - Bulletin de Muséum d'Histoire Naturelle de Paris. 11: 390-393.
- Pic M. 1908. Notes diverses et diagnoses. Pp. 2-6. - Matériaux pour servir à l'étude des longicornes. 7ème cahier, 1ère partie. Saint-Amand (Cher): Imprimerie Bussière. 24 pp.
- Pic M. 1917. Notes diverses, descriptions et diagnoses (Suite.). - L'Échange, Revue

M.A. Lazarev

- Linnéenne. 33 (380): 5-6.
- Pic M. 1922. Nouveautés diverses.- Mélanges Exotico-Entomologiques 37: 1-32.
- Pic M. 1923. Coléoptères exotiques en partie nouveaux (Suite.). - L'Échange, Revue Linnéenne. 39 (412): 7-8.
- Pic M. 1925. Nouveautés diverses.- Mélanges Exotico-Entomologiques. 43: 1-32.
- Pic M. 1926. Nouveautés diverses.- Mélanges Exotico-Entomologiques. 46: 1-32.
- Pic M. 1927. Coléoptères de l'Indochine.- Mélanges Exotico-Entomologiques. 49: 1-36.
- Pic M. 1929a. Notes diverses, nouveautés. - L'Échange, Revue Linnéenne. 45: 1-2, 5-7, 9-10, 13-14.
- Pic M. 1929b. Nouveaux coléoptères paléarctiques. - Časopis Československé Společnosti Entomologické. 25: 118-120.
- Pic M. 1933. Notes diverses, nouveautés (Suite.). - L'Échange, Revue Linnéenne. 49 (452): 5-6.
- Pic M. 1937. Nouveautés diverses.- Mélanges Exotico-Entomologiques. 69: 1-36.
- Pic M. 1944. Opuscula martialia XIII. - L'Échange, Revue Linnéenne, Numéro spécial. 13: 1-16.
- Pic M. 1956. Coléoptères du globe (suite). - L'Échange, Revue Linnéenne. 72 (543): 1-4.
- Plavilstshikov N.N. 1927. Über neue Bockkäfer-Varietäten (Col. Cerambyc.). - Entomologische Blätter. 23 (3): 105-109.
- Plavilstshikov N.N. 1936. Faune de l'URSS. Insectes Coléoptères. Cerambycidae (P. 1). Moscou-Leningrad.Fauna SSSR. 21 (1): i-ix + 1-611, 247 figs.
- Quedenfeldt F.O.G. 1888. Beiträge zur Kenntniss der Koleopteren-Fauna von Central-Africa nach den Ergebnissen der Lieutenant Wissman'schen Kassai-Expedition 1883-1836. - Berliner Entomologische Zeitschrift. 32: 155-219.
- Quentin R. M., Villiers A. 1981. Les Macrotomini de l'ancien monde (région éthiopienne exclue), genera et catalogue raisonné (Col. Cerambycidae Prioninae). - Annales de la Société Entomologique de France (N. S.). 17 (1): 359-393.
- Rapuzzi P. 2012. Agapanthia (Epoptes) paki sp. n. from central Afghanistan (Coleoptera: Cerambycidae). - Humanity space. International almanac. 1 (4): 958-960, 2 figs.
- Rapuzzi P., Kuleshov D.A., Fazal T.M., Ahmed Z. & Hussain A. 2019. New or interesting records of Longhorn beetles fauna of Pakistan (Coleoptera: Cerambycidae). - Munis Entomology & Zoology. 14 (1): 62-79.
- Redtenbacher L. 1844. [new taxa]. - In: Kollar V. & Redtenbacher L.: Aufzählung und Beschreibung der von Freiherrn Carl von Huegel auf seiner Reise durch Kaschmir u. das Himalayagebirge gesammelten Insecten. Pp. 393-564. - In: Hügel K. F. von. (ed.): Kaschmir und das Reich der Sick. Vierter Band. Zweite Abtheilung. Stuttgart: Hallbergerischer Verlag, pp. 244-586 pp. [1844]; 587-865 + [6] pp., 31 pls, 1 map [1848].
- Reiche L. 1877. Description trois nouvelles espèces de coléoptères de la famille des longicornes: Phytoecia. Bulletin de la Société Entomologique de France 1877: cxxxv-cxxxvii.
- Reitter E. 1894. Uebersicht der mit Cerambyx L. zunächst verwandten Gattungen. -

M.A. Lazarev

- Entomologische Nachrichten 20: 356.
- Reitter E. 1907. Zwei neue Bockkäfer aus Persien. - Wiener Entomologische Zeitung. 26: 217-218.
- Reitter E. 1913. Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet. IV. Band. (1912). Stuttgart: K.G. Lutz' Verlag, 236 pp., pl. 129-152.
- Sama G. 1991. Note sulla nomenclatura dei Cerambycidae della regione mediterranea (Coleoptera). - Bollettino della Società Entomologica Italiana. 123: 121-128.
- Sama G. 1994. Note sulla nomenclatura dei Cerambycidae della regione mediterranea. 2. Revisione di alcuni tipi di Kraatz, v. Heyden e Stierlin (Coleoptera, Cerambycidae). - Lambillionea. 94: 321-334.
- Sama G. 1996. Contribution à la connaissance des Longicornes de Grèce et d'Asie Mineure (Coleoptera, Cerambycidae). - Biocosme Mésogéen, Nice 12 (4) [1995]: 101-116, 7 figs.
- Sama G. 1999. Notes on the type material of Cerambycidae of the Natural History Museum Budapest, with description of two new genera of Cerambycini (Coleoptera). - Entomologische Zeitschrift, Stuttgart. 109 (1): 43-48, 2 figs.
- Sama G. 2008. Preliminary note on the cerambycid fauna of North Africa with the description of new taxa (Insecta Coleoptera Cerambycidae).- Quaderno di Studi e Notizie di Storia Naturale della Romagna. 27: 217-245.
- Satô M. & Ohbayashi N. 1976. A new lepturine beetle from Afghanistan (Coleoptera: Cerambycidae) - Physiology and Ecology in Japan 17 (1/2): 485-487, 3 figs.
- Schaller J. G. 1783. Neue Insecten. - Abhandlungen der Hallischen Naturforschenden Gesellschaft. 1: 217-328.
- Schneider O., Leder H. 1879. Beiträge zur Kenntniss der kaukasischen Käferfauna.W. Burkart, Brünn, (1878): 1-360, pls I-VI, 56 figs.
- Schwarzer B. 1925. Sauters Formosa-Ausbeute (Cerambycidae. Col.). (Subfamilie Lamiinae.). - Entomologische Blätter 21 (4): 145-154.
- Schwarzer B. 1931. Beitrag zur Kenntnis der Cerambyciden (Ins. Col.) II. - Senckenbergiana. 12: 59-78.
- Scopoli J. A. 1763. Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates. Methodo linnaeana. Vindobonae: Ioannis Thomae Trattner, xxxii + 420 + [4] pp., 3 pls.
- Scopoli J.A. 1772. Observationes zoologicae. Annus V. Historico-Naturalis. Lipsiae: Christ. Gottlob Hilscheri. 70-128 pp.
- Semenov A.P. 1891. Diagnoses Coleopterorum novorum ex Asia centrali et orientali. III. - Horae Societatis Entomologicae Rossicae. 25 (1890-1891): 262-382.
- Semenov A.P. 1893. Coleoptera asiatica nova.- Horae Societatis Entomologicae Rossicae. 27 (1892-1893): 494-507.
- Semenov A.P. 1895. Coleoptera asiatica nova. IV. - Horae Societatis Entomologicae Rossicae. 29 (1894-1895): 189-210.
- Semenov A.P. 1896. Coleoptera Asiatica Nova. VII. - Horae Societatis Entomologicae Rossicae, St. Petersbourg. 30 (3-4): 238-259.

M.A. Lazarev

- Semenov A.P. 1897. Coleoptera asiatica nova. VII. - Horae Societatis Entomologicae Rossicae. 30 (1896-1897): 238-259.Semenov Tian-Shanskij A.P. 1893. Coleoptera Asiatica Nova. - Horae Societatis Entomologicae Rossicae, St. Petersbourg. 27 (3-4): 494-507.
- Semenov A.P. 1900. Coleoptera asiatica nova. IX. - Horae Societatis Entomologicae Rossicae. 34 [1899-1900]: 303-334.
- Semenov A.P. 1901. Diagnoses praecursoriae specierum novarum generis Apatophysis Chevr. (Col., Cerambycidae). - Russkoe Entomologicheskoe Obozrenie. 1: 28-32.
- Semenov A.P. 1908. Analecta coleopterologica XIV.- Russkoe Entomologicheskoe Obozrenie. 7 (1907): 258-265.
- Semenov A.P. 1935. Mnogochlenikovye priony (byvshiy rod Polyarthron Serv.) turanskoy fauny; ikh filogeneticheskie i zoogeograficheskie sootnoshenia (Coleoptera, Cerambycidae) - Les Prionus polyarthriques (ci-devant genre Polyarthron Serv.) de la faune Touranienne; leurs relations phylogénétiques et zoogéographiques (Coleoptera, Cerambycidae). Trudy Tadzhikskogo Filiala ANSSSR. 5: 237-249.
- Semenov A.P., Shchegoleva-Barovskaya T.I. 1936. Monografiya roda Apatophysis Chevr. (Coleoptera, Cerambycidae). - Entomologicheskoe Obozrenie. 26 [1935]: 59-89.
- Skrylnik Y.E. 2010. Two new species of the genus Phytoecia Dejean, 1835 from Afghanistan (Coleoptera, Cerambycidae). - Lambillionea. 110 (2) 2: 258-262, 8 figs.
- Sokolov N. 1896. Eine neue Lepturide aus Transcaspien. - Horae Societatis Entomologicae Rossicae, St. Petersbourg. 30 (3-4): 461-463.
- Solsky S.M. 1871. Prémices d'une faune entomologique de la vallée de Zaravshan, dans l'Asie Centrale. - Horae Societatis Entomologicae Rossicae, St. Petersbourg. 8: 132-165.
- Strand E. 1942. Miscellanea nomenclatorica zoologica et palaeontologica X. - Folia Zoologica et Hydrobiologica. 11: 386-402.
- Swainson W., Shuckard W.E. 1840. The cabinet cyclopaedia.Natural history.On the history and natural arrangement of insets.Longman, Ress, Orme, Brown and Green; John Taylor, London, 406 pp.
- Thomson J. 1857. Diagnoses de cérambycides nouveaux ou peu connus de ma collection qui seront décrits prochainement. Pp. 169-193. - In: Archives Entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Tome premier. Paris: Bureau du Trésorier de la Société entomologique de France, 514 + [1] pp., XXI pls.
- Thomson J. 1858. Deuxième Partie. Insects. I. Ordre Coléoptères. Pp. 30-343. - In: Voyage au Gabon. Histoire naturelle des insectes et des arachnides recueillis pendant un voyage fait au Gabon en 1856 et en 1857 par M. Henry C. Deyrolle sous les auspices de MM. Le Comte de Mniszech et James Thomson, précédée de l'histoire du voyage par J. Thomson; Arachnide par H. Lucas. Archives Entomologiques 2: 1-469 + 14 1 [2] pp., XV pls.
- Thomson J. 1861. Essai d'une classification de la famille des cérambycides et

M.A. Lazarev

- matériaux pour servir à une monographie de cette famille. Paris: chez l'auteur [James Thomson] et au bureau du trésorier de la Société entomologique de France, pp. 129-396, 3 pls.
- Thomson J. 1864. *Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes*. Pp. 1-352. Liège: H. Dessain, 578 pp.
- Thomson J. 1865. *Systema Cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes*. Pp. 353-578. Liège: H. Dessain, 578 pp.
- Thomson J. 1877. *Typi Cerambycidarum Musei Thomsoniani*. - *Revue et Magasin de Zoologie*. (3) 5: 249-279.
- Thomson J. 1879. [Description de deux nouveaux coléoptères de la famille des longicornes]. - *Bulletin de la Société Entomologique de France* 1879: Ivi-lvii.
- Tippmann F.F. 1958. Die Cerambyciden (Coleoptera) der Forschungsreisen J. Klapperich's in Afghanistan 1952 und 1953. - *Koleopterologische Rundschau*, Wien. 35 (1-6) (1957): 37-63, 1 pl. & 5 figs dans le texte.
- Villiers A. 1967. Contribution à la faune de l'Iran. I. - Coléoptères Cerambycidae. - *Annales de la Société Entomologique de France* (N.S.), 3 (2): 327-379, 9 figs.
- Vitali F., Gouverneur X.& Chemin G. 2017. Revision of the tribe Cerambycini: redefinition of the genera *Trirachys* Hope, 1843, *Aeolesthes*Gahan, 1890 and *Pseudaeolesthes* Plavilstshikov, 1931 (Coleoptera, Cerambycidae). - *Les Cahiers Magellanes* (NS). 26: 40-65, 23 figs.
- Waterhouse C.O. 1884. On the Coleopterous Genus *Macrotoma*. - *The Annals and Magazine of Natural History*, London. (5) 14 (84): 376-387.
- Waterhouse C.O. 1889. Coleoptera. pp. 122-131. - In: Aitchison E. T. III. *The Zoology of the Afghan Delimitation Commission*. - *Transactions of the Linnean Society of London. Zoology*. 2nd Series. 5 (3) (1888-1891): 53-142, pls VI-XIV, 2 Maps.
- Winkler A. 1929. *Cerambycidae*. Pars 9: 1135-1136. Pars 10: 1137-1226. - In: *Catalogus Coleopterorum regionis palaearcticae*. Wien: A. Winkler Verlag, 1698 pp.
- White A. 1846. Description of four apparently new species of longicorn beetles in the collection of the British Museum.- *The Annals and Magazine of Natural History*. 18: 47-49.
- White A. 1853. *Longicornia I*. - Catalogue of the coleopterous insects in the collection of the British Museum, London. 7:1-174, pls. 1-4.
- White A. 1855. Catalogue of the coleopterous insects in the collection of the British Museum. Part VIII. - *Longicornia II*. London: Taylor and Francis. pp. 175-412.
- Zetterstedt J.W. 1818. Några nya Svenska insect-arter fundne och beskrifne.- *Kongliga Vetenskaps Academiens Handlingar* 1818: 249-262.



1

AFGHANISTAN 5 km NW Waras
Bamian prov., Waras distr.
near Dahane Denawak vill. 2680m
34°15'42.46"N, 66°52'43.20"E
Yu. Ye. Skrylnik 25.VI.2016

HOLOTYPE
Phytoecia (Parobereina)
PASHTUNICA sp. n.
M.Lazarev det. 2018

2

Pakistan (Swāt):
Utrat 2300/2600m
Heinz leg. 15/19.VII.
1997

HOLOTYPE
Phytoecia (Parobereina)
HEINZI sp. n.
M.Lazarev det. 2018

4

Figs 1-2. *Phytoecia (Parobereina) pashtunica* sp.n.: 1 - Afganistan, Bamian province, Waras district, 5 km SW Waras near Dahane Denawak village, 34°15'42"N, 66°52'43"E, 2680 m; 2 - Labels of the holotype.

Figs 3-4. *Phytoecia (Parobereina) heinzi* sp.n.: 3 - Pakistan, Khyber Pakhtunkhwa province, Swat district, Utrat, about 35°29'N, 72°28'E, 2300/2600 m; 4 - Labels of the holotype.

Received: 28.12.2018

Accepted: 14.01.2019