

50 most cited papers by IMG authors since the establishment of the Institute of Experimental Biology and Genetics in 1962 by years

(Times cited in red)

- 1962** - Svoboda, J. Further findings on induction of tumours by Rous sarcoma in rats and on Rous virus-producing capacity of one of induced tumours (XC) in chicks. **Folia Biol.** **1962**;8:215-220: **58**
- 1963** - Svoboda, J; Hilgert, I; Simkovic, D; Chyle, P. Demonstration of absence of infectious Rous virus in rat tumour XC, whose structurally intact cells produce Rous sarcoma when transferred to chicks. **Folia Biol.** **1963**;9:77-81: **170**
- 1964** - Chutna, J; Rychlikova, M. Study of biological effectiveness of antibodies in development + prevention of experimental autoimmune aspermatogenesis. **Folia Biol.** **1964**;10:188-197: **42**
- 1965** - Bubenik, J; Koldovsky P. Factors influencing induction of enhancement and resistance to methylcholanthrene-induced tumours in a syngeneic system. **Folia Biol.** **1965**;11:258-265: **45**
- 1966** - Hasek, M; Knizetova F; Mervartova H. Syngeneic lines of chickens. I. Inbreeding and selection by means of skin grafts and tests for erythrocyte antigens in C line chickens. **Folia Biol.** **1966**;12:335-341: **101**
- 1967** - Svoboda, J; Machala, O; Hlozaneck, I. Influence of Sendai virus on RSV formation in mixed culture of virogenic mammalian cells and chicken fibroblasts. **Folia Biol.** **1967**;13:155-&: **73**
- 1968** - Vojtiskova M; Lengerova A. Thymus-mediated tolerance to cellular alloantigens. **Transplantation.** **1968**;6:13-24: **41**
- 1969** - Rychlikova M; Ivanyi, P. Mixed lymphocyte cultures and histocompatibility antigens in mice. **Folia Biol.** **1969**;15:126-135: **52**
- 1970** - Rychlikova M; Demant, P; Ivanyi, P. Predominant role of K-end of H-2 locus in lymphocyte transformation in mixed cultures. **Folia Biol.** **1970**;16:218-222: **61**

-
- 1971** - [Bubenik, J](#); [Jakoubkova J](#); [Krakora, P](#); [Baresova, M](#); [Helbich, P](#); [Viklicky, V](#); [Malaskova V](#). Cellular immunity to renal carcinomas in man. **Int J Cancer**. **1971**;8:503-513: **64**
- 1972** - [Ivanyi, P](#); [Starka, L](#); [Hampl, R](#); [Mickova, M](#). Genetic association between H-2 gene and testosterone metabolism in mice. **Nature New Biol**. **1972**;238: 280-281: **97**
- 1973** - [Bubenik, J](#); [Baresova, M](#); [Viklicky, V](#); [Jakoubkova J](#); [Sainerova H](#); [Donner, J](#). Established cell line of urinary-bladder carcinoma (T-24) containing tumor-specific antigen. **Int J Cancer**. **1973**;11:765-773: **450**
- 1974** - [Holan, V](#); [Hasek, M](#); [Bubenik, J](#); [Chutna, J](#). Antigen-mediated macrophage adherence inhibition. **Cell Immunol**. **1974**;13:107-116: **151**
- 1975** - [Lachmann, PJ](#); [Grennan, D](#); [Martin, A](#); [Demant P](#). Identification of Ss protein as murine C4. **Nature**. **1975**;258:242-243: **98**

Since foundation of IMG

- 1976** - [Kralova, J](#); [Demant, P](#). Expression of H-Y antigen on thymus-cells and skin - differential genetic-control linked to K end of H-2. **Immunogenetics**. **1976**;3:583-594: **43**
- 1977** - [Forejt, J](#); [Gregorova, S](#). Meiotic studies of translocations causing male-sterility in mouse. 1. Autosomal reciprocal translocations. **Cytogenet Cell Genet**. **1977**;19:159-179: **85**
- 1978** - [Holan, V](#); [Chutna, J](#); [Hasek, M](#). Specific suppression of antigen-reactive cells in neonatal transplantation tolerance. **Nature**. **1978**;274:895-897: **58**
- 1979** - [Hasek, M](#); [Chutna, J](#). Complexity of the state of immunological-tolerance. **Immunol Rev**. **1979**;46:3-26: **77**
- 1980** - [Draber, P](#); [Zikan, J](#); [Vojtiskova, M](#). Establishment and characterization of permanent murine hybridomas secreting monoclonal anti-Thy-1 antibodies. **J Immunogenet**. **1980**;7:455-474: **50**

- 1981** - Forejt, J; Gregorova, S; Goetz, P. XY pair associates with the synaptonemal complex of autosomal male-sterile translocations in pachytene spermatocytes of the mouse (*Mus-musculus*). **Chromosoma**. **1981**;82:41-53: **71**
- 1982** - Viklicky V, Draber P, Hasek J, Bartek J. Production and characterization of a monoclonal antitubulin antibody. **Cell Biol. Int. Rep.** **1982**;6:725-31: **110**
- 1983** - Bubenik J, Perlmann P, Indrova M, Simova J, Jandlova T, Neuwirt J. Growth inhibition of an MC-induced mouse sarcoma by TCGF (IL-2)-containing preparations. **Cancer Immunol Immunother.** **1983**;14:205-206: **89**
- 1984** - Draber, P; Pokorna, Z. Differentiation antigens of mouse teratocarcinoma stem-cells defined by monoclonal-antibodies. **Cell Differ.** **1984**;15:109-113: **46**
- 1985** - Bubenik, J; Indrova, M; Perlmann, P; Berzins, K; Mach, O; Kraml, J; Toulcova, A. Tumor inhibitory effects of TCGF IL-2-containing preparations. **Cancer Immunol Immunother.** **1985**;19:57-61: **55**
- 1986** - Bazil, V; Horejsi, V; Baudys, M; Kristofova, H; Strominger, JI; Kostka, V; Hilgert, I. Biochemical-characterization of a soluble form of the 53-kDa monocyte surface-antigen. **Eur J Immunol.** **1986**;16:1583-1589: **234**
- 1987** - Hostomsky, Z; Smrt, J; Arnold, L; Tocik, Z; Paces, V. Solid-phase assembly of cow colostrum trypsin-inhibitor gene. **Nucl Acids Res.** **1987**;15:4849-4856: **34**
- 1988** - Bubenik, J; Voitenok, NN; Kieler, J; Prassolov, VS; Chumakov, PM; Bubenikova, D; Simova, J; Jandlova, T. Local-administration of cells containing an inserted IL-2 gene and producing IL-2 inhibits growth of human-tumors in nu nu mice. **Immunol Lett.** **1988**;19:279-282: **105**
- 1989** - Stefanova, I; Hilgert, I; Kristofova, H; Brown, R; Low, MG; Horejsi, V. Characterization of a broadly expressed human-leukocyte surface-antigen MEM-43 anchored in membrane through phosphatidylinositol. **Mol Immunol.** **1989**;26:153-161: **142**
- 1990** - Bubenik J, Simova J, Jandlova T. Immunotherapy of cancer using local administration of lymphoid cells transformed by IL-2 cDNA and constitutively producing IL-2. **Immunol Lett.** **1990**;23:287-92: **113**

- 1991** - Horejsi V, Vlcek C. Novel structurally distinct family of leucocyte surface glycoproteins including CD9, CD37, CD53 and CD63. **Review. FEBS Lett.** **1991**;288:1-4. **144**
- 1992** - Cinek, T; Horejsi, V. The nature of large noncovalent complexes containing glycosyl-phosphatidylinositol-anchored membrane-glycoproteins and protein tyrosine kinases. **J Immunol.** **1992**;149:2262-2270: **272**
- 1993** - Draberova L, Draber P. Thy-1 glycoprotein and src-like protein-tyrosine kinase p53/p56Lyn are associated in large detergent-resistant complexes in rat basophilic leukemia cells. **Proc Natl Acad Sci USA.** **1993**;90:3611-3615: **121**
- 1994** - Angelisova, P; Hilgert, I; Horejsi, V. Association of 4 antigens of the tetraspans family (CD37, CD53, TAPA-1, and R2/C33) with MHC class-II glycoproteins. **Immunogenetics.** **1994**;39:249-256: **145**
- 1995** - Franek, F. Starvation-induced programmed death of hybridoma cells, prevention by amino-acid mixtures. **Biotechnol Bioeng.** **1995**;45: 86-90: **47**
- 1996** - Forejt, J. Hybrid sterility in the mouse. **Trends Genet.** **1996**;12:412-417: **97**
- 1997** - Urbanek, P; Fetka, I; Meisler, MH; Busslinger, M. Cooperation of Pax2 and Pax5 in midbrain and cerebellum development. **Proc Natl Acad Sci USA.** **1997**;94:5703-5708: **112**
- 1998** - Kalab, P; Peknicova, J; Geussova, G; Moos, J. Regulation of protein tyrosine phosphorylation in boar sperm through a cAMP-dependent pathway. **Mol Reprod Dev.** **1998**;51: 304-314: **85**
- 1999** - Horejsi, V; Drbal, K; Cebecauer, M; Cerny, J; Brdicka, T; Angelisova, P; Stockinger, H. GPI-microdomains: a role in signalling via immunoreceptors. **Immunol Today.** **1999**;20:356-361: **228**
- 2000** - Brdicka T, Pavlistová D, Leo A, Bruyns E, Korínek V, Angelisová P, Scherer J, Shevchenko A, Hilgert I, Cerný J, Drbal K, Kuramitsu Y, Kornacker B, Horejsí V, Schraven B. Phosphoprotein associated with glycosphingolipid-enriched microdomains (PAG), a novel ubiquitously expressed transmembrane adaptor protein, binds the protein tyrosine kinase csk and is involved in regulation of T cell activation. **J Exp Med.** **2000**;191:1591-604: 284

- 2001** - [Pavlicek, A](#); [Jabbari, K](#); [Paces, J](#); [Paces, V](#); [Hejnar, J](#); Bernardi, G. Similar integration but different stability of Alus and LINEs in the human genome. **Gene** **2001**;276:39-45: **66**
- 2002** - [Brdicka, T](#); [Imrich, M](#); [Angelisova, P](#); [Brdickova, N](#); [Horvath, O](#); [Spicka, J](#); [Hilgert, I](#); [Luskova, P](#); [Draber, P](#); [Novak, P](#); [Engels, N](#); [Wienands, J](#); [Simeoni, L](#); [Osterreicher, J](#); [Aguado, E](#); [Malissen, M](#); [Schraven, B](#); [Horejsi, V](#). Non-T cell activation linker (NTAL): A transmembrane adaptor protein involved in immunoreceptor signaling. **J Exp Med.** **2002**;196:1617-1626: **131**
- 2003** - [Horejsi, V](#). The roles of membrane microdomains (rafts) in T cell activation. **Immunol Rev.** **2003**;191:148-164: **100**
- 2004** - [Zavadil, J](#); [Cermak, L](#); [Soto-Nieves, N](#); [Bottinger, EP](#). Integration of TGF-beta/Smad and Jagged1/Notch signalling in epithelial-to-mesenchymal transitiv. **EMBO J.** **2004**;23:1155-1165: **253**
- 2005** - [Cigler, P](#); [Kozisek, M](#); [Rezacova, P](#); [Brynda, J](#); [Otwinowski, Z](#); [Pokorna, J](#); [Plesek, J](#); [Gruner, B](#); [Doleckova-Maresova, L](#); [Masa, M](#); [Sedlacek, J](#); [Bodem, J](#); [Krausslich, HG](#); [Kral, V](#); [Konvalinka, J](#). From nonpeptide toward noncarbon protease inhibitors: Metallacarboranes as specific and potent inhibitors of HIV protease. **Proc Natl Acad Sci USA.** **2005**;102:15394-15399: **100**
- 2006** - [Neuzil, J](#); [Wang, XF](#); [Dong, LF](#); [Low, P](#); [Ralph, SJ](#). Molecular mechanism of 'mitocan'-induced apoptosis in cancer cells epitomizes the multiple roles of reactive oxygen species and Bcl-2 family proteins. **FEBS Lett.** **2006**;580:5125-5129: **72**
- 2007** - [Neuzil, J](#); [Stantic, M](#); [Zobalova, R](#); [Chladova, J](#); [Wang, XF](#); [Prochazka, L](#); [Dong, LF](#); [Andera, L](#); [Ralph, SJ](#). Tumour-initiating cells vs. cancer 'stem' cells and CD133: What's in the name **Biochem Biophys Res Commun.** **2007**;355:855-859: **74**
- 2008** - [Sinkkonen, L](#); [Hugenschmidt, T](#); [Berninger, P](#); [Gaidatzis, D](#); [Mohn, F](#); [Artus-Revel, CG](#); [Zavolan, M](#); [Svoboda, P*](#); [Filipowicz, W](#). MicroRNAs control de novo DNA methylation through regulation of transcriptional repressors in mouse embryonic stem cells. **Nat Struct Mol Biol.** **2008**;15:259-267: **178**
- 2009** - [Mihola O](#), [Trachtulec Z](#), [Vlcek C](#), [Schimenti JC](#), [Forejt J](#). A mouse speciation gene encodes a meiotic histone H3 methyltransferase. **Science** **2009**;323:373-375: **82**

-
- 2010** - Ma, J; [Flemr, M](#); Stein, P; Berninger, P; [Malik, R](#); Zavalan, M; [Svoboda, P*](#); Schultz, RM. MicroRNA activity is suppressed in mouse oocytes. **Curr Biol.** **2010**;20:265-270: **41**
- 2011** - [Kosar, M](#); Bartkova, J; [Hubackova, S](#); [Hodny, Z](#); Lukas, J; [Bartek, J](#). Senescence-associated heterochromatin foci are dispensable for cellular senescence, occur in a cell type- and insult-dependent manner, and follow expression of p16(ink4a). **Cell Cycle.** **2011**;10:457-468: **19**