

Příklad výstupu modelu STIN

===== VYPOCET ZASTINENI

X - Souradnice ve smeru Z-V (m)
Y - Souradnice ve smeru J-S (m)
Z - Nadmorska vyska (m)

VETRNE ELEKTRARNY:

PORADI	X	Y	Z	ZEM. SOURAD.	VYSKA TUBUSU	POLOMER TUBUSU
1	0.0	0.0	655.0	51.36 16.25	30.0	15.0
2	50.0	125.0	651.0	51.36 16.25	30.0	15.0
3	-50.0	175.0	639.0	51.36 16.25	30.0	15.0
4	-125.0	50.0	650.0	51.36 16.25	30.0	15.0

TESTOVANA MISTA:

BOD	X	Y	Z	DELKA SVITU(H)	STIN(H)	STIN(%)
1	275.0	50.0	632.0	4327.23	35.90	0.83
2	275.0	50.0	634.0	4327.23	37.83	0.87
3	275.0	50.0	636.0	4327.23	39.03	0.90
4	275.0	-75.0	627.0	4327.23	8.87	0.20
5	275.0	-75.0	629.0	4327.23	9.93	0.23
6	275.0	-75.0	631.0	4327.23	10.97	0.25
7	25.0	-250.0	642.0	4327.23	0.00	0.00
8	25.0	-250.0	644.0	4327.23	0.00	0.00
9	25.0	-250.0	646.0	4327.23	0.00	0.00

TESTOVANA MISTA - CAS ZASTINENI:

POSUN CASU (MIN.) : -5.0

BOD	LEDE	UNOR	BREZ	DUBE	KVET	CERV	CERC	SRPE	ZARI	RIJE	LIST	PROS	
1	OD:	0	0	1715	1825	1825	0	1843	1833	1657	1653	0	0
	DO:	0	0	1801	1855	1853	0	1903	1903	1751	1717	0	0
	S:	0	0	46	30	28	0	20	30	54	24	0	0
2	OD:	0	0	1715	1825	1825	0	1839	1833	1655	1653	0	0
	DO:	0	0	1801	1853	1853	0	1903	1903	1749	1717	0	0
	S:	0	0	46	28	28	0	24	30	54	24	0	0
3	OD:	0	0	1713	1823	1823	0	1837	1831	1653	1653	0	0
	DO:	0	0	1759	1851	1851	0	1901	1901	1749	1715	0	0
	S:	0	0	46	28	28	0	24	30	56	22	0	0
4	OD:	0	0	0	1827	0	0	0	1829	0	0	0	0
	DO:	0	0	0	1849	0	0	0	1855	0	0	0	0
	S:	0	0	0	22	0	0	0	26	0	0	0	0
5	OD:	0	0	0	1825	0	0	0	1829	0	0	0	0
	DO:	0	0	0	1849	0	0	0	1855	0	0	0	0
	S:	0	0	0	24	0	0	0	26	0	0	0	0
6	OD:	0	0	0	1823	0	0	0	1827	0	0	0	0
	DO:	0	0	0	1847	0	0	0	1853	0	0	0	0
	S:	0	0	0	24	0	0	0	26	0	0	0	0
7	OD:	0	0	0	0	0	0	0	0	0	0	0	0
	DO:	0	0	0	0	0	0	0	0	0	0	0	0
	S:	0	0	0	0	0	0	0	0	0	0	0	0
8	OD:	0	0	0	0	0	0	0	0	0	0	0	0
	DO:	0	0	0	0	0	0	0	0	0	0	0	0
	S:	0	0	0	0	0	0	0	0	0	0	0	0
9	OD:	0	0	0	0	0	0	0	0	0	0	0	0
	DO:	0	0	0	0	0	0	0	0	0	0	0	0
	S:	0	0	0	0	0	0	0	0	0	0	0	0

=====