

Nejcitovanější práce autorů ÚMG (prvních či korespondenčních) od r. 2000

xxxxx - od skupiny, která již není na ÚMG

xxxxx - od autorů, kteří jsou v současné době zaměstnanci ÚMG, ale publikace vznikla v době před jejich příchodem na ÚMG (afiliace je na jinou českou instituci)

jména proložené - první spoluautoři

červené číslo označuje počet citací – citace podle WOS

Zavadil, J; Cermak, L; Soto-Nieves, N; Bottinger, EP. Integration of TGF-beta/Smad and Jagged1/Notch signalling in epithelial-to-mesenchymal transition. **EMBO J.** **2004**;23:1155-1165: **324**

Brdicka, T; Pavlistová, D; Leo, A; Bruyins, E; Korínek, V; Angelisová, P; Scherer, J; Shevchenko, A; Hilgert, I; Cerný, J; Drbal, K; Kuramitsu, Y; Kornacker, B; Horejsí, V; Schraven, B. Phosphoprotein associated with glycosphingolipid-enriched microdomains (PAG), a novel ubiquitously expressed transmembrane adaptor protein, binds the protein tyrosine kinase csk and is involved in regulation of T cell activation. **J Exp Med.** **2000**;191:1591-604: **318**

Sinkkonen, L; Hugenschmidt, T; Berninger, P; Gaidatzis, D; Mohn, F; Artus-Revel, C; Zavolan, M; Svoboda, P*; Filipowicz, W*. MicroRNAs control de novo DNA methylation through regulation of transcriptional repressors in mouse embryonic stem cells. **Nat Struct Mol Biol.** **2008**;15:259-267: **243**

Philimonenko, VV; Zhao, J; Iben, S; Dingova, H; Kysela, K; Kahle, M; Zentgraf, H; Hofmann, WA; de Lanerolle, P; Hozak, P; Grummt, I. Nuclear actin and myosin I are required for RNA polymerase I transcription. **Nat Cell Biol.** **2004**;6:1165-1172: **176** (affiliation to IEM AS CR)

Brdicka, T; Imrich, M; Angelisova, P; Brdickova, N; Horvath, O; Spicka, J; Hilgert, I; Luskova, P; Draber, P; Novak, P; Engels, N; Wienands, J; Simeoni, L; Osterreicher, J; Aguado, E; Malissen, M; Schraven, B; Horejsi, V. Non-T cell activation linker (NTAL): A transmembrane adaptor protein involved in immunoreceptor signaling. **J Exp Med.** **2002**;196:1617-1626: **141**

Strnad, H; Lapidus, A; Paces, J; Ulbrich, P; Vlcek, C; Paces, V; Haselkorn, R. Complete Genome Sequence of the Photosynthetic Purple Nonsulfur Bacterium *Rhodospirillum rubrum* SB 1003. **J Bacteriol.** **2010**;192:3545-3546: **135**

Cigler, P; Kozisek, M; Rezacova, P; Brynda, J; Otwinowski, Z; Pokorna, J; Plesek, J; Gruner, B; Doleckova-Maresova, L; Masa, M; Sedlacek, J; Bodem, J; Krausslich, HG; Kral, V; Konvalinka, J. From

nonpeptide toward noncarbon protease inhibitors: Metallacarboranes as specific and potent inhibitors of HIV protease. **Proc Natl Acad Sci USA**. 2005;102:15394-15399: **123**

Horejsi, V; Zhang, WG; Schraven, B. Transmembrane adaptor proteins: Organizers of immunoreceptor signalling. **Nat Rev Immunol**. 2004;4:603-616: **121 REVIEW**

Machon, O; Van den Bout, CJ; Backman, M; Kemler, R; Krauss, S. Role of beta-catenin in the developing cortical and hippocampal neuroepithelium. **Neuroscience**. 2003;122:129-143: **120**

Mihola, O; Trachtulec, Z; Vlcek, C; Schimenti, JC; Forejt, J. A mouse speciation gene encodes a meiotic histone H3 methyltransferase. **Science**. 2009;323:373-375: **116**

Horejsi, V. The roles of membrane microdomains (rafts) in T cell activation. **Immunol Rev**. 2003;191:148-164: **105 REVIEW**

Neuzil, J; Wang, XF; Dong, LF; Low, P; Ralph, SJ. Molecular mechanism of 'mitocan'-induced apoptosis in cancer cells epitomizes the multiple roles of reactive oxygen species and Bcl-2 family proteins. **FEBS Lett**. 2006;580:5125-5129: **100**

Kovarova, M; Tolar, P; Araudchandran, R; Draberova, L; Rivera, J; Draber, P. Structure-function analysis of Lyn kinase association with lipid rafts and initiation of early signaling events after Fc epsilon receptor I aggregation. **Mol Cell Biol**. 2001; 21: 8318-8328: **99**

Blazkova, J; Trejbalova, K; Gondois-Rey, F; Halfon, P; Philibert, P; Guiguen, A; Verdin, E; Olive, D; Van Lint, C; Hejnar, J; Hirsch, I. CpG Methylation Controls Reactivation of HIV from Latency. **PLoS Pathogens**. 2009;5:e1000554: **99**

Zavada, J; Zavadova, Z; Pastorek, J; Biesova, Z; Jezek, J; Velek, J. Human tumour-associated cell adhesion protein MN/CA IX: identification of M75 epitope and of the region mediating cell adhesion. **Br J Cancer**. 2000;82:1808-1813: **96**

Neuzil, J; Stantic, M; Zabalova, R; Chladova, J; Wang, XF; Prochazka, L; Dong, LF; Andera, L; Ralph, SJ. Tumour-initiating cells vs. cancer 'stem' cells and CD133: What's in the name? **Biochem Biophys Res Commun**. 2007;355:855-859: **94 REVIEW**

Volna, P; Lebduska, P; Draberova, L; Simova, R; Heneberg, P; Boubelik, M; Bugajev, V; Malissen, B; Wilson, BS; Horejsi, V; Malissen, M; Draber, P. Negative regulation of mast cell signaling and function by the adaptor LAB/NTAL. **J Exp Med**. 2004;200:1001-1013: **85**

Machon, O; Backman, M; Machonova, O; Kozmik, Z; Vacik, T; Andersen, L; Krauss, S. A dynamic gradient of Wnt signaling controls initiation of neurogenesis in the mammalian cortex and cellular specification in the hippocampus. **Dev Biol**. 2007;311:223-237: **84**

Kozmik, Z. Pax genes in eye development and evolution. **Curr Opin Genet Dev**. 2005;15:430-438: **83 REVIEW**

Plasilova, M; Zivny, J; Jelinek, J; Neuwirtova, R; Cermak, J; Necas, E; [Andera, L*](#); Stopka, T*. TRAIL (Apo2L) suppresses growth of primary human leukemia and myelodysplasia progenitors. **Leukemia**. **2002**;16:67-73: **83**

[Brdickova, N](#); [Brdicka, T](#); [Andera, L](#); [Spicka, J](#); [Angelisova, P](#); Milgram, SL; [Horejsi, V](#). Interaction between two adapter proteins, PAG and EBP50: a possible link between membrane rafts and actin cytoskeleton. **FEBS Lett**. **2001**;507:133-136: **81**

[Hlavackova, V](#); Goudet, C; Kniazeff, J; [Zikova, A](#); Maurel, D; Vol, C; [Trojanova, J](#); Prézeau, L; Pin, JP; [Blahos, J](#). Evidence for a single heptahelical domain being turned on upon activation of a dimeric GPCR. **EMBO J**. **2005**;24:499-509: **80** (affiliation to IEM AS CR)

[Krasny, L](#); Gourse, RL. An alternative strategy for bacterial ribosome synthesis: Bacillus subtilis rRNA transcription regulativ. **EMBO J**. **2004**;23:4473-4483: **77**

[Neuzil, J](#); Tomasetti, M; Zhao, Y; Dong, LF; Birringer, M; Wang, XF; Low, P; Wu, K; Salvatore, BA; Ralph, SJ. Vitamin E analogs, a novel group of "mitocans," as anticancer agents: The importance of being redox-silent. **Mol Pharmacol**. **2007**;71:1185-1199: **74**

[Pavlicek, A](#); Jabbari, K; [Paces, J](#); [Paces, V](#); [Hejnar, J](#); Bernardi, G. Similar integration but different stability of Alus and LINEs in the human genome. **Gene**. **2001**;276:SI:39-45: **74**

Ma, J; [Flemr, M](#); Stein, P; Berninger, P; [Malik, R](#); Zavolan, M; [Svoboda, P*](#); Schultz, RM. MicroRNA activity is suppressed in mouse oocytes. **Curr Biol**. **2010**;20:265-270: **72**

[Stanek, D](#); Neugebauer, KM. The Cajal body: a meeting place place for spliceosomal in the nuclear maze. **Chromosoma**. **2006**;115:343-54: **71 REVIEW** (affiliation to 1st Faculty of Medicine UK Prague)

[Valenta, T](#); [Lukas, J](#); [Korinek, V](#). HMG box transcription factor TCF-4's interaction with CtBP1 controls the expression of the Wnt target Axin2/Conductin in human embryonic kidney cells. **Nucl Acids Res**. **2003**;31: 2369-2380: **71**

[Svoboda, P](#). Off-targeting and other non-specific effects of RNAi experiments in mammalian cells. **Curr Opin Mol Therapeut**. **2007**;9:248-257: **70 REVIEW**

[Storchova, R](#); [Gregorova, S](#); Buckiova, D; [Kyselova, V](#); [Divina, P](#); [Forejt, J](#). Genetic analysis of X-linked hybrid sterility in the house mouse. **Mamm Genome**. **2004**;15:515-524: **69**

[Bubenik, J](#). MHC class I down-regulation: Tumour escape from immune surveillance? **Int J Oncol**. **2004**;25:487-491: **68 REVIEW**

[Pavlicek, A](#); [Paces, J](#); [Elleder, D](#); [Hejnar, J](#). Processed pseudogenes of human endogenous retroviruses generated by LINEs: Their integration, stability, and distribution. **Genome Res**. **2002**;12:391-399: **66**

Brdicka, T; Kadlec, TA; Roose, JP; Pastuszak, AW; Weiss, A. Intramolecular regulatory switch in ZAP-70: Analogy with receptor tyrosine kinases. **Mol Cell Biol.** 2005;25:4924-4933: **64**

Brdickova, N; Brdicka, T; Angelisova, P; Horvath, O; Spicka, J; Hilgert, I; Paces, J; Simeoni, L; Kliche, S; Merten, C; Schraven, B; Horejsi, V. LIME: A new membrane raft-associated adaptor protein involved in CD4 and CD8 coreceptor signaling. **J Exp Med.** 2003;198:1453-1462: **63**

Lipoldova, M; Svobodova, M; Krulova, M; Havelkova, H; Badalova, J; Nohynkova, E; Holan, V; Hart, AAM; Volf, P; Demant, P. Susceptibility to Leishmania major infection in mice: multiple loci and heterogeneity of immunopathological phenotypes. **Genes Immun.** 2000;1:200-206: **61**

Neuzil, J; Dyason, JC; Freeman, R; Dong, LF; Prochazka, L; Wang, XF; Scheffler, I; Ralph, SJ. Mitocans as anti-cancer agents targeting mitochondria: lessons from studies with vitamin E analogues, inhibitors of complex II. **J Bioenerg Biomembr.** 2007;39:65-72: **60**

Kozmik, Z; Holland, ND; Kreslova, J; Oliveri, D; Schubert, M; Jonasova, K; Holland, LZ; Pestarino, M; Benes, V; Candiani, S. Pax-Six-Eya-Dach network during amphioxus development: Conservation in vitro but context specificity in vivo. **Dev Biol.** 2007;306:143-159: **57**

Bubenik, J. Tumour MHC class I downregulation and immunotherapy (Review). **Oncol Rep.** 2003;10:2005-2008: **57 REVIEW**

Lipoldova, M; Demant, P. Genetic susceptibility to infectious disease: lessons from mouse models of leishmaniasis. **Nat Rev Genet.** 2006;7:294-305: **56 REVIEW**

Havlickova, M; Prezeau, L; Duthey, B; Bettler, B; Pin, JP; Blahos, J. The intracellular loops of the GB2 subunit are crucial for G-protein coupling of the heteromeric gamma-aminobutyrate B receptor. **Mol Pharmacol.** 2002;62:343-50: **55** (affiliation to IEM AS CR)

Kosar, M; Bartkova, J; Hubackova, S; Hodny, Z; Lukas, J; Bartek, J. Senescence-associated heterochromatin foci are dispensable for cellular senescence, occur in a cell type- and insult-dependent manner, and follow expression of p16(ink4a). **Cell Cycle.** 2011 ;10:457-468: **50**

Macurek, L; Lindqvist, A; Voets, O; Kool, J; Vos, HR; Medema, RH. Wip1 phosphatase is associated with chromatin and dephosphorylates gamma H2AX to promote checkpoint inhibition. **Oncogene.** 2010;29:2281-2291: **49**

Philimonenko, AA; Janáček, J; Hozák, P. Statistical evaluation of colocalization patterns in immunogold labeling experiments. **J Struct Biol.** 2000;132:201-10: **49** (affiliation to IEM AS CR)

Gregorova, S; Forejt, J. PWD/Ph and PWK/Ph inbred mouse strains of Mus m-musculus subspecies - a valuable resource of phenotypic variations and genomic polymorphisms. **Folia Biol.** 2000;46:31-41: **49**

Bubenik, J. Genetically engineered dendritic cell-based cancer vaccines (review). **Int J Oncol.** 2001;18:475-478: **48 REVIEW**

Luskova, P.; Draber, P. Modulation of the Fc epsilon receptor I signaling by tyrosine kinase inhibitors: Search for therapeutic targets of inflammatory and allergy diseases. **Curr Pharm Design**.

2004;10:1727-1737: **47 REVIEW**

Kozmik, Z; Ruzickova, J; Jonasova, K; Matsumoto, Y; Vopalensky, P; Kozmikova, I; Strnad, H; Kawamura, S; Piatigorsky, J; Paces, V; Vlcek, C. Assembly of the cnidarian camera-type eye from vertebrate-like components. **Proc Natl Acad Sci USA**. 2008;105:8989-8993: **45**

Matouskova, M; Blazkova, J; Pajer, P; Pavlicek, A; Hejnar, J. CpG methylation suppresses transcriptional activity of human syncytin-1 in non-placental tissues. **Exp Cell Res**. 2006;312:1011-1020: **44**

Kyselá, K; Philimonenko, AA; Philimonenko, VV; Janáček, J; Kahle, M; Hozák, P. Nuclear distribution of actin and myosin I depends on transcriptional activity of the cell. **Histochem Cell Biol**. 2005;124:347-58: **43** (affiliation to IEM AS CR)

Neuzil, J; Dong, LF; Ramanathapuram, L; Hahn, T; Chladova, M; Wang, XF; Zabalova, R; Prochazka, L; Gold, M; Freeman, R; Turanek, J; Akporiaye, ET; Dyason, JC; Ralph, SJ. Vitamin E analogues as a novel group of mitocans: Anti-cancer agents that act by targeting mitochondria. **Mol Asp Med**. 2007;28:607-645: **41**

Gregorova, S; Divina, P; Storchova, R; Trachtulec, Z; Fotopulosova, V; Svenson, KL; Donahue, LR; Paigen, B; Forejt, J. Mouse consomic strains: Exploiting genetic divergence between *Mus m musculus* and *Mus m domesticus* subspecies. **Genome Res**. 2008;18:509-515: **40**

Zavada, J; Zavadova, Z; Zat'ovicova, M; Hyrsl, L; Kawaciuk, I. Soluble form of carbonic anhydrase IX (CA IX) in the serum and urine of renal carcinoma patients. **Br J Cancer**. 2003;89:1067-1071: **39**

Heneberg, P; Draber, P. Regulation of Cys-based protein tyrosine phosphatases via reactive oxygen and nitrogen species in mast cells and basophils. **Curr Med Chem**. 2005;12:1859-1871: **39**

Pavlicek, A; Paces, J; Clay, O; Bernardi, G. A compact view of isochores in the draft human genome semence. **FEBS Lett**. 2002;511:165-169: **38**

Valenta, T; Lukas, J; Doubravska, L; Fafilek, B; Korinek, V. HIC1 attenuates Wnt signaling by recruitment of TCF-4 and beta-catenin to the nuclear bodls. **EMBO J**. 2006;25:2326-2337: **37**

Hejnar, J; Hajkova, P; Plachy, J; Elleder, D; Stepanets, V; Svoboda, J. CPG island protects Rous sarcoma virus-derived vectors integrated into nonpermissive cells from DNA methylation and transcriptional suppression. **Proc Natl Acad Sci USA**. 2001;98:565-569: **37**

Flemr, M; Ma, J; Schultz, RM; Svoboda, P. P-Body loss is concomitant with formation of a messenger RNA storage domain in mouse oocytes. **Biol Reprod**. 2010;82:1008-1017: **36**

Storchova, R; Divina, P. Nonrandom representation of sex-biased genes on chicken Z chromosome. **J Mol Evol**. 2006;63:676-681: **36**

Swettenham, E; Witting, PK; Salvatore, BA; Neuzil, J. alpha-Tocopheryl succinate selectively induces apoptosis in neuroblastoma cells: potential therapy of malignancies of the nervous system? **J Neurochem.** 2005;94:1448-1456: **36**

Draber, P; Draberova, L. Lipid rafts in mast cell signaling. **Mol Immunol.** 2002;38:1247-1252: **36**
REVIEW

Surviladze, Z; Draberova, L; Kovarova, M; Boubelik, M; Draber, P. Differential sensitivity to acute cholesterol lowering of activation mediated via the high-affinity IgE receptor and Thy-1 glycoprotein. **Eur J Immunol.** 2001;31:1-10: **36**

Kralova, J; Kejik, Z; Briza, T; Pouckova, P; Kral, A; Martasek, P; Kral, V. Porphyrin-cyclodextrin conjugates as a nanosystem for versatile drug delivery and multimodal cancer therapy. **J Med Chem.** 2010;53:128-138: **35**

Rezacova, P; Pokorna, J; Brynda, J; Kozisek, M; Cigler, P; Lepsik, M; Fanfrlik, J; Rezac, J; Saskova, KG; Siegllova, I; Plesek, J; Sicha, V; Gruener, B; Oberwinkler, H; Sedlacek, J; Kraeusslich, HG; Hobza, P; Kral, V; Konvalinka, J. Design of HIV protease inhibitors based on inorganic polyhedral metallacarboranes. **J Med Chem.** 2009;52:7132-7141: **35**

Homolka, D; Ivanek, R; Capkova, J; Jansa, P; Forejt, J. Chromosomal rearrangement interferes with meiotic X chromosome inactivation. **Genome Res.** 2007;17:1431-1437: **35**

Bartunek, P; Kralova, J; Blendinger, G; Dvorak, M; Zenke, M. GATA-1 and c-myb crosstalk during red blood cell differentiation through GATA-1 binding sites in the c-myb promoter. **Oncogene.** 2003;22:1927-1935: **35**

Sulimenko, V; Draberova, E; Sulimenko, T; Macurek, L; Richterova, V; Draber, P; Draber, P. Regulation of microtubule formation in activated mast cells by complexes of gamma-tubulin with Fyn and Syk kinases. **J Immunol.** 2006;176:7243-7253: **34**

Sindelka, R; Ferjentsik, Z; Jonak, J. Developmental expression profiles of *Xenopus laevis* reference genes. **Dev Dyn.** 2006;235:754-758: **34**

Fujimura, N; Taketo, MM; Mori, M; Korinek, V; Kozmik, Z. Spatial and temporal regulation of Wnt/beta-catenin signaling is essential for development of the retinal pigment epithelium. **Dev Biol.** 2009;334:31-45: **33**

Paces, J; Pavlicek, A; Paces, V. HERVd: database of human endogenous retroviruses. **Nucleic Acids Res.** 2002;30:205-206: **33**

Stanek, D; Pridalova-Hnilicova, J; Novotny, I; Huranova, M; Blazikova, M; Wen, X; Sapra, AK; Neugebauer, KM. Spliceosomal small nuclear ribonucleoprotein particles repeatedly cycle through Cajal bodies. **Mol Biol Cell.** 2008;19:2534-2543: **32**

Smrz, D; Draberova, L; Draber, P. Non-apoptotic phosphatidylserine externalization induced by engagement of glycosylphosphatidylinositol-anchored proteins. **J Biol. Chem.** 2007;282: 10487-10497: **32**

Fuchsová, B; Novák, P; Kafková, J; Hozák, P. Nuclear DNA helicase II is recruited to IFN-alpha-activated transcription sites at PML nuclear bodies. **J Cell Biol.** **2002**;158:463-73: **32**
(affiliation to IEM AS CR)

Trachtulec, Z; Forejt, J. Synteny of orthologous genes conserved in mammals, snake, fly, nematode, and fission yeast. **Mamm Genome.** **2001**;12:227-231: **32**

Draberova, E; Del Valle, L; Gordon, J; Markova, V; Smejkalova, B; Bertrand, L; de Chadarevian, JP; Agamanolis, DP; Legido, A; Khalili, K; Draber, P; Katsetos, CD. Class III beta-tubulin is constitutively coexpressed with glial fibrillary acidic protein and nestin in midgestational human fetal astrocytes: Implications for phenotypic identity. **J Neuropathol Exp Neurol.** **2008**;67:341-354: **31**

Machon, O; Backman, M; Krauss, S; Kozmik, Z. The cellular fate of cortical progenitors is not maintained in neurosphere cultures. **Mol Cell Neurosci.** **2005**;30:388-397: **31**

Tolarova, H; Draberova, L; Heneberg, P; Draber, P. Involvement of filamentous actin in setting the threshold for degranulation in mast cells. **Eur J. Immunol.** **2004**;34:1627-1636: **31**

Novakova, Z; Hubackova, S; Kosar, M; Janderova-Rossmeislova, L; Dobrovolna, J; Vasicova, P; Vancurova, M; Horejsi, Z; Hozak, P; Bartek, J; Hodny, Z. Cytokine expression and signaling in drug-induced cellular senescence. **Oncogene.** **2010**;29:273-284: **30**

Fulka, H; John, JC St; Fulka, J; Hozak, P. Chromatin in early mammalian embryos: achieving the pluripotent state. **Differentiation.** **2008**;76:3-14: **30**

Kreslova, J; Machon, O; Ruzickova, J; Lachova, J; Wawrousek, EF; Kemler, R; Krauss, S; Piatigorsky, J; Kozmik, Z. Abnormal lens morphogenesis and ectopic lens formation in the absence of beta-catenin function. **Genesis.** **2007**;45:157-168: **30**

Neuzil, J; Widen, C; Gellert, N; Swettenham, E; Zobalova, R; Dong, LF; Wang, XF; Lidebjer, C; Dalen, H; Headrick, JP; Witting, PK. Mitochondria transmit apoptosis signalling in cardiomyocyte-like cells and isolated hearts exposed to experimental ischemia-reperfusion injury. **Redox Rep.** **2007**;12:148-162: **30**

Horejsi, V. Lipid rafts and their roles in T-cell activation. **Microbes Infect.** **2005**;7: 310-316: **30**
REVIEW

Kukharsky, V; Sulimenko, V; Macurek, L; Sulimenko, T; Draberova, E; Draber, P. Complexes of gamma-tubulin with nonreceptor protein tyrosine kinases Src and Fyn in differentiating P19 embryonal carcinoma cells. **Exp Cell Res.** **2004**;298:218-228: **30**

Svoboda, J; Hejnar, J; Geryk, J; Elleder, D; Vernerova, Z. Retroviruses in foreign species and the problem of provirus silencing. **Gene.** **2000**;261:181-188: **30**

