

Alexander C, Hadley G (1985) Carbon Movement between Host and Mycorrhizal Endophyte During the Development of the Orchid *Goodyera repens* Br. New Phytologist 101: 657-665.

Alexander C, Hadley G (1984) The Effect of Mycorrhizal Infection of *Goodyera repens* and its Control by Fungicide. New Phytologist 97: 391-400.

Arditti J (1967) Factors affecting the germination of orchid seeds. Botanical Review 33: 1-97.

Arditti J, Ghani A K A (2000) Tansley Review No. 110 Numerical and physical properties of orchid seeds and their biological implications. New Phytologist 145, 367-421.

Baláž M (2001) Srovnání orchideoidní mykorrhizy s jinými typy mykorrhiz z hlediska látkových přenosů. IN: Interorchid 2001, Sborník referátů, ed. L.Jankovský, J.Matoušková, Mendelova zemědělská a lesnická univerzita v Brně, Brno.

Barsberg S, Rasmussen H N, Kodahl N (2013) Composition of *Cypripedium calceolus* (Orchidaceae) seeds analyzed by attenuated total reflectance IR spectroscopy: In search of understanding longevity in the ground. American Journal of Botany 100: 2066–2073.

Barthlott W, Große-Veldmann B, Korotkova N (2014) Orchid seed diversity: A scanning electron microscopy survey. Englera 32: 1-245. Berlin: Botanic Garden and Botanical Museum Berlin-Dahlem.

Bayman P, González E J, Fumero J J, Tremblay R L (2002) Are fungi necessary? How fungicides affect growth and survival of the orchid *Lepanthes rupestris* in the field. Journal of Ecology 90: 1002–1008.

Beer J G (1863) Beiträge zur Morphologie und Biologie der Familie der Orchideen. Carl Gerold's Sohn, Wien.

Bougoure J, Ludwig M, Brundrett M, Cliff J, Clode P, Kilburn M, Grierson P (2014) High-resolution secondary ion mass spectrometry analysis of carbon dynamics in mycorrhizas formed by an obligately myco-heterotrophic orchid. Plant, Cell and Environment 37, 1223–1230.

Burgeff H (1911) Die Anzucht Tropischer Orchideen aus Samen. Verlag von Gustav Fischer, Jena.

Burgeff H (1936) Samenkeimung der Orchideen und Entwicklung ihrer Keimpflanzen. Verlag von Gustav Fischer, Jena, Germany.

Burges A (1939) The Defensive Mechanism in Orchid Mycorrhiza. New Phytologist: 273-283.

Cameron D D, Leake J R, Read D J (2006) Mutualistic mycorrhiza in orchids: evidence from plant–fungus carbon and nitrogen transfers in the green-leaved terrestrial orchid *Goodyera repens*. New Phytologist 171: 405–416.

Cameron D D, Johnson I, Leake J R, Read D J (2007) Mycorrhizal Acquisition of Inorganic Phosphorus by the Green-leaved Terrestrial Orchid *Goodyera repens*. Annals of Botany 99: 831–834.

Cameron D D, Johnson I, Read D J, Leake J R (2008) Giving and receiving: measuring the carbon cost of mycorrhizas in the green orchid, *Goodyera repens*. New Phytologist 180: 176–184.

Eriksson O, Kainulainen K (2011) The evolutionary ecology of dust seeds. Perspectives in Plant Ecology, Evolution and Systematics 13: 73–87.

Ernst R, Arditti J, Haley P L (1970) The nutrition of orchid seedlings. American Orchid Society Bulletin 39: 559-565, 691-700.

Ernst R, Arditti J, Healey P L (1971) Carbohydrate physiology of orchid seedlings. II. Hydrolysis and effects of oligosaccharides. American Journal of Botany 58: 827-835.

Gryndler M, Baláž M, Hršelová H, Jansa J, Vosátka M (2004) Mykorrhizní symbioza, O soužití hub s kořeny rostlin. Academia, Praha.

Hadley G (1969) Cellulose as a carbon source for orchid mycorrhiza. New Phytologist 68: 933-939.

Hadley G (1984) Uptake of [14C]glucose by asymbiotic and mycorrhizal orchid protocorms. New Phytologist 96: 263-273.

Hadley G, Williamson B (1971) Analysis of the post-infection growth stimulus in orchid mycorrhiza. New Phytologist 70: 445-455.

Harrison C R (1977) Ultrastructural and Histochemical Changes during the Germination of *Cattleya aurantiaca* (Orchidaceae). Botanical Gazette 138: 41-45.

Harrison C R, Arditti J (1978) Physiological Changes During the Germination of *Cattleya aurantiaca* (Orchidaceae). Botanical Gazette 139: 180-189.

Harvais G (1974) Notes on the biology of some native orchids of Thunder Bay, their endophytes and symbionts. Canadian Journal of Botany 52: 451-460.

Harvais G, Raitsakas A (1975) On the physiology of a fungus symbiotic with orchids. Canadian Journal of Botany 53: 144-155.

Chase M W, Pippen J S (1988) Seed Morphology in the Oncidiinae and Related Subtribes (Orchidaceae). Systematic Botany 13: 313-323.

Jacquemyn H, Deja A, De Hert K, Bailarote B C, Lievens B (2012) Variation in Mycorrhizal Associations with Tulasnelloid Fungi among Populations of Five *Dactylorhiza* Species. PLoS ONE 7: e42212.

Jacquemyn H, Brys R, Waud M, Busschaert P, Lievens B (2015) Mycorrhizal networks and coexistence in species-rich orchid communities. New Phytologist 206: 1127-1134.

Knudson L (1924) Further observations on nonsymbiotic germination of orchid seeds. The Botanical Gazette 77: 212-219.

Knudson L (1929) Physiological investigations on orchid seed germination. Proceedings of the International Congresses of Plant Science 2: 1183-1189.

Kuga Y, Sakamoto N, Yurimoto H (2014) Stable isotope cellular imaging reveals that both live and degenerating fungal pelotons transfer carbon and nitrogen to orchid protocorms. New Phytologist 202: 594-605.

Látalová K, Baláž M (2010) Carbon nutrition of mature green orchid *Serapias strictiflora* and its mycorrhizal fungus *Epulorhiza* sp. Biologia Plantarum 54: 97-104.

Leake J R (1994) The Biology of Myco-Heterotrophic ('Saprophytic') Plants. New Phytologist 127: 171-216.

Leake J R, Cameron D D (2012) Untangling above- and belowground mycorrhizal fungal networks in tropical orchids. Molecular Ecology 21, 4921-4924.

Lee Y I, Hsu S T, Yeung E C (2013) Orchid protocorm-like bodies are somatic embryos. American Journal of Botany 100: 2121–2131.

Lindén B (1992) Two new methods for pretreatment of seeds of Northern orchids to improve germination in axenic culture. Annales Botanici Fennici 29: 305-313.

Manning J C, van Staden J (1987) The Development and Mobilisation of Seed Reserves in Some African Orchids. Australian Journal of Botany 35: 343-353.

McKendrick S L, Leake J R, Read D J (2000) Symbiotic germination and development of myco-heterotrophic plants in nature: transfer of carbon from ectomycorrhizal *Salix repens* and *Betula pendula* to the orchid *Corallorrhiza trifida* through shared hyphal connections. New Phytologist 145: 539-548.

McKendrick S L, Leake J R, Taylor D L, Read D J (2001) Symbiotic germination and development of the myco-heterotrophic orchid *Neottia nidus-avis* in nature and its requirement for locally distributed *Sebacina* spp. New Phytologist 154: 233–247.

Miyoshi K, Mii M (1998) Stimulatory effects of sodium and calcium hypochlorite, pre-chilling and cytokinins on the germination of *Cypripedium macranthos* seed *in vitro*. Physiologia Plantarum 102: 481-486.

Molvray M, Kores P J (1995) Character Analysis of the Seed Coat in Spiranthoideae and Orchidoideae, with Special Reference to the Diurideae (Orchidaceae). American Journal of Botany 82: 1443-1454.

Murren C J, Ellison A M (1998) Seed dispersal characteristics of *Brassavola nodosa* (Orchidaceae) – American Journal of Botany 85: 675-680.

Nakamura S J (1982) Nutritional conditions required for the non symbiotic culture of an achlorophyllous orchid *Galeola septentrionalis*. New Phytologist 90: 701-715.

Nieuwdorp P. J. (1972): Some observations with light and electron microscope on the endotrophic mycorrhiza of orchids. Acta Botanica Neerlandica 21: 128-144.

Oja J, Kohout P, Tedersoo L, Kull T, Köljalg U (2015) Temporal patterns of orchid mycorrhizal fungi in meadows and forests as revealed by 454 pyrosequencing. New Phytologist 205: 1608–1618.

Peterson R L, Farquhar M L (1994) Mycorrhizas: Integrated Development between Roots and Fungi. Mycologia 86: 311-326.

Peterson R L, Uetake Y, Zelmer C (1998) Fungal symbioses with orchid protocorms. Symbiosis 25: 29-55.

Ponert J, Figura T, Vosolsobě S, Lipavská H, Vohník M, Jersáková J (2013) Asymbiotic germination of mature seeds and protocorm development of *Pseudorchis albida* (Orchidaceae) are inhibited by nitrates even at extremely low concentrations. Botany 91: 662–670.

Ponert J, Vosolsobě S, Kmecová K, Lipavská H (2011) European orchid cultivation - from seed to mature plant. European Journal of Environmental Sciences 1: 95–107.

Pridgeon A M, Cribb P J, Chase M W, Rasmussen F (1999) Genera Orchidacearum: Volume 1: General Introduction, Apostasioideae, Cypripedioideae. Oxford University Press, New York, United States.

- Prutsch J, Schardt A, Schill R (2000) Adaptations of an orchid seed to water uptake and - storage. *Plant Systematics and Evolution* 220: 69-75.
- Rasmussen H N (1990) Cell differentiation and mycorrhizal infection in *Dactylorhiza majalis* (Rchb. f.) Hunt & Summerh. (Orchidaceae) during germination *in vitro*. *New Phytologist* 116: 137-147.
- Rasmussen H N (1992) Seed dormancy patterns in *Epipactis palustris* (Orchidaceae): Requirements for germination and establishment of mycorrhiza. *Physiologia Plantarum* 86: 161-167.
- Rasmussen H N (1995) Terrestrial orchids, from seed to mycotrophic plant. Cambridge University Press, Great Britain.
- Rasmussen H N (2002) Recent developments in the study of orchid mycorrhiza. *Plant and Soil* 244: 149–163.
- Rasmussen H N, Rasmussen F N (2009) Orchid mycorrhiza: implications of a mycophagous life style. *Oikos* 118: 334-345.
- Rasmussen H N, Whigham D F (1993) Seed ecology of dust seeds *in situ*: a new study technique and its application in terrestrial orchids. *American Journal of Botany* 80: 1374-1378.
- Rasmussen H N, Dixon K W, Jersáková J, Těšitelová T (2015) Germination and seedling establishment in orchids: a complex of requirements. *Annals of Botany* 116: 391-402.
- Selosse M A (2014) The latest news from biological interactions in orchids: in love, head to toe. *New Phytologist* 202: 337–340.
- Shefferson R P, Weiß M, Kull T, Taylor D L (2005) High specificity generally characterizes mycorrhizal association in rare lady's slipper orchids, genus *Cypripedium*. *Molecular Ecology* 14: 613–626.
- Smith S E (1966) Physiology and ecology of orchid macorrhizal fungi with reference to seedling nutrition. *New Phytologist* 65: 488-499.
- Smith S E (1967) Carbohydrate translocation in orchid mycorrhizas. *New Phytologist* 66: 371-378.
- Uetake Y, Peterson R L (1998) Association between microtubules and symbiotic fungal hyphae in protocorm cells of the orchid species, *Spiranthes sinensis*. *New Phytologist* 140: 715-722.
- Van Waes J M, Debergh P C (1986) *In vitro* germination of some Western European orchids. *Physiologia Plantarum* 67: 253-261.
- Vasudevan R, van Staden J (2010) Fruit harvesting time and corresponding morphological changes of seed integuments influence *in vitro* seed germination of *Dendrobium nobile* Lindl. *Plant Growth Regulation* 60: 237–246.
- Vujanovic V, St-Arnaud M, Barabé D, Thibeault G (2000) Viability Testing of Orchid Seed and the Promotion of Colouration and Germination. *Annals of Botany* 86: 79-86.
- Wang H, Wang Z, Zhang F, Liu J, He X (1997) A cytological study on the nutrient uptake mechanism of a saprophytic orchid *Gastrodia elata*. *Acta Botanica Sinica* 39: 500-958.
- Weinert M (1992) Keimungsfördernde Faktoren bei schwerkeimenden europäischen Orchideen: 2. Eine verfeinerte Methode der Samen-Voraussaatbehandlung mit Natriumhypochlorit und Überprüfung der Vitalität mit Tetrazoliumchlorid. *Die Orchidee* 43: 287-293.

Williamson B, Hadley G (1970) Penetration and infection of orchid protocorms by *Tanatephorus cucumeris* and other *Rhizoctonia* isolates. *Phytopatology* 60: 1092-1096.

Yoder J A, Zettler L W, Stewart S L (2000) Water requirements of terrestrial and epiphytic orchid seeds and seedlings, and evidence for water uptake by means of mycotrophy. *Plant Science* 156: 145–150.