

**P. Ráb: Endemické sladkovodní ryby Evropy  
(Živa 2019, 5: 256-260)**

**Použitá a vybraná doporučená literatura:**

- Banarescu, P. (1990) Zoogeography of fresh waters. Volume 1. General distribution and dispersal of freshwater animals. AULA-Verlag, Wiesbaden.
- Banarescu, P. (1992) Zoogeography of fresh waters. Volume 2. Distribution and dispersal of freshwater animals in North America and Eurasia. AULA-Verlag, Wiesbaden.
- Bianco, P. G. (1990) Potential role of the paleohistory of the Mediterranean and Paratethys basins on the early dispersal of Euro-Mediterranean freshwater fishes. Ichthyological Exploration of Freshwaters, 1, 167–184.
- Bianco, P. G. (1995). Mediterranean endemic freshwater fishes of Italy. Biological Conservation. 72: 159–170.
- Burridge, C. P.; Craw, D.; Waters, J. M. (2007) An empirical test of freshwater vicariance via river capture. Molecular Ecology, 16: 1883–1895.
- Dion-Cote, A.-M., Symonová, R., Lamaze, F., Pelikánová, Š., Ráb, P., Bernatchez, L. (2017) Standing chromosomal variation in Lake Whitefish species pairs: the role of historical contingency and relevance for speciation. Molecular Ecology, 26,1: 178–192. doi: 10.1111/mec.13816
- Doadrio, I. (1990) Phylogenetic relationships and classification of west Palearctic species of the genus *Barbus* (Osteichthyes: Cyprinidae). Aquatic Living Resources, 3, 265–282.
- Durand, J.-D., Bianco, P. G., Laroche, J. et Gilles, A. (2003) Insight into the origin of endemic Mediterranean ichthyofauna. Phylogeography of *Chondrostoma* genus (Teleostean, Cyprinidae). Journal of Heredity, 94, 315–328.
- Durand, J.-D., Persat, H. et Bouvet, Y. (1999) Phylogeography and postglacial dispersion of the chub (*Leuciscus cephalus*) in Europe. Molecular Ecology, 8, 989–997.
- Friedrich, T., Wiesner, Ch., Zangl, L., Daill,D., Freyhof, J., Kobmuller, S. (2018) *Romanogobio skywalkeri*, a new gudgeon (Teleostei: Gobionidae) from upper Mur River, Austria. Zootaxa 4403 (2): 336–350.
- Hewitt, G. M. (1999) Post-glacial recolonization of European biota. Biological Journal of the Linnean Society, 68, 87–112.
- Hewitt, G. M. (2000) The genetic legacy of the Quaternary ice ages. Nature, 405, 907–913.
- Hsü, K., Montadert, L., Bernuilli, D., Cita, M.B., Erickson, A., Garrison, R.E., Kidd, R.B., Mèlierés, F., Müller, C. et Wright, R. (1977) History of the Mediterranean salinity crisis. Nature, 267, 399–403.
- Kotlík, P., Bogutskaya, N. G., Ekmekci, F. G. (2004) Circum Black Sea phylogeography of *Barbus* freshwater fishes: divergence in the Pontic glacial refugium. Molecular Ecology, 13 (1): 87-95.
- Kottelat, M., Freyhof, J. (2007). Handbook of European Freshwater Fishes. Cornol, Berlin.
- László.; A., László, B., Kotlík, P; Mozsár, A.; Czeglédi, I.; Oldal, M.; Kemenesi, G.; Jakab, F; Nagy, S. (2016) Phylogenetic evidence for a new species of *Barbus* in the Danube River basin. Molecular Phylogenetics and Evolution. 96: 187–194.
- Nelson, J. S., Hart, P. J. B. (eds., 1999) The species concept in fish biology. Reviews in Fish Biology and Fisheries 9 (4).
- Perea, S., Böhme, M., Zupančič, P., Freyhof, J., Šanda, R., Özuluğ, M., Abdoli, A., Doadrio, I.c(2010) Phylogenetic relationships and biogeographical patterns in Circum-Mediterranean subfamily Leuciscinae (Teleostei, Cyprinidae) inferred from both mitochondrial and nuclear data. BMC Evolutionary Biology 2010, 10:265

- Rejol, Y., Hugueny, B., Pont, D., Bianco, PG., Beier, U., Caiola, N., Casals, F., Cowx, I., Economou, A., Ferreira, T., Haidvogl, G., Noble, R., De Sostoa, A., Vigneron, T., et Virbickas, T. (2007). Patterns in species richness and endemism of European freshwater fish. *Global Ecology and Biogeography*. 16: 65–75.
- Symonová, R., Majtánová, Z., Sember, A., Staaks, G. B. O., Bohlen, J., Freyhof, J., Rábová, M., Ráb, P.: Genome differentiation in a species pair of coregonine fishes: an extremely rapid speciation driven by stress activated retrotransposons mediating extensive ribosomal DNA multiplications. *BMC Evolutionary Biology*, 13:42 doi:10.1186/1471-2148-13-42
- Šlechtová, V., Bohlen, J., Freyhof, J., Persat, H., et Del Mastro, G. (2004). The Alps as barrier to dispersal of cold-adapted freshwater fishes? Phylogeographic history and taxonomic status of the bullhead in the Adriatic freshwater drainage. *Molecular Phylogenetics and Evolution*, 33, 225–239.
- Taylor, E. B. (1999). Species pair of north temperate freshwater fishes: Evolution, taxonomy and conservation. *Reviews in Fish Biology and Fisheries* 9 (4): 299–324.

### Literatura k popisům obrázků

- Robalo, J. I., Almada, V. C., Levy, A., Doadrio, I. (2007) Re-examination and phylogeny of the genus *Chondrostoma* based on mitochondrial and nuclear data and the definition of 5 new genera. *Molecular Phylogenetics and Evolution* 42 (2007) 362–372
- Freyhof, J., et Kottelat, M. (2007) Review of the *Alburnus mendo* species group with description of two new species (Teleostei: Cyprinidae). *Ichthyol. Explor. Freshwat.* 18(3): 213–225.
- Šedivá, A., Janko, K., Šlechtová, V., Kotlík, P., Simonovič, P., Delič, A., et Vassilev, M. (2008) Around or across the Carpathians: colonization model of the Danube basin inferred from genetic diversification of stone loach (*Barbatula barbatula*) populations. *Molecular Ecology* (2008) 17, 1277–1292.
- Marková, S., Šanda, R., Crivelli, A., Shumka, S., Wilson, I. F., Vukič, J., Berrebi, P., Kotlík, P. (2010) Nuclear and mitochondrial DNA sequence data reveal the evolutionary history of *Barbus* (Cyprinidae) in the ancient lake systems of the Balkans. *Molecular Phylogenetics and Evolution*, 55 (2): 488–500.
- Freyhof, J., Kottelat, M., et Nolte, A. (2005) Taxonomic diversity of European *Cottus* with description of eight new species (Teleostei: Cottidae). *Ichthyol. Explor. Freshwaters*, 16 (2): 107–172.
- Goto, A., Yokoyama, R., Sideleva, V. G. (2015) Evolutionary diversification in freshwater sculpins (Cottoidea): a review of two major adaptive radiations. *Environ. Biol. Fish.*, 98. 307–335.
- Mrakovcič, M., Kerovec, M., Misić, S., et Schneider D. (1996) Description of *Knipowitschia punctatissima croatica*, (Pisces: Gobiidae), a new freshwater goby from Dalmatia, Croatia. Pp. 311–319. In: Conservation of Endangered Freshwater Fish in Europe. Conserv. Fish Europe.
- Freyhof, J., Lieckfeldt, D., Bogutskaya, N. G., Pitra, Ch., et Ludwig, A. (2006) Phylogenetic position of the Dalmatian genus *Phoxinellus* and description of the newly proposed genus *Delminichthys* (Teleostei: Cyprinidae). *Molecular Phylogenetics and Evolution* 38: 416–425.
- Kottelat, M., et Freyhof, J. (2007) *Pelasgus*, a new genus name for the Balkan species of *Psudophoxinus* (Teleostei: Cyprinidae). *Ichthyological Exploration of Freshwaters*. 18 (2): 103–108.
- Kottelat, M. (2007) Three new species of *Phoxinus* from Greece and southern France (Teleostei: Cyprinidae). *Ichthyological Exploration of Freshwaters*, 18(2): 145–162.

- Palandačić, A., Naseka, A., Ramelr, D., et Ahnelt, H. (2017) Contrasting morphology with molecular data: an approach to revision of species complexes based on example of European *Phoxinus* (Cyprinidae). BMC Evolutionary Biology, 17: 184.
- Freyhof, J., et Naseka, A. (2007) *Proterorhinus tataricus*, a new species of tubenose goby from Crimea, Ukraine (Teleostei: Gobiidae). Ichthyological Exploration of Freshwaters, 18(4): 325–334.
- Milošević, D., Winkler, K. A., Marić, D., et Weiss, S. (2011) Genotypic and phenotypic evaluation of *Rutilus* spp. From Skadar, Ohrid and Prespa Lakes supports revision of endemic as well as taxonomic status of several taxa. Journal of Fish Biology, 79: 1094–1100.
- Bianco, P. G., et Ketmaier, V. (2014) A revision of the *Rutilus* complex from mediterranean Europe with description of a new genus, *Sarmarutilus*, and a new species, *Rutilus stoumboudae* (Teleostei: Cyprinidae). Zootaxa 3841 (3): 379–402.
- Leonardos, I., Kagalou, I., Triantafyllidis, A. (2007) Threatened fishes of the world: *Silurus aristotelis* (Agassiz, 1856) (Siluridae). Environmetal Biology of Fishes, 78(3): 285–286.
- Kullman, W. (2017) The Supplements to Aristotle's Natural Sciences, especially to his Research Trips. Hermes-Zeitschrift für Klassiche Philologie, 145(3): 339–349.
- Mari, S., Labonne, J., et Gaudin, P. (2002) A conservation strategy for *Zingel asper*, a threatened endemic percid of the Rhone basin, pp. 149–156. In: M. J. Collares-Pereira et al. (eds.), Conservation of freshwater fishes: options for future. Blackwell Science, Oxford.
- Bejean, M. (2019) Reproduction of *Zingel asper* (Linnaeus, 1758) in controlled conditions: an assessment of the experiences realized since 2005 at the Besançon Natural History Museum. Cybium 43(1): 17–32.