

Anokye-Danso, F., Trivedi, C.M., Juhr, D., Gupta, M., Cui, Z., Tian, Y., Zhang, Y., Yang, W., Gruber, P.J., Epstein, J.A., Morrisey, E.E., 2011. Highly Efficient miRNA-Mediated Reprogramming of Mouse and Human Somatic Cells to Pluripotency. *Cell Stem Cell* 8, 376–388. doi:10.1016/j.stem.2011.03.001

Apostolou, E., Hochedlinger, K., 2013. Chromatin Dynamics during Cellular Reprogramming. *Nature* 502, 462–471. doi:10.1038/nature12749

Ban, H., Nishishita, N., Fusaki, N., Tabata, T., Saeki, K., Shikamura, M., Takada, N., Inoue, M., Hasegawa, M., Kawamata, S., Nishikawa, S.-I., 2011. Efficient generation of transgene-free human induced pluripotent stem cells (iPSCs) by temperature-sensitive Sendai virus vectors. *Proc. Natl. Acad. Sci. U. S. A.* 108, 14234–14239. doi:10.1073/pnas.1103509108

Bar-Nur, O., Brumbaugh, J., Verheul, C., Apostolou, E., Pruteanu-Malinici, I., Walsh, R.M., Ramaswamy, S., Hochedlinger, K., 2014. Small molecules facilitate rapid and synchronous iPSC generation. *Nat. Methods* 11, 1170–1176. doi:10.1038/nmeth.3142

Boroviak, T., Nichols, J., 2014. The birth of embryonic pluripotency. *Philos. Trans. R. Soc. B Biol. Sci.* 369. doi:10.1098/rstb.2013.0541

Brambrink, T., Foreman, R., Welstead, G.G., Lengner, C.J., Wernig, M., Suh, H., Jaenisch, R., 2008. Sequential expression of pluripotency markers during direct reprogramming of mouse somatic cells. *Cell Stem Cell* 2, 151–159. doi:10.1016/j.stem.2008.01.004

Brambrink, T., Hochedlinger, K., Bell, G., Jaenisch, R., 2006. ES cells derived from cloned and fertilized blastocysts are transcriptionally and functionally indistinguishable. *Proc. Natl. Acad. Sci. U. S. A.* 103, 933–938. doi:10.1073/pnas.0510485103

Briggs, R., King, T.J., 1952. Transplantation of Living Nuclei From Blastula Cells into Enucleated Frogs' Eggs. *Proc. Natl. Acad. Sci. U. S. A.* 38, 455–463.

Campbell, K.H., McWhir, J., Ritchie, W.A., Wilmut, I., 1996. Sheep cloned by nuclear transfer from a cultured cell line. *Nature* 380, 64–66. doi:10.1038/380064a0

Chambers, I., 2004. The Molecular Basis of Pluripotency in Mouse Embryonic Stem Cells. *Cloning Stem Cells* 6, 386–391. doi:10.1089/clo.2004.6.386

Chambers, I., Colby, D., Robertson, M., Nichols, J., Lee, S., Tweedie, S., Smith, A., 2003. Functional Expression Cloning of Nanog, a Pluripotency Sustaining Factor in Embryonic Stem Cells. *Cell* 113, 643–655. doi:10.1016/S0092-8674(03)00392-1

Diebold, S.S., Kaisho, T., Hemmi, H., Akira, S., Sousa, C.R. e, 2004. Innate Antiviral Responses by Means of TLR7-Mediated Recognition of Single-Stranded RNA. *Science* 303, 1529–1531. doi:10.1126/science.1093616

Driscoll, C.B., Tonne, J.M., El Khatib, M., Cattaneo, R., Ikeda, Y., Devaux, P., 2015. Nuclear reprogramming with a non-integrating human RNA virus. *Stem Cell Res. Ther.* 6. doi:10.1186/s13287-015-0035-z

El-Karim, E.A., Hagos, E.G., Ghaleb, A.M., Yu, B., Yang, V.W., 2013. Krüppel-like factor 4 regulates genetic stability in mouse embryonic fibroblasts. *Mol. Cancer* 12, 89. doi:10.1186/1476-4598-12-89

Greer Card, D.A., Hebbar, P.B., Li, L., Trotter, K.W., Komatsu, Y., Mishina, Y., Archer, T.K., 2008. Oct4/Sox2-Regulated miR-302 Targets Cyclin D1 in Human Embryonic Stem Cells. *Mol. Cell. Biol.* 28, 6426–6438. doi:10.1128/MCB.00359-08

Guan, K., Nayernia, K., Maier, L.S., Wagner, S., Dressel, R., Lee, J.H., Nolte, J., Wolf, F., Li, M., Engel, W., Hasenfuss, G., 2006. Pluripotency of spermatogonial stem cells from adult mouse testis. *Nature* 440, 1199–1203. doi:10.1038/nature04697

Gurdon, J.B., 1962. The Developmental Capacity of Nuclei taken from Intestinal Epithelium Cells of Feeding Tadpoles. *Development* 10, 622–640.

Harui, A., Suzuki, S., Kochanek, S., Mitani, K., 1999. Frequency and Stability of Chromosomal Integration of Adenovirus Vectors. *J. Virol.* 73, 6141–6146.

Jaenisch, R., Young, R., 2008. Stem cells, the molecular circuitry of pluripotency and nuclear reprogramming. *Cell* 132, 567–582. doi:10.1016/j.cell.2008.01.015

Jia, F., Wilson, K.D., Sun, N., Gupta, D.M., Huang, M., Li, Z., Panetta, N.J., Chen, Z.Y., Robbins, R.C., Kay, M.A., Longaker, M.T., Wu, J.C., 2010. A nonviral minicircle vector for deriving human iPS cells. *Nat Meth advance online publication*. doi:10.1038/nmeth.1426

Jia, W., Chen, W., Kang, J., 2013. The Functions of MicroRNAs and Long Non-coding RNAs in Embryonic and Induced Pluripotent Stem Cells. *Genomics Proteomics Bioinformatics* 11, 275–283. doi:10.1016/j.gpb.2013.09.004

Kaji, K., Norrby, K., Paca, A., Mileikovsky, M., Mohseni, P., Woltjen, K., 2009. Virus-free induction of pluripotency and subsequent excision of reprogramming factors. *Nature* 458, 771–775. doi:10.1038/nature07864

Kim, D., Kim, C.-H., Moon, J.-I., Chung, Y.-G., Chang, M.-Y., Han, B.-S., Ko, S., Yang, E., Cha, K.Y., Lanza, R., Kim, K.-S., 2009. Generation of Human Induced Pluripotent Stem Cells by Direct Delivery of Reprogramming Proteins. *Cell Stem Cell* 4, 472–476. doi:10.1016/j.stem.2009.05.005

Kim, J.B., Zaehres, H., Wu, G., Gentile, L., Ko, K., Sebastian, V., Araúzo-Bravo, M.J., Ruau, D., Han, D.W., Zenke, M., Schöler, H.R., 2008. Pluripotent stem cells induced from adult neural stem cells by reprogramming with two factors. *Nature* 454, 646–650. doi:10.1038/nature07061

Klima, J., Liskova I., Motlik J., 2016. Jak a proč změnit identitu buňky. Živa 1/2016, str. 7

Kues, W.A., Herrmann, D., Barg-Kues, B., Haridoss, S., Nowak-Imialek, M., Buchholz, T., Streeck, M., Grebe, A., Grabundzija, I., Merkert, S., Martin, U., Hall, V.J., Rasmussen, M.A., Ivics, Z., Hyttel, P., Niemann, H., 2013. Derivation and Characterization of *Sleeping Beauty* Transposon-Mediated Porcine Induced Pluripotent Stem Cells. *Stem Cells Dev.* 22, 124–135. doi:10.1089/scd.2012.0382

Li, H.-O., Zhu, Y.-F., Asakawa, M., Kuma, H., Hirata, T., Ueda, Y., Lee, Y.-S., Fukumura, M., Iida, A., Kato, A., Nagai, Y., Hasegawa, M., 2000. A Cytoplasmic RNA Vector Derived from Nontransmissible Sendai Virus with Efficient Gene Transfer and Expression. *J. Virol.* 74, 6564–6569.

Li, Y., Zhang, Q., Yin, X., Yang, W., Du, Y., Hou, P., Ge, J., Liu, C., Zhang, W., Zhang, X., Wu, Y., Li, H., Liu, K., Wu, C., Song, Z., Zhao, Y., Shi, Y., Deng, H., 2011. Generation of iPSCs from mouse fibroblasts with a single gene, Oct4, and small molecules. *Cell Res.* 21, 196–204. doi:10.1038/cr.2010.142

Lin, C.-H., Lin, C., Tanaka, H., Fero, M.L., Eisenman, R.N., 2009. Gene Regulation and Epigenetic Remodeling in Murine Embryonic Stem Cells by c-Myc. *PLoS ONE* 4. doi:10.1371/journal.pone.0007839

Miller, R.A., Ruddle, F.H., 1976. Pluripotent teratocarcinoma-thymus somatic cell hybrids. *Cell* 9, 45–55. doi:10.1016/0092-8674(76)90051-9

Miyoshi, N., Ishii, H., Nagano, H., Haraguchi, N., Dewi, D.L., Kano, Y., Nishikawa, S., Tanemura, M., Mimori, K., Tanaka, F., Saito, T., Nishimura, J., Takemasa, I., Mizushima, T., Ikeda, M., Yamamoto, H., Sekimoto, M., Doki, Y., Mori, M., 2011. Reprogramming of Mouse and Human Cells to Pluripotency Using Mature MicroRNAs. *Cell Stem Cell* 8, 633–638. doi:10.1016/j.stem.2011.05.001

Moszynski, P., 2007. Measles campaign’s “historic victory” for global public health. *BMJ* 334, 177. doi:10.1136/bmj.39101.608762.DB

Newman, M.A., Thomson, J.M., Hammond, S.M., 2008. Lin-28 interaction with the Let-7 precursor loop mediates regulated microRNA processing. *RNA* 14, 1539–1549. doi:10.1261/rna.1155108

Nichols, J., Zevnik, B., Anastassiadis, K., Niwa, H., Klewe-Nebenius, D., Chambers, I., Schöler, H., Smith, A., 1998. Formation of Pluripotent Stem Cells in the Mammalian Embryo Depends on the POU Transcription Factor Oct4. *Cell* 95, 379–391. doi:10.1016/S0092-8674(00)81769-9

Okita, K., Hong, H., Takahashi, K., Yamanaka, S., 2010. Generation of mouse-induced pluripotent stem cells with plasmid vectors. *Nat. Protoc.* 5, 418–428. doi:10.1038/nprot.2009.231

Okita, K., Ichisaka, T., Yamanaka, S., 2007. Generation of germline-competent induced pluripotent stem cells. *Nature* 448, 313–317. doi:10.1038/nature05934

Papapetrou, E.P., Tomishima, M.J., Chambers, S.M., Mica, Y., Reed, E., Menon, J., Tabar, V., Mo, Q., Studer, L., Sadelain, M., 2009. Stoichiometric and temporal requirements of Oct4, Sox2, Klf4, and c-Myc expression for efficient human iPSC induction and differentiation. *Proc. Natl. Acad. Sci. U. S. A.* 106, 12759–12764. doi:10.1073/pnas.0904825106

Rizzino, A., 2013. The Sox2-Oct4 Connection: Critical players in a much larger interdependent network integrated at multiple levels. *Stem Cells Dayt. Ohio* 31, 1033–1039. doi:10.1002/stem.1352

Rosa, A., Brivanlou, A.H., 2013. Regulatory Non-Coding RNAs in Pluripotent Stem Cells. *Int. J. Mol. Sci.* 14, 14346–14373. doi:10.3390/ijms140714346

Schöler, H.R., Hatzopoulos, A.K., Balling, R., Suzuki, N., Gruss, P., 1989. A family of octamer-specific proteins present during mouse embryogenesis: evidence for germline-specific expression of an Oct factor. *EMBO J.* 8, 2543–2550.

Schwarz, B.A., Bar-Nur, O., Silva, J.C., Hochedlinger, K., 2014. Nanog is Dispensable for the Generation of Induced Pluripotent Stem Cells. *Curr. Biol. CB* 24, 347–350. doi:10.1016/j.cub.2013.12.050

Soldner, F., Hockemeyer, D., Beard, C., Gao, Q., Bell, G.W., Cook, E.G., Hargus, G., Blak, A., Cooper, O., Mitalipova, M., Isacson, O., Jaenisch, R., 2009. Parkinson’s Disease Patient-Derived Induced Pluripotent Stem Cells Free of Viral Reprogramming Factors. *Cell* 136, 964–977. doi:10.1016/j.cell.2009.02.013

Solter, D., 2006. From teratocarcinomas to embryonic stem cells and beyond: a history of embryonic stem cell research. *Nat. Rev. Genet.* 7, 319–327. doi:10.1038/nrg1827

Stadtfeld, M., Nagaya, M., Utikal, J., Weir, G., Hochedlinger, K., 2008. Induced pluripotent stem cells generated without viral integration. *Science* 322, 945–949.  
doi:10.1126/science.1162494

Tada, M., Takahama, Y., Abe, K., Nakatsuji, N., Tada, T., 2001. Nuclear reprogramming of somatic cells by in vitro hybridization with ES cells. *Curr. Biol.* 11, 1553–1558.  
doi:10.1016/S0960-9822(01)00459-6

Tahiliani, M., Koh, K.P., Shen, Y., Pastor, W.A., Bandukwala, H., Brudno, Y., Agarwal, S., Iyer, L.M., Liu, D.R., Aravind, L., Rao, A., 2009. Conversion of 5-Methylcytosine to 5-Hydroxymethylcytosine in Mammalian DNA by MLL Partner TET1. *Science* 324, 930–935.  
doi:10.1126/science.1170116

Takahashi, K., Tanabe, K., Ohnuki, M., Narita, M., Ichisaka, T., Tomoda, K., Yamanaka, S., 2007. Induction of pluripotent stem cells from adult human fibroblasts by defined factors. *Cell* 131, 861–872. doi:10.1016/j.cell.2007.11.019

Takahashi, K., Yamanaka, S., 2006. Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. *Cell* 126, 663–676.  
doi:10.1016/j.cell.2006.07.024

Viswanathan, S.R., Daley, G.Q., Gregory, R.I., 2008. Selective blockade of microRNA processing by Lin-28. *Science* 320, 97–100. doi:10.1126/science.1154040

Wang, T., Wu, H., Li, Y., Szulwach, K.E., Lin, L., Li, X., Chen, I.-P., Goldlust, I.S., Chamberlain, S.J., Dodd, A., Gong, H., Ananiev, G., Han, J.W., Yoon, Y., Rudd, M.K., Yu, M., Song, C.-X., He, C., Chang, Q., Warren, S.T., Jin, P., 2013. Subtelomeric hotspots of aberrant 5-hydroxymethylcytosine-mediated epigenetic modifications during reprogramming to pluripotency. *Nat. Cell Biol.* 15, 700–711. doi:10.1038/ncb2748

Warren, L., Manos, P.D., Ahfeldt, T., Loh, Y.-H., Li, H., Lau, F., Ebina, W., Mandal, P., Smith, Z.D., Meissner, A., Daley, G.Q., Brack, A.S., Collins, J.J., Cowan, C., Schlaeger, T.M., Rossi, D.J., 2010. Highly efficient reprogramming to pluripotency and directed differentiation of human cells using synthetic modified mRNA. *Cell Stem Cell* 7, 618–630.  
doi:10.1016/j.stem.2010.08.012

Wei, Z., Yang, Y., Zhang, P., Andrianakos, R., Hasegawa, K., Lyu, J., Chen, X., Bai, G., Liu, C., Pera, M., Lu, W., 2009. Klf4 interacts directly with Oct4 and Sox2 to promote reprogramming. *Stem Cells Dayt. Ohio* 27, 2969–2978. doi:10.1002/stem.231

Wernig, M., Meissner, A., Cassady, J.P., Jaenisch, R., 2008. c-Myc Is Dispensable for Direct Reprogramming of Mouse Fibroblasts. *Cell Stem Cell* 2, 10–12.  
doi:10.1016/j.stem.2007.12.001

Wilmut, I., Schnieke, A.E., McWhir, J., Kind, A.J., Campbell, K.H.S., 1997. Viable offspring derived from fetal and adult mammalian cells. *Nature* 385, 810–813. doi:10.1038/385810a0

Wilson, M.H., Coates, C.J., George, A.L., 2007. PiggyBac Transposon-mediated Gene Transfer in Human Cells. *Mol. Ther.* 15, 139–145. doi:10.1038/sj.mt.6300028

Woltjen, K., Michael, I.P., Mohseni, P., Desai, R., Mileikovsky, M., Hämäläinen, R., Cowling, R., Wang, W., Liu, P., Gertsenstein, M., Kaji, K., Sung, H.-K., Nagy, A., 2009. piggyBac transposition reprograms fibroblasts to induced pluripotent stem cells. *Nature* 458, 766–770.  
doi:10.1038/nature07863

Yu, J., Hu, K., Smuga-Otto, K., Tian, S., Stewart, R., Slukvin, I.I., Thomson, J.A., 2009. Human Induced Pluripotent Stem Cells Free of Vector and Transgene Sequences. *Science* 324, 797–801. doi:10.1126/science.1172482

Yu, J., Vodyanik, M.A., Smuga-Otto, K., Antosiewicz-Bourget, J., Frane, J.L., Tian, S., Nie, J., Jonsdottir, G.A., Ruotti, V., Stewart, R., Slukvin, I.I., Thomson, J.A., 2007. Induced pluripotent stem cell lines derived from human somatic cells. *Science* 318, 1917–1920. doi:10.1126/science.1151526

Zhang, Y., Li, W., Laurent, T., Ding, S., 2012. Small molecules, big roles – the chemical manipulation of stem cell fate and somatic cell reprogramming. *J. Cell Sci.* 125, 5609–5620. doi:10.1242/jcs.096032

Ziegler, A., Nervi, P., Dürrenberger, M., Seelig, J., 2005. The Cationic Cell-Penetrating Peptide CPPTAT Derived from the HIV-1 Protein TAT Is Rapidly Transported into Living Fibroblasts: Optical, Biophysical, and Metabolic Evidence. *Biochemistry (Mosc.)* 44, 138–148. doi:10.1021/bi0491604

Zuniga, A., Wang, Z., Liniger, M., Hangartner, L., Caballero, M., Pavlovic, J., Wild, P., Viret, J.F., Glueck, R., Billeter, M.A., Naim, H.Y., 2007. Attenuated Measles Virus as a Vaccine Vector. *Vaccine* 25, 2974–2983. doi:10.1016/j.vaccine.2007.01.064