

30 nejcitovanějších prací autorů ÚMG (první i korespondenční autor z ústavu) od r. 2006

(červené číslo označuje počet citací podle WOS Core Collection s autocitacemi k 23. 10. 2020;
uvezeny jsou originální i přehledové články)

Mihola, O; Trachtulec, Z; Vlcek, C; Schimenti, JC; Forejt, J. A mouse speciation gene encodes a meiotic histone H3 methyltransferase. **Science.** **2009;** 323:373-375: **272**

Krausová, M; Kořínek, V; Wnt signaling in adult intestinal stem cells and cancer. **Cell Signal** **2014;** 26(3): 570-579: **217 REVIEW**

Kosar, M; Bartkova, J; Hubackova, S; Hodny, Z; Lukas, J; Bartek, J. Senescence-associated heterochromatin foci are dispensable for cellular senescence, occur in a cell type- and insult-dependent manner and follow expression of p16(ink4a). **Cell Cycle** **2011;** 10(3): 457-68: **163**

Machon, O; Backman, M; Machonova, O; Kozmik, Z; Vacik, T; Andersen, L; Krauss, S. A dynamic gradient of Wnt signaling controls initiation of neurogenesis in the mammalian cortex and cellular specification in the hippocampus. **Dev Biol.** **2007;** 311:223-237: **148**

Hubackova, S; Krejcikova, K; Bartek, J; Hodny, Z. IL1- and TGF β -Nox4 signaling, oxidative stress and DNA damage response are shared features of replicative, oncogene-induced, and drug-induced paracrine 'Bystander senescence'. **Aging (Albany NY)** **2012;** 4(12): 932-51: **143**

Flemr, M; Malik, R; Franke, V; Nejepinska, J; Sedlacek, R; Vlahovicek, K; Svoboda, P. A retrotransposon-driven dicer isoform directs endogenous small interfering RNA production in mouse oocytes. **Cell** **2013;** 155(4): 807-16: **131**

Rezacova, P; Pokorná, J; Brynda, J; Kozisek, M; Cigler, P; Lepsik, M; Fanfrlik, J; Rezac, J; Grantz Sasková, K; Sieglová, I; Plesek, J; Sicha, V; Grüner, B; Oberwinkler, H; Sedláček, J; Kräusslich, HG; Hobza, P; Král, V; Konvalinka, J. Design of HIV protease inhibitors based on inorganic polyhedral metallacarboranes. **J Med Chem** **2009;** 52(22): 7132-41: **105**

Lipoldová, M; Demant, P. Genetic susceptibility to infectious disease: lessons from mouse models of leishmaniasis. **Nat Rev Genet** **2006;** 7(4): 294-305: **100 REVIEW**

Halova, I; Draberova, L; Draber, Pe. Mast cell chemotaxis - chemoattractants and signaling pathways. **Front Immunol** **2012;** 3: 119: **99 REVIEW**

Fujimura, N; Taketo, MM; Mori, M; Korinek, V; Kozmik, Z. Spatial and temporal regulation of Wnt/beta-catenin signaling is essential for development of the retinal pigment epithelium. **Dev Biol** **2009;** 334(1): 31-45: **97**

Gregorová, S; Divina, P; Storchova, R; Trachtulec, Z; Fotopulosova, V; Svenson, KL; Donahue, LR; Paigen, B; Forejt, J. Mouse consomic strains: exploiting genetic divergence between *Mus m. musculus* and *Mus m. domesticus* subspecies. **Genome Res** **2008**; 18(3): 509-15: **95**

Svoboda, P. Off-targeting and other non-specific effects of RNAi experiments in mammalian cells. **Curr Opin Mol Ther** **2007**; 9(3): 248-57: **91 REVIEW**

Hnilicová, J; Hozeifi, S; Dušková, E; Icha, J; Tománková, T; Staněk, D. Histone deacetylase activity modulates alternative splicing. **PLoS One** **2011**; 6(2): e16727: **86**

Bhattacharya, T; Gregorova, S; Mihola, O; Anger, M; Sebestova, J; Denny, P; Simecek, P; Forejt, J. Mechanistic basis of infertility of mouse intersubspecific hybrids. **Proc Natl Acad Sci U S A** **2013**; 110(6): E468-77: **85**

Flemr, M; Ma, J; Schultz, RM; Svoboda, P. P-body loss is concomitant with formation of a messenger RNA storage domain in mouse oocytes. **Biol Reprod** **2010**; 82(5): 1008-17: **84**

Kleiblova, P; Shaltiel, IA; Benada, J; Ševčík, J; Pecháčková, S; Pohlreich, P; Voest, EE; Dundr, P; Bartek, J; Kleibl, Z; Medema, RH; Macurek, L. Gain-of-function mutations of PPM1D/Wip1 impair the p53-dependent G1 checkpoint. **J Cell Biol** **2013**; 201(4): 511-21: **75**

Kozmík, Z; Ruzickova, J; Jonasova, K; Matsumoto, Y; Vopalensky, P; Kozmíkova, I; Strnad, H; Kawamura, S; Piatigorsky, J; Paces, V; Vlcek, C. Assembly of the cnidarian camera-type eye from vertebrate-like components. **Proc Natl Acad Sci U S A** **2008**; 105(26): 8989-93: **75**

Vopalensky, P; Pergner, J; Liegertova, M; Benito-Gutierrez, E; Arendt, D; Kozmík, Z. Molecular analysis of the amphioxus frontal eye unravels the evolutionary origin of the retina and pigment cells of the vertebrate eye. **Proc Natl Acad Sci U S A** **2012**; 109(38): 15383-8: **75**

Kobets, T; Grekov, I; Lipoldova, M. Leishmaniasis: prevention, parasite detection and treatment. **Curr Med Chem** **2012**; 19(10): 1443-74: **74 REVIEW**

Matousková, M; Blazková, J; Pajer, P; Pavláček, A; Hejnar, J. CpG methylation suppresses transcriptional activity of human syncytin-1 in non-placental tissues. **Exp Cell Res** **2006**; 312(7): 1011-20: **71**

Huranová, M; Ivani, I; Benda, A; Poser, I; Brody, Y; Hof, M; Shav-Tal, Y; Neugebauer, KM; Stanek, D. The differential interaction of snRNPs with pre-mRNA reveals splicing kinetics in living cells. **J Cell Biol** **2010**; 191(1): 75-86: **69**

Novakova, Z; Hubackova, S; Kosar, M; Janderova-Rossmeislova, L; Dobrovolna, J; Vasicova, P; Vancurova, M; Horejsi, Z; Hozak, P; Bartek, J; Hodny, Z. Cytokine expression and signaling in drug-induced cellular senescence. **Oncogene** **2010**; 29(2): 273-84: **68**

Fafilek, B; Krausova, M; Vojtechova, M; Pospichalova, V; Tumova, L; Sloncova, E; Huranova, M; Stancikova, J; Hlavata, A; Svec, J; Sedlacek, R; Luksan, O; Oliverius, M; Voska, L; Jirsa, M; Paces, J; Kolar, M; Krivjanska, M; Klimesova, K; Tlaskalova-Hogenova, H; Korinek, V. Troy, a tumor necrosis factor receptor family member, interacts with lgr5 to inhibit wnt signaling in intestinal stem cells. **Gastroenterology** **2013**; 144(2): 381-91: **68**

Doubravská, L; Krausová, M; Gradišek, D; Vojtečhová, M; Tumová, L; Lukáš, J; Valentová, T; Pospíšilová, V; Fafílek, B; Plachý, J; Šebesta, O; Korinek, V. Fatty acid modification of Wnt1 and Wnt3a at serine is prerequisite for lipidation at cysteine and is essential for Wnt signalling. **Cell Signal** **2011**; **23**(5): 837-48: **66**

Vopalenský, P; Kozmík, Z. Eye evolution: common use and independent recruitment of genetic components. **Philos Trans R Soc Lond B Biol Sci** **2009**; **364**(1531): 2819-32: **65 REVIEW**

Benáda, J; Macurek, L. Targeting the Checkpoint to Kill Cancer Cells. **Biomolecules** **2015**; **5**(3): 1912-37: **65 REVIEW**

Valentová, T; Lukáš, J; Doubravská, L; Fafílek, B; Korinek, V. HIC1 attenuates Wnt signaling by recruitment of TCF-4 and beta-catenin to the nuclear bodies. **EMBO J** **2006**; **25**(11): 2326-37: **65**

Homolka, D; Ivanek, R; Čapková, J; Jansa, P; Forejt, J. Chromosomal rearrangement interferes with meiotic X chromosome inactivation. **Genome Res** **2007**; **17**(10): 1431-7: **64**

Hanzlíková, H; Kalásová, I; Demin, AA; Pennicott, LE; Čihlářová, Z; Caldecott, KW. The Importance of Poly(ADP-Ribose) Polymerase as a Sensor of Unligated Okazaki Fragments during DNA Replication. **Mol Cell** **2018**; **71**(2): 319-331.e3: **62**

Brynda, J; Mader, P; Sícha, V; Fábry, M; Poncová, K; Bakardiev, M; Grüner, B; Cígler, P; Řezáčová, P. Carborane-based carbonic anhydrase inhibitors. **Angew Chem Int Ed Engl** **2013**; **52**(51): 13760-3: **61**