

Použitá a výběr z doporučené literatury:

- Arnegard, M. E., et al., 2010: Sexual signal evolution outpaces ecological divergence during electric fish species radiation. *American Naturalist*, 176(3): 335–356.
- Agnèse, J. F., Bigorne, R., 1992: Premières données sur les relations génétiques entre onze espèces ouest-africaines de Mormyridae (Teleostei, Osteichthyes). *Rev Hydrobiol Trop*. 25(3): 253–261.
- Alves-Gomes, J. A., 1999: Systematic biology of gymnotiform and mormyridform electric fishes: phylogenetic relationships, molecular clocks and rates of evolution in the mitochondrial rRNA genes. *J Exp Biol*. 202(10): 1167–1183.
- Alves-Gomes, J. A., Hopkins, C. D., 1997: Molecular insights into the phylogeny of mormyridform fishes and the evolution of their electric organ. *Brain Behav Evol*. 49(6): 324–351.
- Arnegard, M. E., Carlson, B. A., 2005: Electric organ discharge patterns during group hunting by a mormyrid fish. *Proceedings of the Royal Society B*, 272: 1305–1314.
- Arnegard, M. E., et al., 2010: Sexual signal evolution outpaces ecological divergence during electric fish species radiation. *American Naturalist*; 176(3): 335–356.
- Azeroual, A., et al., 2010: *Gymnarchus niloticus*. The IUCN Red List of Threatened Species [Internet]; cited 2018 Feb 12]: e.T181688A7706153. Available from: Available from: <http://dx.doi.org/10.2305/IUCN.UK.2010-3.RLTS.T181688A7706153.en>
- Baker, Ch. A., et al., 2013: Multiplexed temporal coding of electric communication signals in mormyrid fishes. *The Journal of Experimental Biology*, 216: 2365–2379.
- Benveniste, L., 1994: Phylogenetic systematic of *Gymnarchus* (Notopteroidei) with notes on *Petrocephalus* (Mormyridae) of the Osteoglossomorpha. [Masters Thesis]. New York City, NY: The City College of New York.
- Boulenger, G. A., 1898: A revision of the genera and species of fishes of the family Mormyridae. *Proceeding of the Zoological Society London*, 66(4): 775–821.
- Britz, R., 2004: Egg structure and larval development of *Pantodon buchholzi* (Teleostei: Osteoglossomorpha), with a review of data on reproduction and early life history in other osteoglossomorphs. *Ichthyological Exploration of Freshwaters*, 15(3): 209–224.
- Carlson, B. A., 2008: Phantoms in the brain: Ambiguous representations of stimulus amplitude and timing in weakly electric fish. *Journal of Physiology – Paris*, 102(4–6): 209–222.
- Carlson, B. A., 2016: Differences in electrosensory anatomy and social behavior in an area of sympatry between two species of mormyrid electric fishes. *Journal of Experimental Biology*, 2019: 31–43.
- Carlson, B. A., Kawasaki, M., 2004: Nonlinear response properties of combination-sensitive electrosensory neurons in the midbrain of *Gymnarchus niloticus*. *The Journal of Neuroscience*, 24(37): 8039–8048
- Carlson, B. A., et al., 2011: Brain evolution triggers increased diversification of electric fishes. *Science*, 232(6029): 583–586.
- Carlson, B. A., Gallant, J. R., 2013: From Sequence to Spike to Spark: Evo-devo-neuroethology of Electric Communication in Mormyrid Fishes. *Journal of Neurogenetics*, 27(3): 106–129.

- Decrus, E., et al., 2017: Ichthyofauna of the Itimbiri, Aruwimi and Lindi/Tshopo rivers (Congo basin): Diversity and distribution patterns. *Acta Ichthyologica et Piscatoria*, 47(3): 225–247.
- Feulner, P. G. D., et al., 2006: Electrophysiological and Molecular evidence for sympatrically occurring cryptic species in African weakly electric fishes (Teleostei: Mormyridae: *Campylomormyrus*). *Molecular Phylogenetics and Evolution*, 39: 198–208.
- Feulner, P. G. D., et al., 2007: Adaptive radiation in African weakly electric fish (Teleostei: Mormyridae: *Campylomormyrus*): a combined molecular and morphological approach. *Journal of Evolutionary Biology*, 20(1): 403–14.
- Feulner, P. G. D., et al., 2008: Adaptive radiation in the Congo River: An ecological speciation scenario for African weakly electric fish (Teleostei: Mormyridae, *Campylomormyrus*). *Journal of Physiology-Paris*, 102: 340–346.
- Feulner, P. G. D., et al., 2009: Electrifying love: electric fish use species-specific discharge for mate recognition. *Biology Letters*, 5: 225–228.
- Fletcher, L. B., Crawford, J. D., 2001: Acoustic detection by sound-producing fishes (Mormyridae): The role of gas-filled tympanic bladders. *Journal of Experimental Biology*, 204(2): 175–183.
- Forlim, C. G., et al., 2015: Delay-dependent Response in Weakly Electric Fish under Closed-Loop Pulse Stimulation. *Plos One*, DOI:1371/journal.pone.0141007
- Gallant, J. R., et al., 2017: The genome and adult somatic transcriptome of the mormyrid electric fish *Paramormyrops kingsleyae*. *Genome Biology and Evolution*; 9(12): 3525–3530.
- Gebhardt, K., et al., 2012: Electric discharge patterns in group-living weakly electric fish, *Mormyrus rume* (Mormyridae, Teleostei). *Behaviour*, 149(6): 623–644.
- Gebhardt, K., et al., 2012: Electrocommunication behaviour during social interactions in two species of pulse-type weakly electric fishes (Mormyridae). *Journal of Fish Biology*, 81: 2235–2254.
- Hanika, S., Kramer, B., 2008: Plasticity of electric organ discharge waveform in the South African Bulldog fish, *Marcusenius pongolensis*: tradeoff between attractiveness and predator avoidance? *Frontiers in Zoology*, 5:7, doi:10.1186/1742-9994-5-7
- Hilton, E. J., 2003: Comparative osteology and phylogenetic systematics of fossil and living bony-tongue fishes (Actinopterygii, Teleostei, Osteoglossomorpha). *Zoological Journal of the Linnean Society*, 137(1): 1–100.
- Hofmann, V., et al., 2013: From static electric images to electric flow: Towards dynamic perceptual cues in active electroreception. *Journal of Physiology-Paris*, 107(1–2): 95–106.
- Hofman, V., et al., 2013: Sensory flow shaped by active sensing: sensorimotor strategies in electric fish. *The Journal of Experimental Biology*, 216: 2487–2500.
- Hollmann, M., et al., 2008. Distribution, density and morphology of electroreceptor organs in mormyrids weakly electric fish. Anatomical investigations of a receptor mosaic. *Journal of Zoology*, 276: 149–158.
- Kawasaki, M., 2009: Evolution of Time-Coding Systems in Weakly Electric Fishes. *Zoological Sciences*, 26(9): 587–599.
- Khait, V., et al., 2009: Group cohesion in juvenile weakly electric fish *Mormyrus rume probosciostris*. *Journal of Fish Biology*, 75(3): 490–502.

- Kirschbaum, F., Schugardt, C., 2002: Reproductive strategies and developmental aspects in mormyrids and gymnotiform fishes. *Journal of Physiology – Paris*, 96: 557–566.
- Kirschbaum, F., et al., 2016: Intra-genus (*Campylomormyrus*) and intergenus hybrids in mormyrids fish: Physiological and histological investigations of the lecteric organ ontogeny. *Journal of Physiology – Paris*, 110: 281–301.
- Kramer, B., 1990. Sexual signals in electric fishes. *Trends in Ecology and Evolution*, 5(8): 127–250.
- Kramer, B., 2013: A morphological study on species of African *Mormyrus* (Teleostei: Mormyridae) and their electric organ discharges. *African Journal of Aquatic Science*, 38(1): 1–19.
- Kramer, B., 2013: Morphological and electrophysiological field observation on electric freshwater fishes of the genus *Mormyrops* Müller, 1843 (Teleostei: Mormyridae). *African Journal of Aquatic Science*, 38 (Suppl.): 31–41.
- Kramer, B., 2013: Differentiation in morphology and electrical signalling in four para- and sympatric *Marcusenius* (Teleostei: Mormyridae) from Cote d'Ivoire, West Africa. *Marine and Freshwater Behaviour and Physiology*, 46(2): 105–133.
- Kramer, B., Swartz, E. R., 2010: A new species of Slender Stonebasher within the *Hippotamyrus ansorgii* complex from the Cunene River in southern Africa. *Journal of Natural History*, 44(35–36): 2213–2242.
- Kramer, B., Van der Bank, F. H., 2011: The Victoria Falls, a species boundary for the Zambezi Parrotfish, *Cyphomyrus discorhynchus* (Peters, 1852) and the resurrection of *Cyphomyrus cunagoensis* (Pellegrin, 1936). *Journal of Natural History*, 45(43–44): 2669–2699.
- Kramer, B., et al., 2012: A critical revision of the churchill snoutfish, genus *Petrocephalus* Marcusen, 1854 (Actinopterygii: Teleostei: Mormyridae), from southern and eastern Africa, with recognition of *Petrocephalus tanensis*, and the description of five new species. *Journal of Natural History*, 46 (35–36): 2179–2258.
- Kramer, B., Wink, M., 2013: East-west differentiation in the *Marcusenius macrolepidotus* species complex in Southern Africa: the description of a new species for the lower Cunene River, Namibia (Teleostei: Mormyridae). *Journal of Natural History*, 47(35–36): 2327–2362.
- Kramer, B., et al., 2013: Marked differentiation in a new species of dwarf stonebasher, *Pollimyrus cuandoensis*, sp. n. (Mormyridae: Teleostei) from contact zone with two sibling species of the Okavango and Zambezi rivers. *Journal of Natural History*, 48(7–8): 429–463.
- Kramer, B., et al., 2016: *Marcusenius desertus* sp. nov. (Teleostei: Mormyridae), a mormyrids fish from the Namib desert. *African Journal of Aquatic Science*, 2016: 1–18.
- Kramer, B., et al., 2016: Electric organ discharges of South African *Marcusenius* species (Teleostei: Mormyridae) and their effectiveness as indicators of local species diversity. *Zootaxa*, 4200(3): 367–380.
- Lamanna, F., et al., 2015: Cross-tissue and cross-species analysis of gene expression skeletal muscle and electric organ of African weakly-electric fish (Teleostei: Mormyridae). *BMC Genomics*, 16:668, doi 10.1186/s12864-015-1858-9
- Lamanna, F., et al., 2016: Species delimitation and phylogenetic relationships in a genus of African weakly-electric fishes (Osteoglossiformes, Mormyridae, *Campylomormyrus*). *Molecular Phylogenetic and Evolution*, 101: 8–18.
- Lavoué, S., 2011: A new species of *Petrocephalus* Marcusen, 1854 (Osteoglossomorpha: Mormyridae) from the Sandaga River basin, Cameroon. *Zootaxa*, 2934: 20–28.

- Lavoué, S., 2012: *Petrocephalus* Marcusen, 1854 (Osteoglossomorpha: Mormyridae) from the Bagweulu-Mweru ecoregion (Luapula River system, Congo basin), with the description of a new species. *Journal of Natural History*, 46(35–36): 2159–2178.
- Lavoué, S., 2016: *Petrocephalus leo*, a new species of African electric fish (Osteoglossomorpha: Teleostei) from Oubangi River basin (Congo basin). *Zootaxa*, 4121(3): 319–330.
- Lavoué, S., et al., 2000: Phylogenetic relationships of mormyrid electric fishes (Mormyridae, Teleostei) inferred from cytochrome b sequences. *Molecular Phylogenetics and Evolution*, 14(1): 1–10.
- Lavoué, S., et al., 2003: Phylogenetic utility of the first two introns of the S7 ribosomal protein gene in African electric fishes and congruence with other molecular markers. *Biological Journal of the Linnean Society*, 78: 273–292.
- Lavoué, S., Sullivan, J. P., 2004: Simultaneous analysis of five molecular markers provides a well-supported phylogenetic hypothesis for the living bony-tongue fishes (Osteoglossomorpha: Teleostei). *Molecular Phylogenetics and Evolution*, 33(1): 171–185.
- Lavoué, S., et al., 2008: *Petrocephalus* of Odzala offer insights into evolutionary patterns of signal diversification in the Mormyridae, a family of weakly electric electrogenic fishes from Africa. *Journal of Physiology – Paris*, 102: 322–339.
- Lavoué, S., et al., 2008: Differentiation of morphology, genetics and electric signals in a region of sympatry between sister species of African electric fish (Mormyridae). *Journal of Evolutionary Biology*, 21: 1030–1045.
- Lavoué, S., et al., 2012: Comparable ages for the independent origins of electrogenesis in African and South American weakly electric fishes. *PLoS One*, 7(e36287)
<https://doi.org/10.1371/journal.pone.0036287>
- Lavoué, S., Sullivan, J. P., 2014: *Petrocephalus boboto* and *Petrocephalus arnegardi*, two new species of African electric fish (Osteoglossomorpha, Mormyridae) from Congo River basin. *ZooKeys*, 400: 43–65.
- Levin, B. A., Golubtsov, A.S., 2018: New insights into the molecular phylogeny and taxonomy of mormyrids (Osteoglossiformes, Actinopterygii) in northern East Africa. *Journal of Zoological Systematics and Evolution Research*, 56(1): 61–76.
- Lissman, H. W., Machin, K. E., 1958: The mechanism of object location in *Gymnarchus niloticus* and similar fish. *Journal of Experimental Biology*, 35: 451–486.
- Maake, P. A., et al., 2014: Descriptions of three new species of *Marcusenius* Gill, 1862 (Teleostei: Mormyridae) from South Africa and Mozambique. *Zootaxa*, 3780(3): 455–480.
- Mahamba Byanikiro, R., et al., 2017: Diet and breeding biology of *Stomatorhinus corneti* Boulenger, 1899 (Pisces, Mormyridae). *Revue d'Écologie – La Terre et La Vie*, 72(2): 177–191.
- Machnik, P., Kramer, B., 2011: Novel electrosensory advertising during diurnal resting period in male snoutfish, *Marcusenius altisambesi* (Mormyridae, teleostei). *Journal of Ethology*, 29(1): 131–142.
- Moritz, T., 2015: Notes on the electric organ discharges (EODs) of four *Mormyrus* species (Osteoglossomorpha: Mormyridae) from the Nilo-Sahelo-Sudan ichthyofaunal province of Africa. *Cybium*, 39(1): 3–10.
- Moritz, T., et al., 2009: The electric organ discharges of the *Petrocephalus* species (Teleostei: Mormyridae) of the Upper Volta system. *Journal of Fish Biology*, 74(1): 54–76.

- Nelson, J. S., et al., 2016: Fishes of the world. 5th ed. Hoboken (NJ): J. Wiley
- Nagel, R., et al., 2018: Male-mediated species recognition among African weakly electric fishes. Royal Society Open Science, 5: 170443, <http://dx.doi.org/10.1098/rsos.170443>
- Nagel, R., et al., 2018: Electric pulse characteristics can enable species recognition in African weakly electric fish species. Scientific Reports, 8:10799, doi:10.1038/s41598-018-29132-z
- Nguyen, L., et al., 2017: Reproduction and development in some species of the weakly electric genus *Campylomormyrus* (Mormyridae, teleostei). Environmental Biology of Fishes, 100(1): 49–68.
- Oladosu, G. A., 1997: Environmental induction of natural spawning in *Gymnarchus niloticus* (Cuvier 1829) in an earthen pond. Aquaculture Research, 28 (8): 641–643.
- Paul, C., et al., 2015: Comparative histology of adult electric organ among four species of the genus *Campylomormyrus* (Teleostei: Mormyridae). Journal of Comparative – A Neuroethology Sensory Neural and Behavioral Physiology, 2015(4): 357–374.
- Paul, C., et al., 2016: Evidence for Non-neutral Evolution in a Sodium Channel Gene in African Weakly Electric Fish (*Campylomormyrus*). Journal of Molecular Evolution, 83(1–2): 61–77.
- Rich, M., et al., 2017: Rediscovery and description of *Paramormyrops sphekodes* (Sauvage, 1879) and a new cryptic *Paramormyrops* (Mormyridae: Osteoglossiformes) from Ogooue River of Gabon using morphometrics, DNA sequencing and electrophysiology. Zoological Journal of the Linnean Society, 180(3): 613–646.
- Stell, S. K., Moller, P., 2017: Androgen-induced pseudo-hermaphroditic phenotypes in female *Brevimyrus niger* Gunther, 1866 (Teleostei, Mormyridae). Fish Physiology and Biochemistry, 43(6): 1517–1529.
- Stell, S. K., Moller, P., 2017: Anal-fin ray morphology indicates sexual maturity in *Brevimyrus niger* (Teleostei, Mormyridae). Journal of Fish Biology, 90(1): 147–155.
- Sullivan, J. P., et al., 2000: Molecular systematics of the African electric fishes (Mormyroidea: Teleostei) and a model for the evolution of their electric organs. Journal of Experimental Biology, 203 (4): 665–683.
- Sullivan, J. P., et al., 2002: Discovery and phylogenetic analysis of a riverine species flock of African electric fishes (Mormyridae: Teleostei). Evolution, 56(3): 597–616.
- Sullivan, J. P., et al., 2004: AFLPs resolve phylogeny and reveal mitochondrial introgression within a species flock of African electric fish (Mormyroidea: Teleostei). Evolution, 2004; 58(4): 825–41.
- Sullivan, J. P., et al., 2016: *Cryptomyrus*: a new genus of Mormyridae (Teleostei, Osteoglossomorpha) with two new species from Gabon, West-Central Africa. Zookeys, 561: 117–150.
- Taverne, L., 1967: Le squelette caudal des Mormyriiformes et des Ostéoglossomorphes. Acad Roy Belg Bull Cl Sc, Sér 5.; 53(6): 663–78.
- Taverne, L., 1968a: Ostéologie du genre *Gnathonemus* Gill *sensu stricto* (*Gnathonemus petersii* (Gthr) et espèces voisines (Pisces Mormyriiformes). Ann Musee Roy Afr Centr Sci Zool.; 170: 1–44.
- Taverne, L., 1968b: Ostéologie du genre *Campylomormyrus* Bleeker (Pisces Mormyriiformes). Ann Soc Roy Zool Belg.; 98(3): 1–41.
- Taverne L. Étude ostéologie des genres *Boulengeromyrus* Taverne and Géry, *Genyomyrus* Boulenger, *Petrocephalus* Marcusen (Pisces Mormyriiformes). Ann Musee Roy Afr Centr Sci Zool, 174: 1–85.
- Taverne, L., 1970: Note sur l'ostéologie du genre *Gymnarchus* Cuvier (Pisces Mormyriiformes). Acad Roy Bel Bull Cl Sci., 56(1): 63–78.

Taverne, L., 1971: Ostéologie des genres *Marcusenius* Gill, *Hippopotamyrus* Pappenheim, *Cyphomyrus* Myers, *Pollimyrus* Taverne et *Brienomyrus* Taverne (Pisces Mormyriiformes). Ann Musee Roy Afr Centr Sci Zool; 188: 1–144.

Taverne, L., 1972: Ostéologie des genres *Mormyrus* Linné, *Mormyrops* Müller, *Hyperopisus* Gill, *Myomyrus* Boulenger, *Stomatorhinus* Boulenger et *Gymnarchus* Cuvier. Considérations générales sur la systématique des Poissons de l'ordre des Mormyriiformes. Ann Musee Roy Afr Centr Sci Zool, 200: 1–194.

Van der Bank, F. H., Kramer, B., 1996: Phylogenetic relationships between eight African species of mormyriiform fish (Teleostei, Osteichthyes): resolution of a cryptic species and reinstatement of *Cyphomyrus* Myers, 1960. Biochemical Systematics and Ecology; 24(4): 275–290.

Vélez, A., Carlson, B. A., 2016: Detection of transient synchrony across oscillating receptors by the central electrosensory system of mormyrids fish. eLife, 5:e16851, DOI: 10.7554/eLife.16851

Worm, M., et al., 2017. Social interactions between live and artificial weakly electric fish: Electrocommunication and locomotor behavior of *Mormyrus rume proboscirostris* towards a mobile dummy fish. Plos One,12(9): e0184622 doi.org/10.1371/journal.pone.0184622

Další literaturu týkající se ryponů lze nalézt na následující adrese:

<http://mormyrids.myspecies.info/en/biblio>