

Contents of Volume 63

Contents of No. 1

| | |
|--|-----|
| Drahota Z, Palenickova E, Endlicher R, Milerova M, Brejchova J, Vosahlikova M, Svoboda P, Kazdova L, Kalous M, Cervinkova Z, Cahova M: Biguanides inhibit complex I, II and IV of rat liver mitochondria and modify their functional properties | 1 |
| Zicha J, Dobešová Z, Behuliak M, Pintérová M, Kuneš J, Vaněčková I: Nifedipine-sensitive blood pressure component in hypertensive models characterized by high activity of either sympathetic nervous system or renin-angiotensin system | 13 |
| Nigro G, Russo V, Rago A, Papa AA, Cioppa ND, Scarpati C, Palladino T, Corcione A, Sarubbi B, Caianiello G, Russo MG: The effect of aortic coarctation surgical repair on QTc and JTc dispersion in severe aortic coarctation newborns: a short-term follow-up study | 27 |
| Ali BH, Ramkumar A, Madanagopal TT, Waly MI, Tageldin M, Al-Abri S, Fahim M, Yasin J, Nemmar A: Motor and behavioral changes in mice with cisplatin-induced acute renal failure | 35 |
| Hussein AM, Abd-elkhabir A, Abozahra A, Baiomy A, Ashamallah SA, Sheashaa HA, Sobh MA: Pancreatic injury secondary to renal ischemia/reperfusion (I/R) injury: possible role of oxidative stress | 47 |
| Chen Y, Hagopian K, Bibus D, Villalba JM, López-Lluch G, Navas P, Kim K, Ramsey JJ: The influence of dietary lipid composition on skeletal muscle mitochondria from mice following eight months of calorie restriction | 57 |
| Mališová L, Rossmeislová L, Kováčová Z, Kračmerová J, Tencerová M, Langin D, Šiklová-Vítková M, Štich V: Expression of inflammation-related genes in gluteal and abdominal subcutaneous adipose tissue during weight-reducing dietary intervention in obese women | 73 |
| Kotulak T, Drapalova J, Lips M, Lacinova Z, Kramar P, Riha H, Netuka I, Maly J, Blaha J, Lindner J, Svacina S, Mraz M, Haluzik M: Cardiac surgery increases serum concentrations of adipocyte fatty acid-binding protein and its mRNA expression in circulating monocytes but not in adipose tissue | 83 |
| Máčová L, Bičíková M, Zamrazilová H, Hill M, Kazihnitková H, Sedláčková B, Stárka L: Reduced levels of circulating 7 α -hydroxy-dehydroepiandrosterone in treated adolescent obese patients | 95 |
| Kubandová J, Fabian D, Burkuš J, Čikoš Š, Czikková S, Mozeš Š, Šefčíková Z, Koppel J: Two-generation diet-induced obesity model producing mice with increased amount of body fat in early adulthood | 103 |
| Pašková A, Pařízek A, Hill M, Velíková M, Kubátová J, Dušková M, Adamcová K, Koucký M, Šimjak P, Černý A, Stárka L: Steroid metabolome in the umbilical cord: Is it necessary to differentiate between arterial and venous blood? | 115 |
| Wei T-Q, Luo D-Y, Chen L, Wu T, Wang K-J: Cyclic hydrodynamic pressure induced proliferation of bladder smooth muscle cells via integrin α 5 and FAK | 127 |
| Jiang X, Zhang JJ, Wang MY, Sui N: Differential muscarinic modulation of synaptic transmission in dorsal and ventral regions of the rat nucleus accumbens core | 135 |
| Ping N-N, Cao L, Xiao X, Li S, Cao Y-X: The determination of optimal initial tension in rat coronary artery using wire myography (rapid communication) | 143 |
| Proceedings of the 16th Conference about Laboratory Animals held at Kutna Hora (Czech Republic), May 6 – 8, 2013 | 1P |

Contents of No. 2

| | |
|--|-----|
| Obituary: Křeček J | iii |
| Pokorný M, Červenka L, Netuka I, Pirk J, Koňářík M, Malý J: Ventricular assist devices in heart failure: how to support the heart but prevent atrophy? (review) | 147 |

| | |
|--|-----|
| Sochman J, Peregrin JH, Pavcnik D, Uchida BT, Timmermans HA, Sedmera D, Benada O, Kofronova O, Keller FS, Rosch J: Reverse endoventricular artificial obturator in tricuspid valve position Experimental feasibility research study | 157 |
| Chlupáč J, Filová E, Riedel T, Houska M, Brynda E, Remy-Zolghadri M, Bareille R, Fernandez P, Daculsi R, Bourget C, Bordenave L, Bačáková L: Attachment of human endothelial cells to polyester vascular grafts: pre-coating with adhesive protein assemblies and resistance to short-term shear stress | 167 |
| Sommer B, Montaño LM, Chávez J, Carbajal V, García-Hernandez LM, Irles C, Jiménez-Garduño AM, Ortega A: ROCK1 translocates from non-caveolar to caveolar regions upon KCl stimulation in airway smooth muscle | 179 |
| Sena CM, Matafome P, Louro T, Nunes E, Seiça RM: Effects of atorvastatin and insulin in vascular dysfunction associated with type 2 diabetes | 189 |
| Turk Z, Ljubić S, Boras J: Decreased level of endogenous secretory receptor for advanced glycation end-products in diabetes with concomitant hyperlipidemia | 199 |
| Urbanová M, Dostálková I, Trachta P, Drápalová J, Kaválková P, Haluzíková D, Matoulek M, Lacinová Z, Mráz M, Kasalický M, Haluzík M: Serum concentrations and subcutaneous adipose tissue mRNA expression of omentin in morbid obesity and type 2 diabetes mellitus: the effect of very-low-calorie diet, physical activity and laparoscopic sleeve gastrectomy | 207 |
| Novotny D, Vaverkova H, Karasek D, Lukes J, Slavik L, Malina P, Orsag J: Evaluation of total adiponectin, adipocyte fatty acid binding protein and fibroblast growth factor 21 levels in individuals with metabolic syndrome | 219 |
| Kosák M, Hána V, Hill M, Šimůnková K, Lacinová Z, Kršek M, Marek J: Serum cortisol seems to be a more appropriate marker for adrenocortical reserve evaluation in ACTH test in comparison to salivary cortisol | 229 |
| Solarz K, Kopeć A, Pietraszewska J, Majda F, Śłowińska-Lisowska M, Mędraś M: An evaluation of the levels of 25-hydroxyvitamin D ₃ and bone turnover markers in professional football players and in physically inactive men | 237 |
| Kvasnička T, Hájková J, Bobčíková P, Čverhová V, Malíková I, Ulrych J, Bříza J, Dušková D, Poletínová Š, Kieferová V, Kvasnička J: The frequencies of six important thrombophilic mutations in a population of the Czech Republic | 245 |
| Ergang P, Kuželová A, Soták M, Klusoňová P, Makal J, Pácha J: Distinct effect of stress on 11β-hydroxysteroid dehydrogenase type 1 and corticosteroid receptors in dorsal and ventral hippocampus | 255 |
| Zicha J, Dobešová Z, Zídek V, Šilhavý J, Šimáková M, Mlejnek P, Vaněčková I, Kuneš J, Pravenec M: Pharmacogenetic analysis of captopril effects on blood pressure: possible role of the <i>Ednrb</i> (Endothelin receptor type B) candidate gene (rapid communication) | 263 |
| Žaloudíková M, Herget J, Vízek M: The contractile response of isolated small pulmonary arteries induced by activated macrophages (rapid communication) | 267 |
| Garnol T, Endlicher R, Kučera O, Drahota Z, Červinková Z: Impairment of mitochondrial function of rat hepatocytes by high fat diet and oxidative stress (short communication) | 271 |
| Proceedings of the 49th Scientific Meeting of the Japanese Society for Hypertension-Related Disease Model Research, September 6 - 7, 2013, Tokyo, Japan | 7P |

Contents of No. 3

| | |
|--|-----|
| Pintérová M, Behuliak M, Kuneš J, Zicha J: Involvement of BK _{Ca} and Kv potassium channels in cAMP-induced vasodilation: their insufficient function in genetic hypertension | 275 |
| Wibmer T, Doering K, Kropf-Sanchen C, Rüdiger S, Blanta I, Stoiber KM, Rottbauer W, Schumann C: Pulse transit time and blood pressure during cardiopulmonary exercise tests | 287 |
| Jakuš V, Šándorová E, Kalninová J, Krahulec B: Monitoring of glycation, oxidative stress and inflammation in relation to the occurrence of vascular complications in patients with type 2 diabetes mellitus | 297 |
| Baker TA, Bach HH IV, Gamelli RL, Love RB, Majetschak M: Proteasomes in lungs from organ donors and patients with end-stage pulmonary diseases | 311 |
| Imrich R, Vlcek M, Kerlik J, Vogeser M, Kirchhoff F, Penesova A, Radikova Z, Lukac J, Rovensky J: Determinants of adrenal androgen hypofunction in premenopausal females with rheumatoid arthritis | 321 |

| | |
|--|------------|
| Petrović S, Takić M, Arsić A, Vučić V, Drakulić D, Milošević M, Glibetić M: Effect of sex hormones on plasma phospholipid fatty acid composition in intact rats and rats with bilaterally occluded carotid arteries | 331 |
| Wang YP, Wei JY, Yang JJ, Gao WN, Wu JQ, Guo CJ: Riboflavin supplementation improves energy metabolism in mice exposed to acute hypoxia | 341 |
| Ali BH, Al Za'abi M, Ramkumar A, Yasin J, Nemmar A: Anemia in adenine-induced chronic renal failure and the influence of treatment with gum acacia thereon | 351 |
| Petr T, Šmíd V, Kučerová V, Váňová K, Leníček M, Vítěk L, Šmíd F, Muchová L: The effect of heme oxygenase on ganglioside redistribution within hepatocytes in experimental estrogen-induced cholestasis | 359 |
| Schwarz M, Jandová K, Struk I, Marešová D, Pokorný J, Riljak V: Low dose domoic acid influences spontaneous behavior in adult rats | 369 |
| Li Y, Zhang C, Song T: Disturbance of the magnetic field did not affect spatial memory | 377 |
| La Favor JD, Anderson EJ, Hickner RC: Novel method for detection of reactive oxygen species in vivo in human skeletal muscle (short communication) | 387 |

Contents of No. 4

| | |
|---|------------|
| Abdo I, George RB, Farrag M, Cerny V, Lehmann C: Microcirculation in pregnancy (review) | 395 |
| Papáčková Z, Cahová M: Important role of autophagy in regulation of metabolic processes in health, disease and aging (review) | 409 |
| Žofková I, Matucha P: New insights into the physiology of bone regulation: the role of neurohormones (review) | 421 |
| Lenkey Z, Illyés M, Böcskei R, Husznai R, Sárszegi Z, Meiszterics Z, Molnár FT, Hild G, Szabados S, Cziráki A, Gaszner B: Comparison of arterial stiffness parameters in patients with coronary artery disease and diabetes mellitus using Arteriograph | 429 |
| Lackner HK, Batzel JJ, Rössler A, Hinghofer-Szalkay H, Papousek I: Multi-time scale perspective in analyzing cardiovascular data | 439 |
| Afroundeh R, Arimitsu T, Yamanaka R, Lian CS, Shirakawa K, Yunoki T, Yano T: Effect of work intensity on time delay in mediation of ventilation by arterial carbon dioxide during recovery from impulse exercise | 457 |
| Kataoka H, Nakano J, Morimoto Y, Honda Y, Sakamoto J, Origuchi T, Okita M, Yoshimura T: Hyperglycemia inhibits recovery from disuse-induced skeletal muscle atrophy in rats | 465 |
| Sglunda O, Mann HF, Hulejová H, Pecha O, Pleštilová L, Růžičková O, Fojtíková M, Šléglová O, Forejtová Š, Pavelka K, Vencovský J, Šenolt L: Decrease in serum interleukin-21 levels is associated with disease activity improvement in patients with recent-onset rheumatoid arthritis | 475 |
| Špolcová A, Holubová M, Mikulášková B, Nagelová V, Štofková A, Lacinová Z, Jurčovičová J, Haluzík M, Maletinská L, Železná B: Changes in FGF21 serum concentrations and liver mRNA expression in an experimental model of complete lipodystrophy and insulin-resistant diabetes | 483 |
| Koblihová E, Mrázová I, Vernerová Z, Ryska M: Acute liver failure induced by thioacetamide: selection of optimal dosage in Wistar and Lewis rats | 491 |
| Sajjad S, Malik H, Farooq U, Rashid F, Nasim H, Tariq S, Rehman S: Cadmium chloride toxicity revisited: effect on certain andrological, endocrinological and biochemical parameters of adult male rabbits | 505 |
| Kratochvílová S, Škoch A, Dezortová M, Švehlíková E, Hill M, Brunová J, Hájek M, Pelikánová T: Effect of acute hyperinsulinemia on brain metabolism evaluated by ¹ H MR spectroscopy – a pilot study | 513 |
| Sosvorová L, Bešťák J, Bičíková M, Mohapl M, Hill M, Kubátová J, Hampl R: Determination of homocysteine in cerebrospinal fluid as an indicator for surgery treatment in patients with hydrocephalus | 521 |
| Fábera P, Mareš P: Effect of GABA _B receptor agonist SKF97541 on cortical and hippocampal epileptic afterdischarges | 529 |

Contents of No. 5

| | |
|---|------------|
| Muchová J, Žitňanová I, Ďuračková Z: Oxidative stress and Down syndrome Do antioxidants play a role in therapy? (review) | 535 |
| Herrid M, Palanisamy SKA, Ciller UA, Fan R, Moens P, Smart NA, McFarlane JR: An updated view of leptin on implantation and pregnancy: a review | 543 |
| Markos F, Shortt CM, Edge D, Ruane-O'Hora T, Noble MIM: Immediate direct peripheral vasoconstriction in response to hyperinsulinemia and metformin in the anesthetized pig | 559 |
| Molcan L, Vesela A, Zeman M: Repeated phase shifts in the lighting regimen change the blood pressure response to norepinephrine stimulation in rats | 567 |
| Zálešák M, Blažíček P, Pancza D, Ledvéniová V, Barteková M, Nemčeková M, Čarnická S, Ziegelhöffer A, Ravingerová T: Severity of lethal ischemia/reperfusion injury in rat hearts subjected to ischemic preconditioning is increased under conditions of simulated hyperglycemia | 577 |
| Landa V, Zídek V, Mlejnek P, Šimáková M, Šilhavý J, Trnovská J, Kazdová L, Pravenec M: Sterol regulatory element binding protein 2 overexpression is associated with reduced adipogenesis and ectopic fat accumulation in transgenic spontaneously hypertensive rats | 587 |
| Schmiedtova M, Heczkova M, Kovar J, Kralova Lesna I, Poledne R: Reverse transport of cholesterol is the reason for resistance to development of atherosclerosis in Prague Hereditary Hypercholesterolemic (PHHC) rat | 591 |
| Zhou J, Zhang HA, Lin Y, Liu HM, Cui YM, Xu Y, Zhao N, Ma JM, Fan K, Jiang CL: Protective effect of ginsenoside against acute renal failure via reduction of renal oxidative stress and enhanced expression of ChAT in the proximal convoluted tubule and ERK1/2 in the paraventricular nuclei | 597 |
| Rosa EF, Alves GA, Luz J, Silva SMA, Sucheki D, Pesquero JB, Aboulafia J, Nouailhetas VLA: Activation of HPA axis and remodeling of body chemical composition in response to an intense and exhaustive exercise in C57BL/6 mice | 605 |
| Kemelo MK, Wojnarová L, Kutinová Canová N, Farghali H: D-galactosamine/lipopolysaccharide-induced hepatotoxicity downregulates sirtuin 1 in rat liver: role of sirtuin 1 modulation in hepatoprotection | 615 |
| Kaposvári P, Bognár A, Csibri P, Utassy G, Sáry Gy: Fusion and fission in the visual pathways | 625 |
| Brožíčková C, Mikulecká A, Otáhal J: Effect of 7-nitroindazole, a neuronal nitric oxide synthase inhibitor, on behavioral and physiological parameters | 637 |
| Zhao L, He LX, Huang SN, Gong LJ, Li L, Lv YY, Qian ZM: Protection of dopamine neurons by vibration training and up-regulation of brain-derived neurotrophic factor in a MPTP mouse model of Parkinson's disease | 649 |
| Perez-Velazquez M, Urquidez-Bejarano P, González-Félix ML, Minjarez-Osorio C: Evidence of euryhalinity of the Gulf corvina (<i>Cynoscion othonopterus</i>) (short communication) | 659 |
| Proceedings of the 17th Conference about Laboratory Animals held at Brno (Czech Republic), May 5 – 7, 2014 | 15P |

Contents of No. 6

| | |
|---|------------|
| Duarte-Costa S, Castro-Ferreira R, Neves JS, Leite-Moreira AF: S100A1: a major player in cardiovascular performance (review) | 669 |
| Zembroń-Łacny A, Dziubek W, Rogowski Ł, Skorupka E, Dąbrowska G: Sarcopenia: monitoring, molecular mechanisms, and physical intervention (review) | 683 |
| O'Leary CB, Hackney AC: Acute and chronic effects of resistance exercise on the testosterone and cortisol responses in obese males: a systematic review (review) | 693 |
| Krušek J, Ďad'o S: Electrode-less measurement of cell layers impedance (review) | 705 |
| Hammad FT, Wheatley AM, Davis G: Bosentan normalizes the GFR response to renal nerve stimulation following reversible unilateral ureteric obstruction in the rat | 713 |
| Amaral LSB, Silva JA, Trindade TM, Ribas WBD, Macedo CL, Coimbra TM, Belo NO, Magalhães ACM, Soares TJ: Renal changes in the early stages of diet-induced obesity in ovariectomized rats | 723 |

| | |
|--|------------|
| Skarlandtová H, Bičíková M, Neužil P, Mlček M, Hrachovina V, Svoboda T, Medová E, Kudlička J, Dohnalová A, Havránek Š, Kazihnítková H, Máčová L, Vařejková E, Kittnar O: Are there any differences between stress hormone levels in non-stress conditions and in potential stress overload (heart catheterisation) in sows? | 733 |
| Vrablík M, Dobiášová M, Zlatohlávek L, Urbanová Z, Češka R: Biomarkers of cardiometabolic risk in obese/overweight children: effect of lifestyle intervention | 743 |
| Kandár R, Štramová X, Drábková P, Křenková J: A monitoring of allantoin, uric acid, and malondialdehyde levels in plasma and erythrocytes after ten minutes of running activity | 753 |
| Mikeš J, Ševc J, Koštuth J, Matiašová A, Daxnerová Z, Fedoročko P: Flow cytometric method for estimation of 5-bromo-2'-deoxyuridine content in rat serum | 763 |
| Sepsova V, Krusek J, Zdarova Karasova J, Zemek F, Musilek K, Kuca K, Soukup O: The interaction of quaternary reversible acetylcholinesterase inhibitors with the nicotinic receptor | 771 |
| Gojanovic B, Feihl F, Gremion G, Waeber B: Physiological response to whole-body vibration in athletes and sedentary subjects | 779 |
| Yu Y-Q, Chen X-F, Yang Y, Yang F, Chen J: Electrophysiological identification of tonic and phasic neurons in sensory dorsal root ganglion and their distinct implications in inflammatory pain | 793 |
| Xie H-C, He J-P, Zhu J-F, Li J-G: Expression of HIF-1 α and VEGF in skeletal muscle of plateau animals in response to hypoxic stress (rapid communication) | 801 |
| Roychoudhury S, Detvanova L, Sirotnik AV, Toman R, Kolesarová A: <i>In vitro</i> changes in secretion activity of rat ovarian fragments induced by molybdenum (rapid communication) | 807 |