

Šmídová L.: Jantar – okno do minulosti (Živa 2023, 3: 109–110)

Seznam literatury k článku

Azar, D., El-Samrani, A., Maalouly, J., & Nel, A. Jurassic amber in Lebanon. *Acta Geologica Sinica-English Edition* 84.4, 977-983 (2010).

Bray, P. S. & Anderson, K. B. Identification of Carboniferous (320 million years old) class IC amber. *Science* 326, 132–134 (2009).

Čerňanský, A., Stanley, E. L., Daza, J. D., Bolet, A., Arias, J. S., Bauer, A. M., ... & Evans, S. E. (2022). A new Early Cretaceous lizard in Myanmar amber with exceptionally preserved integument. *Scientific Reports*, 12(1), 1660.

Dal Corso, J., Schmidt, A. R., Seyfullah, L. J., Preto, N., Ragazzi, E., Jenkyns, H. C., ... & Roghi, G. Evaluating the use of amber in palaeoatmospheric reconstructions: The carbon-isotope variability of modern and Cretaceous conifer resins. *Geochimica et Cosmochimica Acta* 199, 351–369 (2017).

Daza, J. D., Stanley, E. L., Wagner, P., Bauer, A. M., & Grimaldi, D. A. (2016). Mid-Cretaceous amber fossils illuminate the past diversity of tropical lizards. *Science Advances*, 2(3), e1501080.

Daza, J. D., Stanley, E. L., Bolet, A., Bauer, A. M., Arias, J. S., Čerňanský, A., ... & Evans, S. E. (2020). Enigmatic amphibians in mid-Cretaceous amber were chameleon-like ballistic feeders. *Science*, 370(6517), 687-691.

Girard, V., Schmidt, A. R., Struwe, S., Perrichot, V., Breton, G., & Néraudeau, D. (2009). Taphonomy and palaeoecology of mid-Cretaceous amber-preserved microorganisms from southwestern France. *Geodiversitas*, 31(1), 153-162.

Havelcová, M., Sýkorová, I., Mach, K. & Dvořák, Z. Organic geochemistry of fossil resins from the Czech Republic. *Procedia Earth and Planetary Science* 10, 303–312 (2014).

Havelcová, M., Machovič, V., Linhartová, M., Lapčák, L., Přichystal, A., & Dvořák, Z. Vibrational spectroscopy with chromatographic methods in molecular analyses of Moravian amber samples (Czech Republic). *Microchemical Journal* 128, 153–160 (2016).

- Jehlička, J., Jorge Villar, S. & Edwards, H. Fourier transform Raman spectra of Czech and Moravian fossil resins from freshwater sediments. *Journal of Raman Spectroscopy* 35, 761–767 (2004).
- Jiang, H., Tomaschek, F., Drew Muscente, A., Niu, C., Nyunt, T. T., Fang, Y., ... & Wang, B.. Widespread mineralization of soft-bodied insects in Cretaceous amber. *Geobiology* (2022).
- Krek, A., Ulyanova, M. & Koschavets, S. Influence of land-based Kaliningrad (Primorsky) amber mining on coastal zone. *Marine Pollution Bulletin* 131, 1–9 (2018).
- Labandeira, C. C. Amber. In *Reading and Writing of the Fossil Record: Preservation Pathways to Exceptional Fossilization: Presented as a Paleontological Society Short Course at the Annual Meeting of the Geological Society of America, Vancouver, British Columbia, October 18, 2014* (Paleontological Society, 2014).
- Langenheim, J. H. *Plant resins: chemistry, evolution, ecology, and ethnobotany*. 620.1924 L275p (Oregon, US: Timber Press, 2003).
- Martínez-Delclòs, X., Briggs, D. E. & Peñalver, E. Taphonomy of Insects in Carbonates and Amber. *Palaeogeography, Palaeoclimatology, Palaeoecology* 203, 19–64 (2004).
- McCoy, V. E., Barthel, H. J., Boom, A., Peñalver, E., Delclòs, X., & Solórzano-Kraemer, M. M. Volatile and semi-volatile composition of Cretaceous amber. *Cretaceous Research* 127, 104958 (2021).
- McCoy, Victoria E., Sarah E. Gabbott, Kirsty Penkman, Matthew J. Collins, Samantha Presslee, John Holt, Harrison Grossman et al. "Ancient amino acids from fossil feathers in amber." *Scientific Reports* 9, no. 1 (2019): 1-8.
- Nel, A. & Prokop, J. New fossil Scelionidae (Insecta: Hymenoptera) in early Paleogene amber from eastern Moravia (Czech Republic) and northern France. *Polskie Pismo Entomologiczne* 74, 339–347 (2005).
- Peris, D., Janssen, K., Barthel, H. J., Bierbaum, G., Delclòs, X., Peñalver, E., ... & Rust, J. DNA from resin-embedded organisms: Past, present and future. *PloS one*, 15(9), e0239521 (2020).
- Philippe, Marc, Cuny, G., Suteethorn, V., Teerarungsikul, N., Barale, G., Thévenard, F., ... & Tong, H.. A Jurassic amber deposit in Southern Thailand. *Historical Biology* 17.1-4 (2005): 1-6.

- Salamon, M. A., Lin, J. P., Duda, P., Gorzelak, P., Ausich, W. I., & Oji, T. (2019).
Paleoenvironmental and biostratigraphic implications of echinoderm ossicles trapped within
Burmese amber. *Palaios*, 34(12), 652-656.
- Schmidt, A. R., Jancke, S., Lindquist, E. E., Ragazzi, E., Roghi, G., Nascimbene, P. C., ... &
Grimaldi, D. A. Arthropods in amber from the Triassic period. *Proceedings of the National
Academy of Sciences* 109, 14796–14801 (2012).
- Seyfullah, L. J., Beimforde, C., Dal Corso, J. D., Perrichot, V., Rikkinen, J., & Schmidt, A. R.
Production and preservation of resins—past and present. *Biological Reviews* 93, 1684–1714
(2018).
- Seyfullah, L. J., Roghi, G., Dal Corso, J. D., & Schmidt, A. R.. The Carnian Pluvial Episode and
the first global appearance of amber. *Journal of the Geological Society*, 175.6: 1012-1018
(2018).
- Solórzano Kraemer, Mónica M., ., Delclòs, X., Clapham, M. E., Arillo, A., Peris, D., Jäger, P., ...
& Peñalver, E. Arthropods in modern resins reveal if amber accurately recorded forest
arthropod communities. *Proceedings of the National Academy of Sciences* 115.26 6739-6744
(2018).
- Solórzano-Kraemer, M. M., Delclòs, X., Engel, M. S. & Peñalver, E. A revised definition for
copal and its significance for palaeontological and Anthropocene biodiversity-loss studies.
Scientific Reports 10, 1–12 (2020).
- Tkoč, M., Nel, A. & Prokop, J. Discovery of a new species of the Cretaceous genus
Microphorites Hennig, 1971 (Diptera: Dolichopodidae s. lat.) in Paleogene amber from
eastern Moravia (Czech Republic). *Insect Systematics & Evolution* 47, 181–193 (2016).
- Van Bergen, P., Collinson, M., Scott, A. & De Leeuw, J. Unusual resin chemistry from upper
Carboniferous pteridosperm resin rodlets (ACS Publications, 1995).
- Xing, L., McKellar, R. C., Xu, X., Li, G., Bai, M., Persons, W. S., ... & Currie, P. J. (2016). A
feathered dinosaur tail with primitive plumage trapped in mid-Cretaceous amber. *Current
Biology*, 26(24), 3352-3360.

Xing, L., O'Connor, J. K., McKellar, R. C., Chiappe, L. M., Tseng, K., Li, G., & Bai, M. (2017). A mid-Cretaceous enantiornithine (Aves) hatchling preserved in Burmese amber with unusual plumage. *Gondwana Research*, 49, 264-277.

Xing, L., Stanley, E. L., Bai, M., & Blackburn, D. C. (2018a). The earliest direct evidence of frogs in wet tropical forests from Cretaceous Burmese amber. *Scientific Reports*, 8(1), 1-8.

Xing, L., Caldwell, M. W., Chen, R., Nydam, R. L., Palci, A., Simões, T. R., ... & Bai, M. (2018b). A mid-Cretaceous embryonic-to-neonate snake in amber from Myanmar. *Science Advances*, 4(7), eaat5042.

Xing, L., Sames, B., McKellar, R. C., Xi, D., Bai, M., & Wan, X. (2018c). A gigantic marine ostracod (Crustacea: Myodocopa) trapped in mid-Cretaceous Burmese amber. *Scientific Reports*, 8(1), 1365.

Yu, T., Thomson, U., Mu, L., Ross, A., Kennedy, J., Broly, P., ... & Dilcher, D. (2019). An ammonite trapped in Burmese amber. *Proceedings of the National Academy of Sciences*, 116(23), 11345-11350.