

Contents of Volume 58

Contents of No. 1

Dostálová I, Haluzíková D, Haluzík M: Fibroblast growth factor 21: a novel metabolic regulator with potential therapeutic properties in obesity/type 2 diabetes mellitus (minireview)	1
Matejíková J, Kucharská J, Pintérová M, Pancza D, Ravingerová T: Protection against ischemia-induced ventricular arrhythmias and myocardial dysfunction conferred by preconditioning in the rat heart: involvement of mitochondrial K _{ATP} channels and reactive oxygen species	9
Arsos G, Kyparos A, Moralidis E, Kyparos D, Georga S, Sotiriadou S, Matziari C, Karakatsanis C: ^{99m} Tc-sestamibi uptake in rat skeletal muscle and heart: physiological determinants and correlations	21
Mourouzis I, Dimopoulos A, Saranteas T, Tsinarakis N, Livadarou E, Spanou D, Kokkinos AD, Xinaris C, Pantos C, Cokkinos DV: Ischemic preconditioning fails to confer additional protection against ischemia-reperfusion injury in the hypothyroid rat heart	29
Rossi M, Carpi A, Di Maria C, Franzoni F, Galetta F, Santoro G: Skin blood flowmotion and microvascular reactivity investigation in hypercholesterolemic patients without clinically manifest arterial diseases	39
Černý V, Turek Z, Pařízková R: In situ assessment of the liver microcirculation in mechanically ventilated rats using sidestream dark-field imaging	49
Raffai G, Csekő C, Kocsis L, Dézsi L, Monos E: Does long-term experimental antiorthostasis lead to cardiovascular deconditioning in the rat?	57
Hoppe CC, Moritz KM, Fitzgerald SM, Bertram JF, Evans RG: Transient hypertension and sustained tachycardia in mice housed individually in metabolism cages	69
Ikeda T, Hirakawa H, Kemuriyama T, Nishida Y, Kazama T: Effect of cervical sympathetic trunk transection on renal sympathetic nerve activity in rats	77
Mourot L, Bouhaddi M, Regnard J: Effects of the cold pressor test on cardiac autonomic control in normal subjects	83
Haluzík MM, Anderlová K, Doležalová R, Adamíková A, Haluzíková D, Housová J, Svačina Š, Haluzík M: Serum adipocyte fatty acid binding protein levels in patients with type 2 diabetes mellitus and obesity: the influence of fenofibrate treatment	93
Hudcovic T, Kozáková H, Kolínská J, Štěpánková R, Hrnčíř T, Tlaskalová-Hogenová H: Monocolonization with <i>Bacteroides ovatus</i> protects immunodeficient SCID mice from mortality in chronic intestinal inflammation caused by long-lasting dextran sodium sulfate treatment	101
Gaudier E, Rival M, Buisine M-P, Robineau I, Hoebler C: Butyrate enemas upregulate <i>Muc</i> genes expression but decrease adherent mucus thickness in mice colon	111
Ďurfinová M, Brechtlová M, Liška B, Barošková Ž: K ⁺ -p-nitrophenylphosphatase activity in rat brain and liver	121
Racay P, Tatarková Z, Drgová A, Kaplan P, Dobrota D: Ischemia-reperfusion induces inhibition of mitochondrial protein synthesis and cytochrome c oxidase activity in rat hippocampus	127
Kukleta M, Brázdlil M, Roman R, Bob P, Rektor I: Cognitive network interactions and beta 2 coherence in processing non-target stimuli in visual oddball task	139
Petrov K, Kovyzina I, Zobov V, Bukharaeva E, Nikolsky EE, Vyskočil F: Different sensitivity of miniature endplate currents in rat external and internal intercostal muscles to the acetylcholinesterase inhibitor C-547 as compared with diaphragm and extensor digitorum longus (rapid communication)	149
Shidaifat F: Age-dependent expression of 5α-reductase and androgen receptors mRNA by the canine prostate (short communication)	155

Contents of No. 2

Dostálová I, Haluzík M: The role of ghrelin in the regulation of food intake in patients with obesity and anorexia nervosa (minireview)	159
Krupička J, Janota T, Kasalová Z, Hradec J: Natriuretic peptides – physiology, pathophysiology and clinical use in heart failure (minireview)	171
Jehlička P, Stožický F, Mayer Jr O, Varvařovská J, Racek J, Trefil L, Siala K: Asymmetric dimethylarginine and the effect of folate substitution in children with familial hypercholesterolemia and diabetes mellitus type 1	179
Chytilová E, Malík J, Kasalová Z, Doležalová R, Štulc T, Češka R: Lower wall shear rate of the common carotid artery in treated type 2 diabetes mellitus with metabolic syndrome	185
Mecha Disassa N, Styp-Rekowska B, Hinz B, Da Silva-Azevedo L, Pries AR, Zakrzewicz A: Differential expression of VEGFA, TIE2, and ANG2 but not ADAMTS1 in rat mesenteric microvascular arteries and veins	193
Sena CM, Louro T, Matafome P, Nunes E, Monteiro P, Seiça R: Antioxidant and vascular effects of gliclazide in type 2 diabetic rats fed high-fat diet	203
Mitašíková M, Lin H, Soukup T, Imanaga I, Tribulová N: Diabetes and thyroid hormones affect connexin-43 and PKC-ε expression in rat heart atria	211
Thanos PK, Cavigelli SA, Michaelides M, Olvet DM, Patel U, Diep MN, Volkow ND: A non-invasive method for detecting the metabolic stress response in rodents: characterization and disruption of the circadian corticosterone rhythm	219
Zoladz JA, Majerczak J, Duda K, Chłopicki S: Exercise-induced prostacyclin release positively correlates with VO _{2max} in young healthy men	229
Roušar T, Kučera O, Křiváková P, Lotková H, Kandář R, Mužáková V, Červinková Z: Evaluation of oxidative status in acetaminophen treated rat hepatocytes in culture	239
Hofer M, Vacek A, Pospíšil M, Holá J, Štreitová D, Znojil V: Activation of adenosine A ₃ receptors potentiates stimulatory effects of IL-3, SCF, and GM-CSF on mouse granulocyte-macrophage hematopoietic progenitor cells	247
Soukup T, Smerdu V, Zachařová G: Fiber type composition of unoperated rat soleus and extensor digitorum longus muscles after unilateral isotonransplantation of a foreign muscle in long-term experiments	253
Vajtr D, Benada O, Kukačka J, Průša R, Houšťava L, Ťoupalík P, Kizek R: Correlation of ultrastructural changes of endothelial cells and astrocytes occurring during blood brain barrier damage after traumatic brain injury with biochemical markers of BBB leakage and inflammatory response	263
Šedý J, Zicha J, Kuneš J, Jendelová P, Syková E: Rapid but not slow spinal cord compression elicits neurogenic pulmonary edema in the rat	269
Mareš J, Rokyta R: Algesthesia after epileptic seizure	279
Tichý JA, Loučka M, Trefný ZM, Hojerová M, Svačinka J, Müller J, Friedrichová M: New clearance evaluation method for hepatological diagnostics	287
Curl CL, Delbridge LMD, Canny BJ, Wendt IR: Testosterone modulates cardiomyocyte Ca ²⁺ handling and contractile function (short communication)	293
Petrásek T, Stuchlík A: Serotonin-depleted rats are capable of learning in active place avoidance, a spatial task requiring cognitive coordination (rapid communication)	299
Zachařová G, Paleček J: Parvalbumin and TRPV1 receptor expression in dorsal root ganglion neurons after acute peripheral inflammation (rapid communication)	305

Contents of No. 3

Goswami N, Grasser E, Roessler A, Schneditz D, Hinghofer-Szalkay H: The cardiovascular response to lower body negative pressure in humans depends on seal location	311
Bošanská L, Petrák O, Zelinka T, Mráz M, Widimský Jr J, Haluzík M: The effect of pheochromocytoma treatment on subclinical inflammation and endocrine function of adipose tissue	319

Koprdová R, Cebová M, Kristek F: Long-term effect of losartan administration on blood pressure, heart and structure of coronary artery of young spontaneously hypertensive rats	327
Hlavačková L, Janega P, Černá A, Pecháňová O, Andriantsitohaina R, Babál P: Red wine polyphenols affect the collagen composition in the aorta after oxidative damage induced by chronic administration of CCl ₄	337
Sahin D, Ilbay G, Imal M, Bozdogan O, Ates N: Vagus nerve stimulation suppresses generalized seizure activity and seizure-triggered postictal cardiac rhythm changes in rats	345
Kharin SN, Shmakov DN, Antonova NA: Effects of ectopic pacing on repolarization of the chicken left ventricle	351
Majetschak M, Sorell LT, Patricelli T, Seitz DH, Knöferl MW: Detection and possible role of proteasomes in the bronchoalveolar space of the injured lung	363
Jiřičková A, Šulc J, Pohunek P, Kittnar O, Dohnalová A, Kofránek J: Prevalence of tidal expiratory flow limitation in preschool children with and without respiratory symptoms: application of the negative expiratory pressure (NEP) method	373
Kolář P, Neuwirth J, Šanda J, Suchánek V, Svatá Z, Volejník J, Pivec M: Analysis of diaphragm movement, during tidal breathing and during its activation while breath holding, using MRI synchronized with spiroometry	383
Kosková I, Petrásek R, Vondra K, Dušková M, Stárka L: Metabolic profile and sex hormone binding globulin (SHBG) in different reproductive phases of Czech women and their relations to weight, body composition and fat distribution	393
Slow S, Lever M, Chambers ST, George PM: Plasma dependent and independent accumulation of betaine in male and female rat tissues	403
Liang JQ, Zhang W, Wen L, Gao W, Zhang SQ, Chen L: hsBAFF-upregulated intracellular free Ca ²⁺ homeostasis regulates ERK1/2 activity and cell proliferation in B cells <i>in vitro</i>	411
Procházková M, Zanvit P, Doležal T, Prokešová L, Kršiak M: Increased gene expression and production of spinal cyclooxygenase 1 and 2 during experimental osteoarthritis pain	419
Dagci T, Armagan G, Konyalioglu S, Yalcin A: Alterations in the expression of the apurinic/apyrimidinic endonuclease-1/redox factor-1 (APE/ref-1) and DNA damage in the caudal region of acute and chronic spinal cord injured rats treated by embryonic neural stem cells	427
Zachařová G, Sojka D, Paleček J: Changes of parvalbumin expression in the spinal cord after peripheral inflammation	435
Ravingerová T, Matejíková J, Pancza D, Kolář F: Reduced susceptibility to ischemia-induced arrhythmias in the preconditioned rat heart is independent of PI3-kinase/Akt (rapid communication)	443
Adameová A, Harčárová A, Matejíková J, Pancza D, Kuželová M, Čarnická S, Švec P, Barteková M, Styk J, Ravingerová T: Simvastatin alleviates myocardial contractile dysfunction and lethal ischemic injury in rat heart independent of cholesterol-lowering effects (rapid communication)	449
Cibičková L, Palička V, Hyšpler R, Cibiček N, Čermáková E: Alendronate lowers cholesterol synthesis in the central nervous system of rats – a preliminary study (short communication)	455
Proceedings of the Czech and Slovak Physiological Societies	9P

Contents of No. 4

Raška O, Bernášková K, Raška Jr I: Bone metabolism: a note on the significance of mouse models (minireview)	459
Korpas D, Hálek J, Doležal L: Parameters describing the pulse wave (minireview)	473
Vicenová B, Vopálenský V, Burýšek L, Pospíšek M: Emerging role of interleukin-1 in cardiovascular diseases (minireview)	481
Oudot A, Behr-Roussel D, Compagnie S, Caisey S, Le Coz O, Gorny D, Alexandre L, Giuliano F: Endothelial dysfunction in insulin-resistant rats is associated with oxidative stress and COX pathway dysregulation	499
Rezzani R, Tengattini S, Bonomini F, Filippini F, Pecháňová O, Bianchi R, Andriantsitohaina R: Red wine polyphenols prevent cyclosporine-induced nephrotoxicity at the level of the intrinsic apoptotic pathway	511
Wang Y-K, Ren A-J, Yang X-Q, Wang L-G, Rong W-F, Tang C-S, Yuan W-J, Lin L: Sulfur dioxide relaxes rat aorta by endothelium-dependent and -independent mechanisms	521

Yano T, Yunoki T, Matsuura R, Arimitsu T: Relationship between hyperventilation and excessive CO ₂ output during recovery from repeated cycling sprints	529
Yunoki T, Matsuura R, Arimitsu T, Kimura T, Yano T: Effects of sodium bicarbonate ingestion on hyperventilation and recovery of blood pH after a short-term intense exercise	537
Wilund KR, Feeney LA, Tomayko EJ, Weiss EP, Hagberg JM: Effects of endurance exercise training on markers of cholesterol absorption and synthesis	545
Kostolanská J, Jakub V, Barák I: Monitoring of early and advanced glycation in relation to the occurrence of microvascular complications in children and adolescents with type 1 diabetes mellitus	553
Demová H, Komers R: Determination of caveolin-1 in renal caveolar and non-caveolar fractions in experimental type 1 diabetes	563
Maruna P, Lindner J, Kubzová KM: Leptin and soluble leptin receptor changes after pulmonary endarterectomy: relations to cortisol and cytokine network	569
Haluzíková D, Dostálková I, Kaválková P, Roubíček T, Mráz M, Papežová H, Haluzík M: Serum concentrations of adipocyte fatty acid binding protein in patients with anorexia nervosa	577
Tejral G, Koláčná L, Schoner W, Amler E: The π -helix formation between Asp ³⁶⁹ and Thr ³⁷⁵ as a key factor in E ₁ -E ₂ conformational change of Na ⁺ /K ⁺ -ATPase	583
Ankarali S, Ankarali HC, Marangoz C: Further evidence for the role of nitric oxide in maternal aggression: effects of L-NAME on maternal aggression towards female intruders in Wistar rats	591
Tyapkina O, Volkov E, Nurullin L, Shenkman B, Kozlovskaya I, Nikolsky E, Vyskočil F: Resting membrane potential and Na ⁺ ,K ⁺ -ATPase of rat fast and slow muscles during modeling of hypogravity (rapid communication)	599

Contents of No. 5

Honzíková N, Fišer B: Baroreflex sensitivity and essential hypertension in adolescents (minireview)	605
Malík J, Tuka V, Mokrejšová M, Holaj R, Tesař V: Mechanisms of chronic heart failure development in end-stage renal disease patients on chronic hemodialysis (minireview)	613
Karolczak K, Olas B: Mechanism of action of homocysteine and its thiolactone in hemostasis system (minireview)	623
Létienne R, Calmettes Y, Le Grand B: Is postconditioning effective in prevention against long-lasting myocardial ischemia in the rabbit?	635
Shi L, Xu M, Liu J, Zhang Z, Bao Z, Wang Y, Wang C, Wang J: K _{ATP} channels are involved in regulatory volume decrease in rat cardiac myocytes	645
Fontes-Sousa AP, Pires AL, Monteiro-Cardoso VF, Leite-Moreira AF: Urotensin II-induced increase in myocardial distensibility is modulated by angiotensin II and endothelin-1	653
Bis J, Vojáček J, Dušek J, Pecka M, Palička V, Šťásek J, Malý J: Time-course of tissue factor plasma level in patients with acute coronary syndrome	661
Filová E, Bullett NA, Bačáková L, Grausová L, Haycock JW, Hlučilová J, Klíma J, Shard A: Regionally-selective cell colonization of micropatterned surfaces prepared by plasma polymerization of acrylic acid and 1,7-octadiene	669
Endlicher R, Křiváková P, Rauchová H, Núsková H, Červinková Z, Drahota Z: Peroxidative damage of mitochondrial respiration is substrate-dependent	685
Reyes A, Galindo MM, García L, Segura-Peña D, Caruso-Neves C, Eblen-Zajjur A, Proverbio T, Marín R, Proverbio F: Ouabain-insensitive, Na ⁺ -stimulated ATPase of several rat tissues: activity during a 24 h period	693
Svobodová H, Štulc T, Kasalová Z, Doležalová R, Marinov I, Čapek P, Češka R: The effect of rosiglitazone on the expression of thrombogenic markers on leukocytes in type 2 diabetes mellitus	701
Balík A, Jindřichová M, Bhattacharyya S, Zemková H: GnRH-I and GnRH-II-induced calcium signaling and hormone secretion in neonatal rat gonadotrophs	709

Železná B, Maixnerová J, Matyšková R, Haugvicová R, Blokešová D, Maletínská L: Anorexigenic effect of cholecystokinin is lost but that of CART (Cocaine and Amphetamine Regulated Transcript) peptide is preserved in monosodium glutamate obese mice	717
Kukleta M, Bob P, Brázdl M, Roman R, Rektor I: Beta 2-band synchronization during a visual oddball task	725
Stuchlík A, Petrásek T, Valeš K: Effect of alpha ₁ -adrenergic antagonist prazosin on behavioral alterations induced by MK-801 in a spatial memory task in Long-Evans rats	733
Schutová B, Hrubá L, Pometlová M, Deykun K, Šlamberová R: Cognitive functions and drug sensitivity in adult male rats prenatally exposed to methamphetamine	741
Zicha J, Kuneš J, Vranková S, Jendeková L, Dobešová Z, Pintérová M, Pecháňová O: Influence of pertussis toxin pretreatment on the development of L-NAME-induced hypertension (rapid communication)	751
Sharpley CF, Kauter KG, McFarlane JR: An initial exploration of <i>in vivo</i> hair cortisol responses to a brief pain stressor: latency, localization and independence effects (short communication)	757

Contents of No. 6

Vyskočil F, Malomouž AI, Nikolsky EE: Non-quantal acetylcholine release at the neuromuscular junction (review)	763
Hlubocká Z, Jáchymová M, Heller S, Umnerová V, Danzig V, Lánská V, Horký K, Linhart A: Association of the -344T/C aldosterone synthase gene variant with essential hypertension	785
Bal MS, Paulis L, Zicha J, Kuneš J: Effect of protein kinase C and protein kinase A inhibitors on contraction of isolated femoral arteries of SHR and Wistar rats	793
Ruane-O'Hora T, Hall WJ, Markos F: The effect of ketamine and saffan on the β-endorphin and ACTH response to hemorrhage in the minipig	799
Hu L, Ma J, Zhang P, Zheng J: Extracellular hypotonicity induces disturbance of sodium currents in rat ventricular myocytes	807
Grasser E, Goswami N, Hinghofer-Szalkay H: Presyncopal cardiac contractility and autonomic activity in young healthy males	817
Maruna P, Lindner J, Kunštýř J, Kubzová K, Hubáček J: Plasma prohepcidin as a negative acute phase reactant after large cardiac surgery with a deep hypothermic circulatory arrest	827
Rocha-Sousa A, Saraiva J, Amaral M, Alves-Faria P, Falcão-Reis F, Leite-Moreira AF: ET _{B2} receptor subtype stimulation relaxes the iris sphincter muscle	835
Ostuni MA, Egido P, Peranzi G, Alonso GL, Lacapere J-J, Gonzalez DA: Characterization of a functional NTPDase in the endoplasmic reticulum of rat submandibular salivary gland	843
Zembron-Lacny A, Slowinska-Lisowska M, Szygula Z, Witkowski K, Szyszka K: The comparison of antioxidant and hematological properties of N-acetylcysteine and α-lipoic acid in physically active males	855
Szkudelski T, Szkudelska K, Nogowski L: Effects of adenosine A ₁ receptor antagonism on lipogenesis and lipolysis in isolated rat adipocytes	863
Klíma J, Lacina L, Dvořáková B, Herrmann D, Carnwath JW, Niemann H, Kaltner H, André S, Motlík J, Gabius H-J, Smetana Jr K: Differential regulation of galectin expression/reactivity during wound healing in porcine skin and in cultures of epidermal cells with functional impact on migration	873
Plánka L, Nečas A, Srnec R, Raušer P, Starý D, Jančář J, Amler E, Filová E, Hlučilová J, Křen L, Gál P: Use of allogenic stem cells for the prevention of bone bridge formation in miniature pigs	885
Amarjargal N, Andreeva N, Gross J, Haupt H, Fuchs J, Szczepk AJ, Mazurek B: Differential vulnerability of outer and inner hair cells during and after oxygen-glucose deprivation in organotypic cultures of newborn rats	895
Dostálová I, Sedláčková D, Papežová H, Nedvídková J, Haluzík M: Serum visfatin levels in patients with anorexia nervosa and bulimia nervosa (short communication)	903
Ozacmak VH, Sayan H: The effects of 17β estradiol, 17α estradiol and progesterone on oxidative stress biomarkers in ovariectomized female rat brain subjected to global cerebral ischemia (short communication)	909
Solar M, Ceral J, Žižka J, Eliáš P: Neurovascular compression: sympathetic activity in severe arterial hypertension (short communication)	913

Žaloudíková M, Vízek M, Herget J: Hyperoxia blunts acute hypoxia- and PGF _{2α} -induced pulmonary vasoconstriction in chronically hypoxic rats (rapid communication)	917
Zemančíková A, Török J: Effect of chronic nifedipine treatment on blood pressure and adrenergic responses of isolated mesenteric artery in young rats with developing spontaneous hypertension (rapid communication)	921
Mareš P: Age- and dose-specific anticonvulsant action of bumetanide in immature rats (rapid communication)	927